Coleopterorum Catalogus

19/1/10.

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 6:

H. Wagner

Curculionidae: Apioninae.

Einzel-Preis: Mark 7.50
Subscriptions-Preis: Mark 5.—

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1910.

W. JUNK, Berlin W. 15.

Coleopterorum Catalogus.

Pars 1: **R. Gestro,** Rhysodidae. 1910. 11 p.
(Mark 1) **Mk. 0.65**

2: **F. Borchmann,** Nilionidae, Othniidae. Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) **Mk. 2.—**

3: **F. Borchmann,** Alleculidae. 1910. 80 p.
(Mark 7.50) **Mk. 5.—**

4: **M. Hagedorn,** Ipidae. 1910. 134 p.
(Mark 12.75) **Mk. 8.50**

5: **R. Gestro,** Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) **Mk. 2.—**

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

BRITISH MUSEUM
Z D
NATURAL HISTORY

Pars 6:

H. Wagner

Curculionidae: Apioninae.

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1910.

Coleopt. - 208, 209, 210

Druck von A. Hopfer in Burg b. M.

Fam. Curculionidae.

Subfam. Apioninae.

Auct. **H. Wagner.**

Apionides Schönh. Gen. Spec. Curc. I, 1833, p. 247 und *Cylades* Schönh. Gen. Spec. Curc. I, 1833, p. 369.

1. Tribus: **Eurhynchini.**

Wagner, Ann. Soc. Ent. Belg. LIII, 1909, p. 433.

Cylades Schönh. Gen. Spec. Curc. I, 1833, p. 369.
Eurhynchides Lacord. Hist. Nat. Ins. VI, 1863, p. 527 und *Cylades* Lacord. l. c. p. 529. — Faust, Stett. Ent. Zeit. L, 1889, p. 79, nota.

Eurhynchus Schönh.

Schönh. Gen. Spec. Curc. I, 1833, p. 247.

Eurhinus Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 427.

acanthopterus Boisd. Voyag. Astrol. II, 1832—35, p. 308, t. 7, f. 17. *tetracanthus* Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 363.	Neu-Holland
bellicosus Boh. Res. Eugen. 1859, p. 119.	Sidney
fulvofasciatus Blanch. Ann. Scien. Nat. (3) X, 1849, p. 144.	Neu-Holland
laevior Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 429. — Gyllenhal, Schönh. Gen. Spec. Curc. I, 1833, p. 248. Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales X, 1895, p. 328.	„
muricatus Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 428. — Boisduval, Voyag. Astrol. II, 1832—35, p. 308. — Boh. in Schönh. Gen. Spec. Curc. VIII, 2, 1845, p. 367.	„
quadridens Er. Arch. Naturgesch. VIII, 1842, I, p. 186.	Tasmanien
quadrinodosus Er. l. c.	„

quadrituberculatus Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 361. — Neu-Holland

scabrior Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 429, t. 22, f. 8a—f. — Boisduval, Voyag. Astrol. II, 1832—35, p. 306. — Neu-Holland

scapularis Pasc., Trans. Ent. Soc. 1870, p. 204. — Queensland

10

Chalcocybebus Snell v. Vollenh.

Snellen v. Vollenhoven, Tijdschr. Entomolog. IX, 1866, p. 225. — Faust, Stett. Ent. Zeit. LIII, 1892, p. 205, nota. — Heller, Not. Leyden Mus. XVIII, 1896, p. 19—24.

Aporhina Lacord. Hist. Natur. Ins. VI, 1863, p. 528.

alboguttatus Snell. v. Vollenh. Tijdschr. Ent. IX, 1866, p. 226. — Heller, Not. Leyd. Mus. XVIII, 1896, p. 20 et 22. — Salwatty

bispinosus Boisd. Voyag. Astrol. II, 1835, p. 310. — Heller, Not. Leyd. Mus. XVIII, 1896, p. 21. — Neu-Guinea

splendidus Blanch. Ann. Scient. Nat. (3) X, 1849, p. 144.

superbus Heller, Abh. u. Ber. k. Mus. Dresden 1894—95, nr. 16, p. 12 (Nov. 1895), Not. Leyd. Mus. XVIII, 1896, p. 19. — Kaiser-Wilhelms-Land

subsp. *aruensis* Heller, Not. Leyd. Mus. XVIII, 1896, p. 21. — Aru

subsp. *australis* Heller, l. c. — Queensland Geraldton

subsp. *guttifer* Heller, l. c. — N.-Guinea Andai

subsp. *intermedius* Heller, l. c. — N.-Guinea Pt Moresby

exarmatus Heller, Deutsche Ent. Zeitschr. 1905, p. 73. — Deutsch Neu-Guinea Sattelberg

inermis Heller, Abh. u. Ber. k. Mus. Dresden VI, 1896—97, nr. 11, p. 3 (Juli 1897). — Brit. Neu-Guinea

insignis Heller, Deutsche Ent. Zeitschr. 1905, p. 72. — Deutsch Neu-Guinea Sattelberg

massutei Heller, Abh. u. Ber. k. Mus. Dresd. X, 1902—03, nr. 2, p. 16 (Sept. 1901). — Brit. Neu-Guinea

var. *interrupta* Heller, l. c.

nitens Snell. v. Vollenh. Tijdschr. Ent. IX, 1866, p. 225, t. 12, f. 2. — Heller, Not. Leyd. Mus. XVIII, 1896, p. 22. — Waigiu

subsp. *papuanus* Heller, Not. Leyd. Mus. XVIII, 1896, p. 22. — Neu-Guinea

subsp. *papuanus* var. *auratus* Heller, l. c. — Neu-Guinea Humboldt-Bay

Richteri Fst. Stett. Ent. Zeit. LIII, 1892, p. 205. — Neu-Guinea Astrolabe-Bay

splendidus Blackb. Trans. Roy. Soc. South Austr. XVIII, 1893—94, p. 163. — Queensland

9

aspericollis [illegible]	[illegible] 13(3), 1910: 27	[illegible]
assimilis Györffy.	[illegible], 15, 1917: 276	New Guinea.
bannigani Wagn.	Ent. Mitt., 1, 1912: 310	New Guinea.
bivoi Györffy.	l.c., p. 277.	New Guinea.

bispinosa [illegible]	[illegible]	[illegible]
granulospinosa Hellen	[illegible]	[illegible]
hallani Wagn.	Ent. Mitt., 1, 1912: 312	New Guinea
laevigatus Hellen.	Ent. Mitt., 14, 1925: 288	Papua.
magdalenae Györffy.	l.c., p. 280	New Guinea.
massopilus Györffy.	l.c., p. 279	New Guinea.
muticus Hellen	[illegible]	[illegible]
obtusispinis Hell.	Ent. Mitt. 14, 1925: 287	Papua.

Cyladina.

– acrasus Hust. Congo, Abyssinia.

L Olivier [illegible] 5 (2nd) p. 190, 1790

L Janson, [illegible] 35, 1914: 105. Zoology Kenya.
Zs angew. Ent., 10, 1924: 398-435 figs.

hercynii Hust., Mém Acad. Madrid 4, 1932: 49 Madagascar.

nilens Hust. [illegible] Ent., [illegible] 19, 1929: 455 Kenya

[illegible] Congo

Argyrinaegyla Hell.
Heller, Trimbia suppl. 7, 1929: 110

fossicallosa Hell. l.c.: 110. [illegible]

Cylas Latr.

Latr. Hist. Nat. Crust. et Ins. III, 1802, p. 196. — Schönh. Gen. Spec. Curc. I, 1833, p. 369. — Lacord. Hist. Nat. Ins. VI, 1863, p. 529.

angustatus Labr. et Imh. Gen. Curc. I, 1842, p. 25.	Senegal
brunneus F. Ent. Syst. I, 2, 1797, p. 492. — Herbst, Käf. VII, 1797, p. 200, t. 108, f. 8a. — Schönh. Gen. Spec. Curc. I, 1833, p. 370.	Senegal
compressus Hartm. Deutsche Ent. Zeitschr. 1899, p. 22.	D.-O.-Afrika
curtipennis Fairm. Ann. Soc. Ent. Fr. VII, 1887, p. 322.	Zanzibar
cyanescens Boh. in Schönh. Gen. Spec. Curc. I, 1833 p. 371.	Senegal
femoralis Fst. Deutsche Ent. Zeitschr. 1898, p. 24.	Kamerun
formicarius F. Ent. Syst. Suppl. 1798, p. 174. — Ol. Ent. V, 1807, p. 446, t. 2, f. 19. — Schön. Gen. Spec. Curc. I, 1833, p. 371.	Indien Ceylon
glabripennis Hartm. Wien. Ent. Zeit. X, 1897, p. 282.	D.-O.-Afrika
impunctatus Fst. Stett. Ent. Zeit. LII, 1891, p. 282.	Nagpore
laevicollis Boh. in Schönh. Gen. Spec. Curc. I, 1833, p. 372.	Java
longicollis Chevr. in Guér. Ic. règn. anim. 1829—32, p. 139, t. 36, f. 10.	Senegal
nigrocoerulans Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 384.	Madagascar
puncticollis Boh. in Schönh., Gen. Spec. Curc. I, 1833, p. 372.	Senegal
robustus Fst. Stett. Ent. Zeit. LV, 1894, p. 149.	Erythrea, Abessinien
rufescens Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 501.	Madagascar
rufipes Fst. Ann. Soc. Ent. Fr. LXII, 1893, p. 513.	Cochinchina
semipunctatus Fåhr. Coleopt. Caffrar. 1871, p. 237.	S.-Afrika
submetallicus Dbrs., Journ. Asiat. Soc. Beng. LIX, 1890, p. 214.	Sikkim
turcipennis Boh. in Schönh. Gen. Spec. Curc. I, 1833, p. 369. — Labr. et Imh., Gen. Curc. I, 1842, p. 25.	Java, Borneo, Sumatra
lacvigatus Fåhr., Col. Caffr., Öfv. K. Vet. Ak. Förh. 1871, p. 237.	S. Afrika

2. Tribus: **Apionini.**

Wagner, Ann. Soc. Ent. Belg. LIII, 1909, p. 433.

Apionides Lacord., Hist. Natur. Ins. VI, 1863, p. 531, und *Cybebides* Lacord., l. c. p. 539.

Apionides Schönh. Gen. Spec. Curc. I, 1833, p. 247, und *Tanaonides* Schönh. Gen. Spec. Curc. V, 1839, p. 447. — Faust, Stett. Ent. Zeit. L, 1889, p. 79, nota.

Myrmacicelus Chevr.

Chevr. Ann. Soc. Ent. Fr. II, 1833, p. 358. — Schönh. Gen. Spec. Curc. V, 1839, p. 364. — Lacord. Hist. Natur. Ins. VI, 1863, p. 530 (*Cylades*). — Faust, Stett. Ent. Zeit. L, 1889, p. 79, nota.

exsertus Pasc. Ann. Mag. Nat. Hist. (4) X, 1873, p. 95.	W.-Australien
formicarius Chevr. Ann. Soc. Ent. Fr. II, 1833, p. 359, t. 15, B.	Neu-Holland

bistriatus Guér. Voyag. Coquille 1830, t. 6, f. 7. Boisduval, Voyag. Astrol. II, 1832—35, p. 321.
puerulus Lea, Proc. Linn. Soc. N. S. Wales, XXIII, 1898, p. 606. W.-Australien

3

Cybebus Schönh.

Schönh. Gen. Spec. Curc. V, 1839, p. 447. — Lacord. Hist. Natur. Ins. VI, 1863, p. 540.

castaneus Klug, Abhandl. Berl. Acad. I, 1833, p. 194. Madagascar
bistigma Schönh. Gen. Spec. Curc. V, 1839, p. 449.
dimidiatus F. Ent. Syst. I, 1797, p. 403. — Herbst, Käf. VI, 1797, p. 443, t. 94, f. 6. — Schönh. Gen. Spec. Curc. V, 1839, p. 448. ,,
rufipennis Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 448.
gibbipennis Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 289. Viti-Levu
nigritarsis Fst. Abh. u. Ber. kgl. zool. Mus. Dresden VIII, nr. 2, 1899, p. 14. Madagascar
Perrieri Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 382. ,,
pleuralis Fairm. Rev. d'Ent. XXII, 1903, p. 42. ,,
rufus Fst. Abh. u. Ber. kgl. zool. Mus. Dresden VIII, nr. 2, 1899, p. 14. ,,

7

Mecolenus Schönh.

Schönh. Mantiss. sec. Curc. 1847, p. 7. — Lacord. Hist. Natur. Ins. VI, 1863, p. 628. — Beguin-Billecocq, Bull. Soc. Ent. Fr. 1905, p. 43.

Wahlbergi Schönh. Mantiss. sec. Curc. 1847, p. 8. — Beguin-Billecocq, Bull. Soc. Ent. Fr. 1905, p. 44. Süd-Afrika

1

Tanaos Schönh.

Schönh. Disp. meth. 1826, p. 63; Gen. Spec. Curc. V, 1839, p. 450.

bicolor Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 453. Süd-Afrika
fallax Gylh. l. c. p. 452. ,,
sanguineus Thunbg., Nov. Act. Ups. VII, 1815, p. 118. — Schönh. Gen. Spec. Curc. II, 1834, p. 170. — Gyllenhal, l. c. V 1839, p. 451. ,,

3
interstitialis, Ths., Öfv. K. Vet.-Ak. Förh. 1871, p. 241 "

Pterapion Fst.

Faust, Stett. Ent. Zeit. L, 1889, p. 75.

monstrosum Fst. l. c. p. 76. Neu-Caledonien

1

pilosicornis Lea. Trans. R. Soc. S. Australia 39, 1915: 798

= castaneus [illegible] nda Wagner, Ann. Soc. ent. Belg. 19, 1912: 31

Kanalae Heller, Nova Caledonia Zool., 2, 1916: [illegible] Nouv. Calédonie

ulricalus Heller, l.c., 316 Nouv. Calédonie

wagneri Heller, [illegible] Nouv. Calédonie

abbreviatum Heller, [illegible] Nouv. Calédonie

Megatrachelaides nom. nov. Lucas

Lucas, Cat. Alphabet. [illegible] Cat. 1, 1920 : 398

Usambarensis Wagn. [illegible] Ann. Transv. Mus. Pretoria, 1, 1913 : 34 — Ann. Transv.

Apseudomorphus Wagn.

Wagner, Ann. Soc. ent. Belg, 19, 1911 : 33, pl. 4, f. 1. — Wytsman, Gen. Insect., Curcul., Apseudes, 1912 : 93, pl. 6, f. 5

subg. Apseudomorphus s. str.

cyaneus Wagn. Ann. Soc. ent. Belg, 19, 1911 : 34 — Cape

subg. Apseudomorphinus Voss.

Voss, Mitt. Zool. Mus. Berl., 2, 1931 : 2.

inermipes Voss. l.c., 2. — Transvaal

convexus Voss l.c., 2, 3. — Abyssinia.

subg. Bothryopternus Wagn. Ann. Soc. ent. Belg, 19, 1911 : 8

subg. Cratoglaphyrus Wagn. Arch. Naturg. 79 A, 9, (1913) 1914 : 145

subg. Calcleptapion Wagn. Ann. Soc. ent. Belg, 19, 1914 : 2.

& Schatzmayr, Ann. Soc. ent. Ital., 1, 1924 : 49-54.

subg. Cleptapion, Wagn. Z. ent. Zeit., 1924 : 134

subg. Ixeus Desbr. Ann. Soc. ent. Belg. 61 (1) Ann. Mayrk. 1924 : 172

& Schatzmayr, Redia 15, 1924 : 105-113

subg. Eupholapion Wagn. Col. Centralbl., 2, 1927 : 66

& Gyöngyffy, Rovart. L., 26, 1923 : 88.

subg. Glactrapion Wagn. Z. ent. Mitt. 1924 : 134 (Voss ! !).

& Wagner, Col. Centralbl., 1, 1926 : 123 ; 2, 1927 : 333-355

Hyplapion Solari Ann. Mus. Genova 56, 1932 : 16

[**Megatrachelus** Fst. (nec Perrin)]

Faust, Stett. Ent. Zeit. L, 1889, p. 77.

chloris Fst. l. c. p. 77. Neu-Caledonien

1

Rhadinocyba Fst.

Faust, Stett. Ent. Zeit. L, 1889, p. 79.

aenea Heller, Abh. u. Ber. kgl. zool. Mus. Dresden X, 1901, p. 17. Neu-Guinea

nigricollis Heller, l. c. p. 18.

nitidipennis Fst. Stett. Ent. Zeit. L, 1889, p. 80. Neu-Caledonien "

splendida Heller, Abh. u. Ber. kgl. zool. Mus. Dresden X, 1901, p. 17. Neu-Guinea

4

Apion Hbst.

Herbst, Natursyst. Käfer VII, 1797, p. 100. — Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 1—80; X, 1811, p. 347. — Germar, Mag. Ent. II, 1817, p. 114; III, 1818, p. 37. — Schönherr, Gen. Spec. Curc. I, 1833, p. 249; V, 1839, p. 369; VIII, 2, 1845, p. 370. — Lacordaire, Hist. Natur. Ins. VI, 1863, p. 533. — Wencker, Abcille I, 1864, p. 110—270. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 41. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 203 u. 360. — Sharp, Biol. Centr.-Amer. IV 3, 1889, p. 47. — Desbrochers, Frelon III—V, 1893—96; VI, 1896—97, p. 1—53; IX, 1899—1900, p. 77; XV, 1907—08, p. 85. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 105. — Schilsky, in Küst. Kraatz, Käf. Eur. XXXVIII, 1901; XXXIX, 1902; XLII, 1906; XLIII, 1906.

Subgen. *Alacentron* Schky. Küst. Kraatz, Käf. Eur. XXXVIII, 1901.
Subgen. *Apiotherium* Beg.-Billc., Ann. Soc. Ent. Fr. LXXIV, 1905, p. 151.
Subgen. *Aplemonus* Schönh. Mant. sec. Curc. 1847, p. 5. — Wagner, Soc. Ent. XXIV, 1909, p. 25.
Subgen. *Aspidapion* Schky. l. c.
Subgen. *Catapion* Schky. Küst. Kraatz, Käf. Eur. XLIII, 1906.
Subgen. *Ceratapion* Schky. l. c.
Subgen. *Conapion* Motsch. Wagner, Mitt. Schweiz. Ent. Ges. XI, 1907, p. 261.
Subgen. *Erythrapion* Schky. l. c.
Subgen. *Exapion* Bedel, Faune Col. Bass. Seine VI, 1885, p. 360.
Subgen. *Kalcapion* Schky. l. c.
Subgen. *Lepidapion* Schky. l. c.
Subgen. *Metapion* Schky. l. c.
Subgen. *Omphalapion* Schky. l. c.
Subgen. *Onychapion* Schky. l. c.
Subgen. *Oxystoma* Dumér. Zool. analyt. 1806, p. 226.
Subgen. *Perapion* Wgnr. Mitt. Schweiz. Ent. Ges. XI, 1907, p. 259.
Subgen. *Phrissotrichium* Schilsky l. c.
Subgen. *Piezotrachelus* Schönh. Gen. Spec. Curc. V, 1839, p. 365. — Wagner, Mém. Soc. Ent. Belg. XVI, 1908, p. 2—4.
Subgen. *Protapion* Schilsky, D. E. Z. 1908, p. 608.

Podapion Schilsky l. c.
Subgen. *Pseudapion* Schilsky l. c.
Subgen. *Pseudopiezotrachelus* Wgnr., Ann. Soc. Ent. Belg. LI, 1907, p. 277.
Subgen. *Rhinapion* Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 147.
Subgen. *Rhopalapion* Schilsky, l. c.
Subgen. *Synapion* Schilsky, l. c.
Subgen. *Taeniapion* Schilsky, l. c.

abdominale Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 53. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 143. — Arizona, Californien

abruptum Sharp, Trans. Ent. Soc. Lond. 1891, p. 293 *(Oxystoma)*. — Japan

abyssinicum Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 90 *(Conapion)*. — Abessinien

acarinum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 64. — Guatemala

aciculare Germ. Mag. Ent. II, 1817, p. 245, t. 3. f. 20. — Schönh., Gen. Spec. Curc. I, 1833, p. 262. — Wencker, Abeille I, 1864, p. 253. — Bedel, Faune Coll. Bass. Seine VI, 1885, p. 220 u. 380. — Desbr., Frelon III, 1893—94, p. 65. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 60 *(Perapion)*. — Europa, Algier

pulchellum Mill. Wien. Entom. Monatschrft. I, 1857, p. 15.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 456.

acrophilum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 129, t. 3, f. 12. — Colorado

aculeatum Fall, l. c. p. 171. — Texas

acupunctatum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 51. — Panama

acuminatum Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 31 *(Lepidapion)*. — Spanien

acuticlava Dbrs., Frelon X, 1901, p. 159. — Caucasus

adjectum Dbrs., Frelon IV, 1894—95, p. 187 *(Protapion)*. — Algier, Oran

admirabile Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 51, t. 5, f. 2 *(Piezotrachelus)*. — S.-W.-Afrika, Angola

aduncirostre Gerst. Stett. Ent. Zeit. XV, 1854, p. 276. — Columbien

recidivum Fst. Stett. Ent. Zeit. LIV, 1893, p. 322. — Venezuela

aegrotum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 50, t. 3 f. 3. — Panama

aegyptiacum Dbrs. Mitt. Schw. Ent. Ges. III, 1870, p. 201. — Frelon III, 1893—94, p. 93. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 1 *(Ceratapion)*. — Ägypten

aemulum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 608. — Australien, Tamworth

aeneicolle Gerst. Stett. Ent. Zeit. XV, 1854, p. 277 *(Perapion)*. — Buchara, Persien, Syrien, Turkestan

aereirostre Dbrs. Frelon IX, 1900—01, p. 77. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 26; l. c. XLIII, 1906, p. CXVII.

laudabile Fst. Hor. Soc. Ent. Ross. XXV, 1891, p. 415. — Desbrochers, Frelon III, 1893—94, p. 59. — Wagner, München. Kol. Zeitschr. III, 1906—08, p. 188.

Subg. Squamaptera Wagn. Col. Zentralbl., 3, 1919: 253, 255
Subg. Stenaptera Wagn. Rev. Soc. ent. Belg., 19, 1912: 20.

Subg. Thysanaptera Wagn. Col. Zentralbl. (Brux.), Sub. Suppl. 1924: 185

abrinia Bucq. Rev. Zool. Bot. afr., 31, 1938: 186. Belgian Congo.
acanthopus Wagn. Rev. Zool., 19, 1912: 110 Bolivia
acanthylidio Normand. Bull. Soc. ent. Fr., 1921: 77 Tunis.

acanthotrichia Bucq. Rev. Zool. Bot. afr., 1938: 190 S. Leone.

adonis Mart. Ann. Mus. Civ. Stor. Nat. Genova, 63, 1933: 92 Mandchourie.

⊙ = gracile Gerst. sec coll.ⁿ. confirmed JBB. 23.xi.42.

[illegible] Natuurg. 78A, 1912 : 115 [illegible] Mexico

[illegible] trifolii L. Syst. Nat. Ed. 12, 1768, (appendix) p. 224 — Mequinen, Bull. Soc. Ent. France 1946, p. 62 — Markwick and Marsham, — ? — see p. 20

[illegible] asotwum v. sp. gracecunsulare Wagn. Col. C. [illegible], 1, 1926 : 140 Corsu-
id. var alapponum Wagn. l.c., p. 141 Syria : Alappo

aeneipenne Pascoe, Ann. Mag. Nat. Hist. XI, 1883, p. 122. — Kandy

aeneomicans Wnck. Abeille I, 1864, p. 242. — Desbrochers, Frelon V, 1895—96, p. 244. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 54. — N.-Österreich, Ungarn, Frankreich, Spanien

var. *nothum* Dbrs. Frelon VI, 1896—97, p. 24. — Algier

var. *rubripes* Dbrs. Frelon V, 1895—96, p. 244. — S.-Frankreich

aeneum F., Syst. Entom. 1775, p. 131. — Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 74. — Germar, Mag. Entom. II, 1817, p. 249, t. 3, f. 8. — Wencker, Abeille I, 1864, p. 163. — Bedel, Faune Coll. Bass. Seine VI, 1885, p. 366. — Desbrochers, Frelon III, 1893—94, p. 41. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 71. — Wagner, Münch. Kol. Zeitschr. III, 1906—08, p. 20 *(Aspidapion)*. — Europa, Algier, Asien

Biologie; Kaltenbach, Pflanzenfeinde 1874, p. 67. — Xambeu, Naturaliste 1895, p. 250. — C. Schenkling, Insektenbörse XVI, 1899, p. 56. — Wagner, Zeitschr. wiss. Ins.-Biol. V (XIV), 1909, p. 53.

aeneum Payk. Faun. Suec. III, 1800, p. 179.

chalceum Marsh. Ent. Brit. I, 1802, p. 243. — Schilsky, l. c. var. *a*.

craccae Panz. Faun. Germ. XX, 1808, p. 10.

Motschulskyi Hochh. Bull. Mosc. XX, 1847, II, p. 461.

teres L. Syst. Nat. Gmel. I, 1758, p. 4.

aequabile Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 148. — Arizona, Californien

aestimatum Fst. Hor. Soc. Ent. Ross. XXV, 1890—91, p. 410. — Desbrochers, Frelon V, 1895—96, p. 300. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 99. — Wagner, Münch. Kol. Zeit. III, 1906—08, p. 197. — Mittel- u. S.-Europa, Algier, Asien, Syrien

aestivum Germ., Mag. Ent. II, 1817, p. 169, t. 4, f. 16a u. b. — Schönherr, Gen. Spec. Curc. I, 1833, p. 281. — Wencker, Abeille, I, 1864, p. 204. — Bedel, Faune Coll. Bass. Seine VI, 1885, p. 368. — Desbrochers, Frelon IV, 1894—95, p. 198. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 89 *(Protapion)*. — Europa, Algier, Asien

Biologie; Frauenfeld, Verh. z. b. Ges. Wien XVI, 1866, p. 967.

flavifemoratum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 42.

flavipes Laich. Verz. Tyr. Ins. I, 1781, p. 232.

Leachi Steph. Ill. Brit. IV, 1831, p. 189.

trifolii Bach, Käf. N. u. M. Deutschl. II, 1854, p. 196.

var. *hipponense* Dbrs. Frelon IV, 1894—95, p. 198. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 89a. — Wagner, Münch. Kol. Zeit. II, 1904—06, p. 379. — Algier, N.-Österr., Ungarn, N.-Rußland

var. *ruficrus* Germ. Mag. Ent. II, 1817, p. 171, t. 4, f. 17a, b. — Schönherr, Gen. Spec. Curc. V, 1839, p. 407. — Schilsky, l. c. — Europa, Syrien

aethiopicum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 25. — Afrika, Bulawayo

aethiops Hbst. Käf. VII, 1797, p. 120, t. 103, f. 9. — Germar, Mag. Ent. II, 1817, p. 213, t. 4, f. 24 u. t. 3, f. 7. — Schönherr, Gen. Spec. Curc. I, 1833, p. 297. — Wencker, Abeille I, 1864, p. 222. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 369. — Desbrochers, Frelon V, 1895—96, p. 301. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 59. — Europa, Asien, Algier, Syrien

coeruleum Hbst. Käf. VII, 1797, p. 113, t. 102, f. 11.

lucidithorax Dbrs., Frelon V, 1895—96, p. 302.

marchicum Gyll. Faun. Suec. III, 1815, p. 47.

stenocephalum Perr. Ann. Soc. Linn. Lyon, IV, 1857, p. 135.

subcoeruleum Steph. Ill. Brit. IV, 1831, p. 183.

subsulcatum Marsh. Ent. Brit. I, 1802, p. 249.

affine Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 68. — Schönherr, Gen. Spec. Curc. I, 1833, p. 294. — Wencker, Abeille I, 1864, p. 259. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 382. — Desbrochers, Frelon III, 1893—94, p. 54. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 68. — Europa, Algier, Central-Asien, Syrien

aterrimum Redtenb., Faun. Austr. ed. II, 1858, p. 693.

africanum Gylh. Schönh. Gen. Spec. Curc. V, 1839, p. 412. — Wagner, Mém. Soc. Ent. Belg. XVI, 1908, p. 58. — Mittel- u. Süd-Afrika

agonis Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 606. — Australien, Behn-River

akbesianum Dbrs. Frelon VI, 1895—96, p. 10 *(Cerat-apion)*. — Syrien, Akbés

Albertisii Pascoe, Ann. Mus. Genova II, 1885, p. 230. — Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 614. — Australien, Cap York

alboirroratum Motsch. Etud. entom. VII, 1858, p. 95. — Indien

albo-nigrum Beg.-Billc. Ann. Soc. Ent. France LXXIV, 1905, p. 151 *(Apiotherium)*. — Madagascar

albopictum Fst. Ann. Mus. Genova XL, 1899, p. 40. — Neu-Guinea

albosquamosum Beg.-Billc. Bull. Soc. Ent. France 1904, p. 103. — Madagascar

albosuturale Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 28 *(Catapion)*. — Mashona-Land

alcyoneum Germ. Mag. Ent. II, 1817, p. 205, t. 3, f. 5. — Schönherr, Gen. Spec. Curc. I, 1833, p. 303. — Wencker, Abeille I, 1864, p. 231. — Desbrochers, Frelon V, 1895—96, p. 271.— Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 62. — Mittel- u. S.-Europa

var. *hispanicum* Wencker, l. c. p. 232. — Spanien

Alluaudi Beg.-Billc. Bull. Soc. Ent. France 1903, p. 285 *(Piezotrachelus)*. — Madagascar

alternans Fst., Deutsche Ent. Zeitschr. 1899, p. 340. — D. Ost- u. Süd-Afrika

alternatum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 160, t. 5, f. 5. — Neu-Mexico

alternum Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766 *(Exapion)*. — Turkestan

alternatum Dbrs. Frelon X, 1901—02, p. 108.

altum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 62. — Panama

alaskanum Fall. Pan-Pac. Ent, 2, 1926: 205. Alaska.

albanicum [illegible] [illegible] Albania.

albertianum Burg. Rev. Zool. Bot. afr., 31, 1938: 209 (Conapion) B. Congo

— albidulum Fall J. New York Ent. Soc., 26, 1918: 219 U.S.A.

⊛ t. hygrocarcinum. Type m BM.

alboluteol [illegible] [illegible] 1912: 37.

alfierii Pac. Schweiz., 31, 1915: 33 Egypt.

alocorhinum Wagn Arch. Naturg., 79, Ag, (1913)1914: 141

altiatlantis [illegible] 16, [illegible] [illegible]

alticola Wagn. Arch. Naturg., 78A, 1912: 107 (Tuchapion) Mexico.

ancistrotarsa	Iwagn.	Nov Zool, 19, 1912 : 108	Bolivia.
[illegible]	Iwag.	[illegible]	[illegible] Angola.
angustissima	Sahlb.	Notulae Ent., 1, 1921 : 84	Finland.
angustissimus	Hag.,	Arch. Naturg., 79, Hg, (1913) 1914 : 162	Brazil

amabile Lea, Proc. Lin. Soc. N. S. Wales XXIII, 1898, p. 607.	N. S. Wales, Tweed.-R.
ambovobense Beg.-Billc., Ann. Soc. Ent. France LXXIV, 1905, p. 137.	Madagascar
americanum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 5.	Guatemala
conicicolle Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 65.	
amethystinum Mill., Wien. Ent. Monatschr. I, 1857, p. 23. — Wencker, Abeille I, 1864, p. 212. — Desbrochers, Frelon V, 1895—96, p. 298. — Wagner, Münch. Kol. Zeit. III, 1906—08, p. 31. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 73.	Mittel- u. Südeuropa, Turkestan, Buchara, Syrien, Persien, Sibirien
obtusum Dbrs. Bull. Acad. Hipp. 1866, p. 47.	
amoenum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 83.	Panama
amplum Fst. Deutsche Ent. Zeitschr. 1898, p. 294 *(Conapion)*.	Indien, Belgaum
ampullula Gerst. Stett. Ent. Zeit. XV, 1854, p. 255.	Brasilien
anceps Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 115.	Illinois
andalusicum Dbrs. Ann. Soc. Ent. France (6) IX, 1889, p. XXXIV. — Desbrochers, Frelon V, 1895—96, p. 233.	Algier, Andalusien
ciliare Dbrs. Ann. Soc. Ent. France (6) IX, 1889, p. CCXVI.	
andinum Olliff, in Whymper, Supp. App. 1891, p. 78.	S.-Amerika
Andreinii Wgnr. Soc. Ent. XXIV, 1909—10 *(Piezotrachelus)*, p. 155.	Erythrea : Adi-Ugri.
Andrewesi Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767 *(Conapion)*.	Indien, Promé
pistillum Fst. Deutsche Ent. Zeitschr. 1898, p. 293.	
androicum Beg.-Billc. Ann. Soc. Ent. France LXXIV, 1905, p. 138.	Madagascar
angulatum Gerst. Stett. Ent. Zeit. XV, 1854, p. 245.	Brasilien
angulicolle Gylh. Gen. Spec. Curc. V, 1839, p. 437 *(Conapion)*.	Mittel- u. Süd-Afrika
angulirostre Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 14 *(Ceratapion)*.	Buchara
angulosum Motsch. Schrenk Reise, 1860, p. 170. — Desbrochers, Frelon VI, 1896—97, p. 3 *(Oxystoma)*.	Ost-Sibirien
angusticolle Gylh. Schönh., Gen. Spec. Curc. I, 1833, p. 282. — Wencker, Abeille I, 1864, p. 202. — Desbrochers, Frelon IV, 1894—95, p. 203. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. LXIV. — Wagner, Münch. Kol. Zeit. III, 1906—08, p. 303 *(Protapion)*.	Mittelmeergebiet, Syrien
Holdhausi Wgnr. Riv. Col. Ital. III, 1905, p. 37.	
longimanum Rey, Op. IX, 1859, p. 15.	
angustipenne Dbrs. Frelon V, 1895—96, p. 222 *(Catapion)*.	Spanien
angustithorax Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 5 *(Piezotrachelus)*.	Süd-Afrika
angusticolle Gerst. Stett. Ent. Zeit. XV, 1854, p. 269.	
angustium Dbrs. Frelon IX, 1899—1900, p. 78 *(Ceratapion)*.	Algier
anisorhynchum Gerst. Stett. Ent. Zeit. XV, 1854, p. 239.	Buenos-Ayres
annulatum Gerst. l. c. p. 256.	Brasilien

antennale Dbrs. Frelon V, 1895—96, p. 303. — Corsica, Sicilien, Mittel- u. Süd-Italien

Kephallon.

antennatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 53. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 130, t. 3, f. 10. — Californien, Arizona

anthidium Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 613. — Swan-River

antiquum Gylh. Schönh. Gen. Spec. Curc. I, 1833, p. 263 *(Perapion)*. — Capland

var. *viridipenne* Wgnr., Mém. Soc. Ent. Belg. XVI, 1908, p. 58. — Capland, Dunbrody

approximatum Dbrs. Frelon XII, 1904, p. 55 *(Exapion)*. — Marocco

apricans Hbst., Käf. VII, 1797, p. 117, t. 103, f. 5. — Germar, Mag. Ent. II, 1817, p. 165, t. 4, f. 14. — Schönherr, Gen. Spec. Curc. I, 1833, p. 279. — Wencker, Abeille I, 1864, p. 200. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 368. — Desbrochers, Frelon IV, 1894—95, p. 193. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 87 *(Protapion)*. — Europa, Algier, Klein-Asien Syrien, Transkaspien, Sibirien

fagi Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 40, t. 1, f. 8.

flavifemoratum Kirby, l. c. p. 42.

flavipes Panz. Ent. Germ. 1795, p. 298.

ochropus Gmel. ed. Linné I, IV, p. 1757.

tubicen Wnck., Abeille I, 1864, p. 200 (pars. ♀).

var. *algiricum* Dbrs. Frelon IV, 1894—95, p. 194. — Algier

var. *curvipes* Dbrs. Frelon IV, 1894—95, p. 193. — S.-Frankreich

var. *encaustum* Wnck. Abeille I, 1864, p. 201. — „

var. *nigricrus* Dbrs. Frelon IV, 1984—95, p. 193. — Mittel- u. S.-Europa

ruficrus Wnck. Abeille I, 1864, p. 262.

Biologie: Guérin, Ann. Soc. Ent. France (2) I, 1843, p. 66. — Taschenberg, Schädl. Ins. p. 49, t. 4, f. 12—14. — Perris, Ann. Soc. Ent. France 1863, p. 459. — Frauenfeld, Verh. z. b. Ges. Wien XVI, 1866, p. 966; XVIII, 1868, p. 159. — Pigeot, Bull. Soc. Hist. Nat. Ardennes III, 1896, p. 74.

arabicum Wgnr. Soc. Entom. XXIV, 1909, p. 27 *(Aplemonus)*. Marshall Ann Mag. N.H. (10) 6, 1930: 563 — Arabien Sudan.

araneiforme Wgnr. Soc. Entom. XXIV, 1909, p. 27 *(Conapion)*. Suppl. Ent., 1914: 23 — Formosa

arborator Fst. Deutsche Ent. Zeitrchr. 1899, p. 339. — D. O.-Afrika

arcirostre Dbrs. Frelon IV, 1894—95, p. 169 *(Catapion)*. — S.-Rußland

arduum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 53. *(Piezetrachelus)*. — Natal

areolatum Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 423. — Peru

argentatum Gerst. Stett. Ent. Zeit. XV, 1854, p. 258. — Wencker, Abeille I, 1864, p. 156. — Desbrochers, Frelon IV, 1894—95, p. 139. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 93 *(Lepidapion)*. — S.-Frankreich Spanien, Algier, Italien, Corsica, Sicilien, Sardinien

squamigerum Jacq. Duval, Gen. Col. Curc. 1855, p. 9.

var. *nigripes* Dbrs. Frelon IV, 1894—95, p. 139.

Biologie: Perris, Ann. Soc. Ent. France (4) III, 1863, p. 458.

antilope Bég. Bill. Bull. Soc. ent. Fr., 1911 : 156 Madagascar.

antilopa [illegible] (Pseudagrion gabonicolum) Karsch

aplamonides Kirsch. Ent. Mitt. 4, 1915 : 60 Paraguay.

arachne Bég. Bill. Bull. Soc. ent. Fr., 1911 : 156. Madagascar.

aragonicum ? auct. Chobaut, Bull. Soc. ent. Fr., 1918 : 90.
– l.c. 1919 : 182

argentatum s. sp majolae Schatzmayr Atti Soc. ital. Sc. nat., 72, 1933 : 164

argentatum s. sp [illegible] Schatzmayr l.c., 164

argutulum Pascoe, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 614.	Queensland
aridulum Beg.-Bille. Ann. Soc. Ent. France LXXVI, 1907, p. 33.	Madagascar
arizonae Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 162.	Arizona
armatum Gerst. Stett. Ent. Zeit. XV, 1854, p. 237. — Wencker, Abeille I, 1864, p. 432. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 364. — Desbrochers, Frelon III, 1893—94, p. 112. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 12. — Wagner, Münch. Kol. Zeit. II, 1904—06, p. 379 *(Ceratapion).*	Nord- u. Mittel-Europa
Barnevillei Wnck. Abeille I, 1864, p. 133.	
armeniacum Dbrs., Frelon V, 1895—96, p. 239. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 7.	Trans-kaukasien
armipes Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 22.	Süd-Afrika, Natal
arrogans Wnck. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 116a; Abeille I, 1864, p. 213. — Desbrochers, Frelon V, 1895—96, p. 287. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 8.	Kleinasien, Syrien
cyaneomicans Dbrs., Op. I, 1874—75, p. 28.	
Arrowi Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 11.	Süd-Afrika, Tafelberg
artemisiae Mor. Bull. Mosc. XVI, 1861, p. 292. — Wencker, Abeille I, 1864, p. 167. — Desbrochers, Frelon III, 1893—94, p. 48. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 72 *(Perapion).*	Südrußland
aspericolle Wgnr. Münch. Kol. Zeit. III, 1906—08. p. 306.	Russ. Armenien
asphaltinum Boh. in Schönh. Gen. Spec. Curc. VIII/II, 1845, p. 369. — Wagner, Mém. Soc. Ent. Belg. XVI, 1908, p. 59.	Süd-Afrika
assimile Kirby, Trans. Linn. Soc. London IX, 1808, p. 42. — Germar, Mag. Ent. II, 1817, p. 164; 1818, p. 39. — Schönherr, Gen. Spec. Curc. I, 1833, p. 281. — Wencker, Abeille I, 1864, p. 203. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 88 *(Protapion).*	Europa, Algier, Syrien, Turkestan, Sibirien
Bohemani Bedel, Faune Col. Bass. Seine VI, 1885, p. 367 (pars).	
incertum Dbrs. Frelon IV, 1894—95, p. 190.	
Biologie: Perris, Ann. Soc. Ent. France (4) III, 1863, p. 459. — Frauenfeld, Verh. z. b. Ges. Wien XVI, 1866, p. 966.	
astragali Payk., Fauna Suec. III, 1800, p. 180. — Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 55, t. 1, f. 12. — Germar, Mag. Ent. II, 1817, p. 200, t. 3, f. 22. — Schönherr, Gen. Spec. Curc. I, 1833, p. 295. — Wencker, Abeille I, 1864, p. 167. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 369. — Desbrochers, Frelon, V, 1895—96, p. 290. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 33. — Wagner, Münch. Kol. Zeit. III, 1906—08, p. 310.	Europa, Algier, Syrien
saeculare Gozis, Abeille XVII, 1881, p. 135. (emend.)	

var. *ergenense* Becker, Bull. Mosc. XVIII, 1863, p. 477. — Sarepta

Biologie: Perris, Ann. Soc. Ent. France (4) III, 1863, p. 461.

atomarium Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 59, t. 1, f. 14. — Germar, Mag. Ent. II, 1817, p. 209. — Schönherr, Gen. Spec. Curc. I, 1833, p. 255. — Wencker, Abeille, I, 1864, p. 145. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 379. — Desbrochers, Frelon IV, 1894—95, p. 167. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 52 *(Catapion)*. — Europa, Algier, Kl.-Asien

aciu m Gylh. in Schönh. Gen. Spec. Curc. I, 1833. p. 257.

pusillu m Germ. Mag. Ent. II, 1817, p. 209, t. 2, f. 4; id. III, 1818, p. 43.

atramentarium Wgnr. in Sjöstedt, Ergebn. Exped. Kilimandjaro, VII, 9, 1908, p. 100. — Wagner, Mém. Soc. Ent. Belg. XVI, 1908, p. 59 *(Pseudopiezotrachelus)*. — D.-O.-Afrika

atratum Wgnr. Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 99 *(Pseudopiezotrachelus)*. — Kilimandjaro

atricolor Hartm. Deutsche Ent. Zeitschr. 1897, p. 85. — D.-O.-Afrika

atripenne Dbrs. Frelon X, 1902, p. 159 *(Ceratapion)*. — Griechenland

atripes Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 49. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 116, t. 2, f. 18. — Florida, Californien Georgien, Virginien

atrirostre F. Syst. El. II, 1802, p. 424. — Gyllenhal in Schönh. Gen. Spec. Curcul. I, 1833, p. 271. — S.-Amerika

atrocoeruleum Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 99 *(Piezotrachelus)*. — Congo

atronitidum Wencker, Ann. Soc. Ent. France (4) III, 1863, p. 178. — S.-Amerika

attenuatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 62. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 168. — Kansas, Ontario, Michigan, S.-Californ.

auctum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 78. — Mexico

auletoides Rttr. Wien. Ent. Zeit. XX, 1901, p. 228. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 61. — Wagner, Münch. Kol. Zeit. III, 1906—08, p. 33. — Caucasus: Araxestal, Turkestan, Serafschan, Weschab

auripes Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 157. — Florida

Aurivillii Fst. Stett. Ent. Zeit. XLIX, 1888, p. 296 *(Aplemonus)*. — Afrika Damarland

austriacum Wgnr. Münch. Kol. Zeit. II, 1904—06, p. 374. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 2 *(Ceratapion)*. — N.-Österreich, Ungarn, Württemb.

austrinum Woll. Cat. Can. Col. 1864, p. 312. — Gomera

avidum Fst. Hor. Soc. Ent. Ross. XXV, 1890—91, p. 412. — Desbrochers, Frelon V, 1895—96, p. 295. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 34. — Wagner, Münch. Kol. Zeit. III, 1906—08, p. 196; id. p. 310. — Süd-Rußland

barbatum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 155. — Madagascar

astri Lew. — P. Linn. Soc. N.S.W. 51, 1926: 302 — [illegible]

atropotidium Lew. — [illegible] 51, 1926: 306 — Australia

auricholeum Wagn. — Arch. Naturg. [illegible] 1912: [illegible] — Guatemala.
auriferum Wagn. — Arch. Naturg. [illegible] 1912: 100 — Panama, Panama, the [illegible]

auronitidum Wagn. — [illegible] 1912: 113 [illegible] — Guatemala
auropilosum Wagn. — l.c., 123. — Guatemala.
australasicum Lew. — D. E. Z., 1910: 513 — N. Australia

balzani Wagn. — [illegible] 1912: 9 [illegible] — Bolivia.

basiinflat... [illegible] : 343 Amstakia

basicorna Hubenth. Ent. Blatt, 10, 1914 : 143 ? Patria.

bayoni Iwgn. Ann. Soc. ent. Belg. 19, 1912 : 49 (Pezohachelus) Victoria Nyanza : Basse Ds.

beq.-certi [illegible] 205 (Compro.) B. Congo

bicoloratum Iwgn. Arch. Natur., 79, Ag, 1914 : 138 Brazil.

[illegible] Iwgn. [illegible] Brazil

[illegible] Iwl. [illegible] N. Jersey.

bokharanum Györffy Rozart L., 26, 1923 : 91 Turkestan

bochmi Iwgn. [illegible] Egypt.

bogotanum Iwgn. [illegible] Columbia : Bogota.

bochmi Iwgn. Bull. Soc. ent. Egypte 4, 1911 : 46 (Cerceloporus) Egypt.

bolivianum Iwgn. [illegible] Bolivia

[illegible] Tunisia

brasilianum Iwgn. Ann. Soc. ent. Belg. 19, 1912 : 41 Brazil.

[illegible] France

(Trichaprion)

brachycephalum Iwgn. [illegible] Brazil

brachyplatynum Iwgn. l.c., 130 Brazil : Rio Janeiro.

[illegible] Tunisia

brachyrhynchum Iwgn. Nov. Zool., 19, 1912 : 111 Bolivia.

brachypus Iwgn. l.c., : 114 Bolivia.

[illegible] Brazil.

[illegible] B. Congo

[illegible] N. Congo.

[illegible] Brazil.

[illegible] Morocco.

= brevipes Iwgn. Ann. Soc. ent. Belg., 19, 1912 : 25. Brazil.

basale Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 85, t. 3, f. 25.	Mittel-Amer.
—**basirostre** Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 66, t. 3, f. 12.	Mittel-Amer.: Panama
—**batnense** Dbrs. Frelon IV, 1894—95, p. 141 *(Exapion)*. *Chobauti* Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 19.	Algier: Batna
Beauchenei Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 139.	Madagascar
—**Beckeri** Dbrs. Op. I, 1474—75, p. 27 *(Ceratapion)*. — Debrochers, Frelon III, 1893—94, p. 112.	S.-Rußland; Walachei
Beguini Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 72.	Abyssinien
bellum Beg.-Billc. Ann. Soc. Ent. France LXXIV, 1905, p. 137.	Madagascar
—**benignum** Fst. Deutsche Ent. Zeitschr. 1898, p. 292 *(Conapion)*.	Belgaum, Kanara
bicarinatum Beg.-Billc. Bull. Soc. Ent. France 1904, p. 56 *(Aspidapion)*.	Madagascar
—**bicolor** Gerst. Stett. Ent. Zeit. XV, 1854, p. 244.	Columbien
biforme Fst. Abhandlg. Mus. Dresden, Festschr. VIII, 2, 1899, p. 15.	Madagascar
Billcocqui Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766 *(Aspidapion)*.	,,
Alluaudi Beg.-Billc. Bull. Soc. Ent. Fr. 1904, p. 55.	
binotatum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 609.	W.-Austral.: Swan-R.
bipartirostre Dbrs. Ann. Soc. Ent. France (6) IX, 1889, p. XXXIII. — Desbrochers, Frelon III, 1893—94, p. 12.	Sarepta
bipartitum Dbrs. Frelon X, 1901—02, p. 160 *(Ceratapion)*.	Süd-Spanien
biseriatum Dbrs. Op. I, 1874—75, p. 26. — Desbrochers, Frelon III, 1893—94, p. 107 *(Ceratapion)*.	Libanon
blatta Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 136.	Madagascar
bomaense Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 431 *(Conapion)*.	Congo: Boma
bonariense Steinheil, Atti di Milan. 1872.	Salvador
Bonvouloiri Bris. Ann. Soc. Ent. France (5) X, 1880, p. 232. — Desbrochers, Frelon III, 1893—94, p. 57. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 29 *(Synapion)*.	See-Alpen, Cottische Alpen, Schweiz
Bouvieri Beg.-Billc. Bull. Soc. Ent. France 1904, p. 54 *(Aspidapion)*.	Madagascar
—**brachystegiae** Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 13.	Mashonaland
—**Brenskei** Dbrs. Frelon IV, 1894—95, p. 200. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 30 *(Protapion)*.	Morea, Kephallonia, Korfu, Türkei
var. *nigricoxale* Schilsky, l. c.	
—**breviceps** Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 48 *(Piezotrachelus)*.	Süd-Afrika, Mashonaland
—**brevicorne** Gerst. Stett. Ent. Zeit. XV, 1854, p. 249.	Brasilien
—**brevihirtum** Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 26.	Süd-Afrika, Mashonaland
brevipilis Dbrs. Frelon IV, 1894—95, p. 83 *(Phrissotrichium)*.	Oran

brevirostre Hbst. Käf. VII, 1797, p. 120, t. 103, f. 10. — Germar, Mag. Ent. II, 1817, p. 237. t. 2, f. 6. — Schönherr, Gen. Spec. Curc. I, 1833, p. 259. — Wencker, Abeille I, 1864, p. 250. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 379. — Desbrochers, Frelon III, 1893—94, p. 60. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 65 *(Perapion)*. — Europa, Algier, Syrien, Sibirien

interstitiale Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 443.

Biologie: Perris, Ann. Soc. Ent. France (4) III, 1863, p. 457. – Urban, Ent. Bl., 30, 1934: 60.

breviusculum Rosh. Tiere Andal., 1856, p. 239. — Wencker, Abeille I, 1864, p. 153. — Desbrochers, Frelon IV, 1894—95, p. 151 (pars.) *(Exapion)*. — Andalusien

Brisouti Dbrs. Frelon V, 1895—96, p. 306 *(Omphalapion)*. — Süd-Frankr., Algier

Bruleriei Dbrs. Op. I, 1874—75, p. 30. — Desbrochers, Frelon IV, 1894—95, p. 160 *(Catapion)*. — Syrien

brunnipes Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 386. — Wencker, Abeille I, 1864, p. 141. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 365. — Desbrochers, Frelon III, 1893—94, p. 121. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 27 *(Ceratapion)*. — Europa, Algier

laevigatum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 70.

Biologie: Perris, Ann. Soc. Ent. France (4) III, 1863, p. 455.

Buddebergi Bedel, Faune Col. Bass. Seine VI, 1885, p. 363. — Desbrochers, Frelon V, 1895—96, p. 308. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 42 *(Omphalapion)*. — Nassau

extinctum Kraatz, Deutsche Ent. Zeitschr. 1888, p. 174.

Biologie: Buddeberg, Nassau. Jahresber. XLIV, 1891, p. 11; XLVI, 1893, p. 105.

Bugnioni Wgnr. Mitt. Schweiz. Ent. Ges. XI, 1907, p. 264 *(Conapion)*. — Transvaal

burdigalense Wnck. Ann. Soc. Ent. France (3) VI, 1858, p. 237; Abeille I, 1864, p. 256. — Desbrochers, Frelon III, 1893—94, p. 55. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 42 *(Catapion)*. — Elsaß, Mittelmeergebiet, Kaukasus, Syrien

semicyaneum Muls.-Rey, Opusc. IX, 1859, p. 7.

talpa Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 185.

caelebs Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 46 *(Piezotrachelus)*. — Natal

caffrum Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 436 *(Conapion)*. — Süd-Afrika

caiffense Dbrs. Frelon IV, 1894—95, p. 200 *(Protapion)*. — Syrien

calcaratipes Sharp, Biol. Centr.-Amer. Col IV, 1889, p. 67, t. 2, f. 20. — Guatemala

calcaratum Woll. Cat. Canar. Col. 1864, p. 310 *(Ceratapion)*. — Hierro

candidum Wnck. Abeille I, 1884, p. 162. — Desbrochers, Frelon IV, 1894—95, p. 126. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 68 *(Lepidapion)*. — Süd-Frankr., Spanien

brunneotibiale Wagn. Arch Naturg., 78A, 1912: 122 Mexico.

brunnicornis Fall. Journ N.Y. Ent. Soc., 26, 1918: 221 U.S.A.

brutum Payerimh. [illegible] Attacus

= bryanti Wagn. [illegible] Trinidad

burgeoni Hust. Bull. Mus. Hist. Nat. Paris, 1922: 500 B. Congo

calabricum [illegible] Parm.

calcaratum Wagn. Nov. Zool., 19, 1912: 113 Parm.

carbonicolor Wagn. Rev. Zool. Afr., 1, 1911 : 257 . Belg. Congo: Lemba.

carbonarius var: kervillei Fleut. Ann. S., 26, 1923 : 96 Europe

carinifrons Fleg. Ann. Nat.-Mus. 79, Ag, (1913) 1914 : 152 (Stenopria) Brazil.

cannescens Dbrs. Bull. Soc. Ent. Fr. 1889, p. XXXIV — Frelon IV, 1894—95, p. 145 *(Exapion)*. — Syrien
judaicum Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 18. — Wagner, Entom. Blätter IV, 1908, p. 105.
cantabricum Dbrs. Heyden, Reise Spanien, 1870, p. 160. — Desbrochers, Frelon V, 1895—96, p. 273. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 85. — Spanien
Heydeni Dbrs. Petit. Nouv. Ent. I, 1869, p. 30.
cantianum Wgnr. Münch. Kol. Z. III, 1906—08, p. 33 *(Protapion)*. — England, Kent
brevicorne Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 31.
carduorum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 72, t. 1, f. 19. — Germar, Mag. Ent. II, 1817, p. 241. — Wencker, Abeille I, 1864, p. 129. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 364. — Desbrochers, Frelon III, 1893—94, p. 109. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 11 *(Ceratapion)*. — Europa, Algier, Syrien, Asien
alliariae Hbst. Käf. VII, 1797, p. 104, t. 102, f. 3.
basicorne Illig. Mag. Ins. VI, 1807, p. 307.
conforme Dbrs. Op. I, 1874—75, p. 27.
cyaneum Deg. Ins. V, p. 252.
gibbirostre Gylh. Ins. Suec. III, 1813, p. 52.
var. *galactitis* Wnck. Ann. Soc. Ent. France (3) VI, 1858. p. XXII. — Mittelmeergebiet
var. *meridianum* Wnck. Abeille I, 1864, p. 130. — Süd-Frankreich
var. *russicum* Dbrs., Mitt. Schweiz. ent. Ges. III, 1870, p. 179. — Süd-Russland
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 454. — Frauenfeld, Verh. zool.-bot. Ges. Wien XVIII, 1868, p. 159.
carinatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 52. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 167. — Texas, Californien Pennsylvanien, Florida
concoloratum Smith, l. c.
carinirostrum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 148. — Arizona
cariosum Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 488. — Madagascar
carpophagum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 612. — W.-Australien
Casperi Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 195. — D.-S.-W.-Afrika
castaneipes Gerst. Stett. Ent. Zeit. XV, 1854, p. 254. — Orinoco
caucasicum Hochh. Bull. Mosc. XX, 1847, p. 463 *(Catapion)*. — Kaukasus
causticum Fst. Deutsche Ent. Z. XXIX, 1885, p. 187. — Dbrs. Frelon IV, 1894—95, p. 129. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 70. — Wgnr. Münch. Kol. Z. III, 1906—08, p. 191 *(Metapion)*. — Buchara, Afghanistan, Turkestan
cavatum Dbrs. Frelon XV, 1907—08, p. 89. *(Ceratapion)*. — Klein-Asien
caviceps Dbrs. Mitt. Schweiz. ent. Ges. III, 1870, p. 201; Frelon III, 1893—94, p. 99 et Frelon VI, 1896—97, p. 11 *(Ceratapion)*. — Russland

cavifrons Lec., Entom. Report. 1857, p. 53. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 63. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 158. — Californien

centrale Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 151. — Colorado, Br. Columbia

ceratum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 140. — Madagascar

cerdo Gerst. Stett. Ent. Zeit. XV, 1854, p. 235. — Wencker, Abeille I, 1864, p. 119. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 372. — Dbrs. Frelon III, 1893—94, p. 12. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 49 *(Oxystoma)*. — Europa, Algier, Asien

dimidiatum Dbrs. Frelon VI, 1896—97, p. 2. — Corsica

var. *consanguineum* Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 187; Frelon VI, 1896—97, p. 2. — Wagner, Münch. Kol. Z. III, 1906—08, p. 34. — Bayern, Ungarn, Norwegen, N.-Rußl., Sibirien

ceutorhynchidium Wgnr. Soc. Ent. XXIV, 1909—10. — Kilimandjaro

ceutorhynchoides Woll. Cat. Can. Col. 1864, p. 314. — Cap Teneriffa

ceylonicum Gerst. Stett. Ent. Zeit. XV, 1854, p. 258. — Ceylon

chalceum Gerst. l. c. p. 240. — Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 63. — Mexico

chalybeicolor Motsch. Etud. ent. VII, 1858, p. 93. — Ost-Indien

Championi Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 52, t. 3, f. 4. — Panama

chenocephalum Dbrs. Frelon X, 1901—02, p. 160 *(Ceratapion)*. — Syrien

Chevrolati Gylh. Schönh., Gen. Spec. Curc. I, 1833, p. 260. — Wenck. Abeille I, 1864, p. 249. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 381. — Dbrs. Frelon III, 1893—94, p. 49. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 74 *(Perapion)*. — Frankreich, Italien, Spanien

var. *aenescens* Schilsky, l. c. var. b.

var. *carbonarium* Everts, Tijdschr. Ent. XXII, 1879, p. 60.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 456.

chilense Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766.

angustatum Philippi, Stett. Ent. Zeit. XXV, 1864, p. 364. — Chile

chirindanum Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 209 *(Conapion)*. — Afrika, Mashonaland

chiriquense Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 70. — Mexico

chrysocomum Gerst. Stett. Ent. Zeit. XV, 1854, p. 267. — Columbien

chuparosae Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 141, t. 4, f. 16. — Californien

cingalense Walker, Ann. Meg. Nat. Hist. (3) 1859, p. 263. — Ceylon

clavipes Gerst. Stett. Ent. Zeit. XV, 1854, p. 272 *(Conapion)*. — Hongkong u. Birma

coeleste Fst. Stett. Ent. Zeit. XLVII, 1886, p. 151. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 96. — Wagner, Münch. Kol. Zeit. III, 1906—08, p. 196 et p. 310. — Chamba, Sind-Vallis

chalybaeum [illegible] Neoregma.

[illegible] Perez Actes Soc. Linn. Bordeaux 66. Proc. Verb., 1913: 46

chinchanum Borg. Rev. Zool. Bot. afr., 31, 1938: 216 (Rhyssbach.) B. Congo.

[illegible] Mars? 1863 Ent Brd 248

– chinquense [illegible] Coccinella 7SP. 1781: Brazil

⊙ synonym of ceylonicum Gerst. Marshall Ann. Mag. N.H., (10)6, 1930: 575

cionoides Wagn. [illegible] Soc. ent. Brasil 7, 1912: 5 (Diaphorocera) Brazil

circepenne Wagn. Arch. Naturg., 78A, 1912: 129 (Synapsion) Chile.

clavicorne Lea. P. Linn. Soc. N.S.W., 51, 1926: 344 Australia

coelocephalum [illegible] Coccinella 7SP. 1781: 46 (Coccinella) Cayenne

cockerellanum Borg. Rev. Zool. Bot. afr., 31, 1938: 305 (Cremastocheilus) S. Congo.

(cockerelli Borg. Ann. Mag. N.H. (11)2, 1938. 395 (Cremastocheilus) nec Hubbard 1911.)

coerulco-nigrum [illegible] Arch. Naturg., 78A, 1912: 89. Peru.

coerulcosquamosum Wagn. Arch. Naturg., 78A, 1912: 131. Brazil.

1° Morphol. gg. Grandi R.i. Lab. Ent. Bologna 6, 1933 : 115-130, figs.

Pascoe, Ann. Mag. nat. Hist. (4) 13, 1874 : 387

compressipenne Wagn. Rev. Zool. Afr., 1, 1911 : 258 (Prizotrachalus)
Belg. Congo : Lamba.

confine Wagn. Rev. Zool. Afr., 1, 1911 : 258 Belg. Congo : Lamba.

cognatum Hochh. Bull. Mosc. XXIV, 1851, p. 14. — Mittelmeergebiet,
arragonicum Everts, Wien. Ent. Zeit. III, 1884, p. 219. — Dbrs. Frelon V, 1895—96, p. 282. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1902, p. 43. — Kaukasus, Armenien, Syrien
viridicaerulans Dbrs. Ann. Soc. Ent. France (6) IX, 1889, p. CCXVI; LX, 1891, p. 327.

collare Schilsky, Küst. Kraatz, Käf. Eur. XXXXIII, 1906, p. LVIII *(Pseudopiezotrachelus)*.
conicicolle Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 32. — Japan, Vord.-Indien
unicolor Roelofs, Ann. Soc. Ent. Belg. XVII, 1874, p. 129.

colon Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 57, t. 3, f. 5. — Mexico

colonus Fst. Stett. Ent. Zeit. LIV, 1893, p. 319. — Venezuela

coloradense Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 152. — Colorado

columbianum Fst. Stett. Ent. Zeit. LIV, 1893, p. 319. — Columbien, Brasilien

columbinum Germ., Mag. Ent. II, 1817, p. 185, t. 4, f. 9. — Schönh., Gen. Spec. Curc. I, 1833, p. 304. — Wenck. Abeille I, 1864, p. 229. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 370. — Dbrs. Frelon V, 1895—96, p. 272. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 68. — Europa, Algier, Syrien, Transcasp.
(?) var. *pedemontanum* Dbrs., Mitt. Schweiz. ent. Ges. III, 1870, p. 197. — Piemont

commodum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 154. — N.-Amerika, Montana

comosum Pascoe, Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 614 u. 615. — Australien

compactum Dbrs., Ann. Soc. Ent. Fr. (6) VIII, 1888, p. CXCIII; Frelon IV, 1894—95, p. 152. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 35 *(Exapion)*. — Mitteleuropa
genistae auct. (nec. Kirby!).
var. *albofasciatum* Wgnr. Münch. Kol. Zeit. II, 1904—06, p. 379. — N.-Österreich

compressicolle Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 203 *(Piezotrachelus)*. — Erythrea

concinnum Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. CXVIII *(Omphalapion)*. — Persien
puncticolle Schilsky, l. c. XLII, 1906, p. 28.

condensatum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 607. — N. S. Wales

confertum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 63. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 154. — N.-Amerika, Florida

confluens Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 62, t. 1, f. 15. — Wenck. Abeille I, 1864, p. 140. — Bedel, Faune Col. Bass. Seine, VI, 1885, p. 365. — Dbrs. Frelon III, 1893—94, p. 119. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 26 *(Ceratapion)*. — Europa, Syrien, Transkaukasien
Roelofsi Everts, Tijdschr. Ent. XXII, 1878, p. 58, t. 5, f. a.
stolidum Gylh. Ins. Succ. IV, 1824, p. 532. — Schönherr, Gen. Spec. Curc. I, 1833, p. 259.

var. *asiaticum* Dbrs. Frelon III, 1893—94, p. 120. — Syrien
var. *crenulatum* Dbrs. l. c. — Sarepta

confusum Dbrs. Ann. Soc. Ent. Fr. LX, 1891, p. LVII; Frelon IV, 1894—95, p. 154. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 14 *(Exapion)*. — Oran, Algier

congruum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 609. — W.-Austral.

coniceps Dbrs. Frelon VI, 1896—97, p. 27. — Kaukasus

conicicolle Gerst. Stett. Ent. Zeit. XV, 1854, p. 270 *(Piezotrachelus)*. — Kap d. g. Hoffnung

conicolle Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 64; Mém. Soc. Ent. Belg. XVI, 1908, p. 57. — D.-O.-Afrika u. Mashonaland

conjunctum Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 278 *(Pseudopiezotrachelus)*. — Congo

connexum Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 28 *(Perapion)*. — Turkestan, S.-Rußland, Saratow

conocephalum Dbrs. Op. I, 1874—75, p. 28. — Desbrochers, Frelon V, 1895—96, p. 296. — Syrien

considerandum Fåhr. Öfvers. Vet. Ak. Verh. 1871, p. 239. — Süd-Afrika
var. *circumscriptum* Hartm. Deutsche Ent. Zeitschr. 1897, p. 82.
var. *combustum* Wgnr. in: Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 97. — Kilimandjaro

consimile Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 271. — Mittel- u. Süd-Afrika

consobrinum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 45 *(Piezotrachelus)*. — Süd-Afrika

consors Dbrs. Op. I, 1874—75, p. 31; Frelon IV, 1894—95, p. 165. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 44 *(Catapion)*. — Corsica, Sardinien

var. *Solariorum* Wgnr. Entom. Blätt. IV, 1908, p. 105. — Algier

constricticolle Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 59, t. 2, f. 21. — Mexico

constrictum Hartm. Deutsche Ent. Zeitschr. 1897, p. 84. — D.-O.-Afrika

contiguum Beg.-Billc. Bull. Soc. Ent. Fr. 1904, p. 55 *(Aspidapion)*. — Madagascar

contractum Gerst. Stett. Ent. Zeit. XV, 1854, p. 279. — Aragua

contusum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 61. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 160. — N.-Amerika: Dakota

coracellum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 115. — Columbien

cordatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 54. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 153, t. 4, f. 3. — Californien

corniculatum Germ. Mag. Ent. II, 1817, p. 129, t. 4, f. 22a—c. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 40 *(Exapion)*.
difficile auct. *(nec Hbst.!)*. — Europa

corsicum Dbrs. Ann. Soc. Ent. France, 1888, p. CXCIII; Frelon V, 1895—96, p. 251. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 40 *(Catapion)*. — Mittelmeergebiet

corvinum Fst. Stett. Ent. Zeit. L, 1889, p. 224 *(Synapion)*. — Japan

congestum Lea — Trans. R. Soc. S. Aust., 34, 1910: 33 — Australia
congolanum Prost. — Bull. Mus. Hist. nat. Paris 1922: 499 — S. Congo.

consanguineum Wagn. — Mem. Soc. ent. Belg., 19, 1912: 19. — Nicaragua.

convargens Wagn. — Mem. Soc. ent. Belg., 19, 1912: 28 — Brazil.
Convexum Lea — Trans. R. Soc. S. Aust., 34, 1910: 32 — Australia
convexifrons Wagn. — Arch. Naturg., 78A, 1912: 135. — Brazil: Amazonas.

corchori Mshl. — Bull. ent. Res., 27, 1936: 255 — S. India

— corpi Pic.

Costaricense Wagn. — Arch. Naturg., 78A, 1912: 126. — Costa Rica.

csikii Gyöngy. Folia ent. hung., 1, 1924: 25 S. India.

cupridens Hnel. [illegible] Soc. ent. Belg., 68, 1928: 91 Anatolia.

[illegible] Ann. Soc. ent. Belg., 19, 1912: 36 (Cyclommus). E[illegible]

[illegible] Ent. Mitt., 9, 1920: 196 (Cyclophanes) Sicily.

coxale Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 134. — Carolina, Californien

craccae L. Syst. Nat. ed. XII, 1767, p. 606. — Germ. Mag. Ent. II, 1817, p. 147, t. 2, f. 2a, b. — Schönh. Gen. Spec. Curc. I, 1833, p. 252. — Wenck. Abeille I, 1864, p. 118. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 372. — Dbrs. Frelon III, 1893—94, p. 9. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 48 *(Oxystoma)*. — Europa, Algier, Asien

ruficorne Hbst. Käf. VII, 1797, p. 110, t. 102, f. 8.
viciae Geer, Ins. V, 1775, p. 233, t. 6, f. 31—36.
Biologie: Geer, l. c. — Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 452.

crassicolle Motsch. Etud. ent. VII, 1858, p. 91. — Ost-Indien

crassinasum Lec. Entom. Roport. 1857, p. 53. — Californien

crassipes Kirsch, Berl. Ent. Zeitschr. XVIII, 1784, p. 414. — Peru

crassirostre Gyllh. Schönh., Gen. Spec. Curc. V, 1839, p. 446. — Süd-Afrika

crassiusculum Dbrs. Frelon IV, 1894—95, p. 149. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 22 *(Exapion)*. — Frankreich

crassum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 165, t. 5, f. 11 u. 11a. — Virginia

credulum Fst. Deutsche Ent. Zeitschr. 1898, p. 287. — Indien

cretaceicolle Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 65, t. 2, f. 25. — Guatemala

cretaceum Rosh. Tiere Andal. 1856, p. 240. — Wenck. Abeille I, 1864, p. 161. — Dbrs. Frelon IV, 1894—95, p. 137. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 92 *(Lepidapion)*. — Spanien, Portugal, Algier, Tunis

crinitum Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 380. — Kapland

crotalariae F. Syst. El. II, 1802, p. 424. — Schönh. Gen. Spec. Curc. I, 1833, p. 251. — S.-Amerika

cruentatum Walt. Ann. Mag. Nat. Hist. XIII, 1844, p. 452. — Wenck. Abeille I, 1864, p. 244. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 383. — Dbrs. Frelon III, 1893—94, p. 26. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 57 *(Erythapion)*. — England, Faroer-Inseln, Deutschl., Österreich, Frankreich

crusculum Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 433. — Wgnr. in: Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 104. — Congo, D.-O.-Afrika

cuprescens Mannh. Bull. Mosc. XVI, 1843, p. 289. — Sitkha

curticorne Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 127. — Texas

curtirostre Germ. Mag. Ent. II, 1817, p. 230. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 380. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 62 *(Perapion)*. — Europa, Kl.-Asien, Sibirien

aquilinum Boh. Schönh. Gen. Spec. Curc. V, 1839, p. 440.
bervirostre Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 68.
humile Germ. Mag. Ent. II, 1817, p. 232, t. 3, f. 1. — Schönh. Gen. Spec. Curc. I, 1833, p. 287. — Wenck. Abeille I, 1864, p. 260. — Dbrs. Frelon III, 1893—94, p. 62.

medianum Thoms. Skand. Col. VII, 1865, p. 48.
plebejum Steph. Ill. Brit. IV, 1831, p. 172.
sedi Gylh. Faun. Succ. IV, 1827, p. 545.
tenellum Sahlbg. Faun. Finnl. II, 1834, p. 18.
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 461. — Rübsaamen, Berl. Ent. Zeitschr. XXXIII, 1889, p. 65.

Curtisi Steph. Ill. Brit. IV, 1831, p. 169. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 377. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 95. — England, Frankreich, Deutschl., Österreich, Schweiz
Waltoni Steph. Manual 1839, p. 259. — Wenck. Abeille I, 1864, p. 240.

curtulum Dbrs. Mitt. Schweiz. ent. Ges. III, 1870, p. 203; Frelon IV, 1894—95, p. 162. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 378. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 39 *(Catapion)*. — Mittelmeergebiet
Curtisi Wenck. (nec Walton) Abeille I, 1864, p. 178.
var. *frontale* Dbrs. Frelon IV, 1894—95, p. 162. — Syrien

curvipilosum Wgnr. Entom. Blätt. IV, 1908, p. 102 *(Lepidapion)*. — Teneriffa

curvirostre Gylh. Schönh., Gen. Spec. Curc. I, 1833, p. 264. — Wenck. Abeille I, 1864, p. 170. — Dbrs. Frelon V, 1895—96, p. 270. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 53 *(Alacentron)*. — Europa, Algier, Asien
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 454. — Wagner, Zeitschr. wiss. Ins.-Biol. XIV (V), 1909, p. 55.

cyanellum Dbrs. Frelon V, 1895—96, p. 284. — Armenien

cyanescens Gylh. Schönh., Gen. Spec. Curc. I, 1833, p. 306. — Wenck. Abeille I, 1864, p. 233. — Dbrs. Frelon V, 1895—96, p. 236. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 45. — S.-Frankr., Spanien, Algier
Capiomonti Wenck. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 105.
Biologie: Gerber, Bull. Soc. Ent. Fr. 1902, p. 208.

cyladoides Hartm. Deutsche Ent. Zeitschr. 1906, p. 78. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 58 *(Conapion)*. — Transvaal, Rhodesien

cylindricolle Gylh. Schönh., Gen. Spec. Curc. V, 1839, p. 380. — Wenck. Abeille I, 1864, p. 178. — Dbrs. Frelon V, 1895—96, p. 281. — Wgnr. Münch. Kol. Z. III, 1906—08, p. 23 *(Ceratapion)*. — Taurien

cylindricum Dbrs. Frelon V, 1895—96, p. 216 *(Catapion)*. — Österreich, N. Deutschland

cylindriforme Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 10. — Mashonaland

cylindrirostre Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 52 *(Piezotrachelus)*. — „

daimio Sharp, Trans. Ent. Soc. Lond. 1891, p. 296. — Japan

Damryi Dbrs. Frelon III, 1893—94, p. 111. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 8 *(Ceratapion)*. — Mittelmeergebiet

daurieum Fst. Hor. Soc. Ent. Ross. XXII, 1888, p. 176. — Dbrs. Frelon V, 1895—96, p. 297. — Schilsky, — Daurien

Cyanoscans, [illegible]

Cyanitinctum Fall. Canad. Ent., 59. (27): 141 Canada.
Cyanopterum Reg. [illegible]
Cyladoides [illegible] Kalangoense Borg. [illegible]

* Synonymus [illegible]
Cyclorhyn[illegible]

Cylindrovestis [illegible]
Cylindro[illegible]
dalmatinum [illegible]

decorsi Fairm. L'Echange, 36, 1920: 6 (Optimomus) Madagascar.

– delia Fairm. Proc. Ent. Soc. Washington, 24, 1922: 83 Virginia.
delphinensis Fairm. Bull. Soc. ent. Fr., 1912: 105 (Plesiocthebium). France.
denticornis Lucas Arch. Zoology, 7811, 1912: 133. Brazil: Rio Janeiro.

denticulatum Pic L'Echange 24, 1908: 58 Egypt.

dentipennis Fairm. Ann. Soc. ent. Fr., 1911: 114 Bolivia

– desbordesi Bég. Bill. Bull. Soc. ent. Fr., 1911: 131 S. America.

discocephalum Fairm. Ann. Soc. ent. Belg., 63, 1923: 89 (Chamaebe.) Madagascar.

Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 97. — Wgnr. Münch. Kol. Z. III, 1906—08, p. 197.

Davidis Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 53. — Panama

decolor Dbrs. Op. I, 1874—75, p. 27; Frelon III, 1893—94, p. 113. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 15 *(Ceratapion).* — Syrien

var. *brevithorax* Dbrs. Frelon VI, 1896—97, p. 12. — Caucasus

decoloratum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 52. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 166, t. 5, f. 13. — Virginia, Columbia, Arizona, Carolina

defensum Fst. Hor. Soc. Ent. Ross. XX, 1886, p. 177. — Dbrs. Frelon V, 1895—96, p. 251. — Wgnr. Münch. Kol. Z. III, 1906—08, p. 189 *(Perapion).* — Turkestan

Delagrangei Dbrs. Frelon IV, 1894—95, p. 83; Frelon IV, 1894—95, p. 173. — Schilsky, Küst. Kraatz, Käf. Eur. XXIX, 1902, p. 48. — Wgnr. Entom. Blätter IV, 1908, p. 105 *(Catapion).* — Syrien, Griechenland

deletum Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 38. — Dschilarik

delicatulum Woll. Cat. Mad. Col. 1857, p. 120; Cat. Can. Col. 1864, p. 307. — Wenck. Abeille I, 1864, p. 263 *(Taeniapion).* — Canarische Inseln

dentipes Gerst. Stett. Ent. Z. XV, 1854, p. 260. — Dbrs. Frelon IV, 1894—95, p. 188. — Wencker, Abeille I, 1864, p. 191. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXIII, 1901, p. 78. *(Protapion).* — Mittelmeergebiet

armiferum Wnck. Abeille I, 1864, p. 190.

tubicen Wnck. l. c. p. 200 (ex parte).

dentirostre Gerst. Stett. Ent. Zeit. XV, 1854, p. 236. — Wenck. Abeille I, 1864, p. 128. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 7 *(Ceratapion).* — Andalusien

denudatum Beg.-Bilc. Bull. Soc. Ent. Fr. 1904, p. 56 *(Aspidapion).* — Madagascar

derasum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 53. — Guatemala

derelictum Dbrs. Frelon XV, 1907—08, p. 85. — Russisch-Armenien

desolatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 48. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 120, t. 2, f. 8. — Florida, Georgia

detritum Rey in Muls. Opusc. IX, 1859, p. 3. — Wenck. Abeille I, 1864, p. 139. — Dbrs. Frelon III, 1893—94, p. 117. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 23 *(Ceratapion).* — Mitteleuropa, Mittelmeergebiet, Kaukasus, Syrien, Algier

Ragusae Everts, Tijdschr. Entom. XXII, 1879, p. 58.

subsquamiferum Dbrs. Frelon III, 1893—94, p. 118.

difficile Hbst. Käf. VII, 1797, p. 114, t. 103, f. 1. — Germar, Mag. Ent. II, 1817, p. 128, t. 2, f. 9. — Wenck. Abeille I, 1864, p. 152 (ex parte). — Bedel, Faune Col. Bass. Seine VI, 1885, p. 360 (ex parte). — Schilsky, Küst. Kraatzz, Käf. Eur. XXXVIII, 1901, p. 40. — Wgnr. Münch. Kol. Zeit., III, 1906—08, p. 30 *(Exapion).* — N.- u. Mittel-Europa

germanicum Dbrs. Frelon IV, 1894—95, p. 146.

Kiesenwetteri Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 204. — Dbrs. Frelon IV, 1894—95, p. 148.

— Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 11.

difforme Ahr. Faun. Ins. Eur. IV, 1817, t. 7. — Germar, Mag. Ent. III, 1818, p. 46. — Wenck. Abeille I, 1864, p. 192. — Bedel, Faune Col. Bass, Seine VI, 1885, p. 367. — Dbrs. Frelon IV, 1894—95, p. 184. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 76 *(Protapion)*. — Europa, Syrien

tibiale Dbrs. Ass. scient. Bourbonn. 1866, p. 161.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 458.

dilatatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 56. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 164. — Arizona

dilaticolle Motsch. Etud. ent. VII, 1858, p. 92. — Indien

dilatipes Dbrs. Frelon V, 1895—96, p. 220. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 3 *(Catapion)*. — Kaukasus

disjunctum Wgnr. Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 102 *(Piezotrachelus)*. — D. O.-Afrika

dispar Germ. Mag. Ent. II, 1817, p. 181, t. 3, f. 10a, b. — Schönh. Gen. Spec. Curc. I, 1833, p. 309. — Wenck. Abeille I, 1864, p. 170. — Dbrs. Frelon V, 1895—96, p. 307. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 44 *(Omphalapion)*. — Europa, Syrien, Algier

Beuthini Hoffm. Stett. Ent. Zeit. XXXV, 1874, p. 208.

var. *corcyreum* Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 2. — Wgnr. Münch. Kol. Zeit. III, 1906—08, p. 208. — Corfu, Kephalonia

disparatum Sharp, Biol. Centr. Amer. Col. IV, 1889, p. 75. — Guatemala

disparipes Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 169. — Neu-Mexico

disparirostre Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 21; Ann. Soc. Ent. Belg. LIII, 1909, p. 210. — Süd-Afrika

dissimile Germ. Mag. Ent. II, 1817, p. 171, t. 4, f. 18a—d. — Schönh. Gen. Spec. Curc. V, 1839, p. 404. — Wenck. Abeille I, 1864, p. 194. — Bedel, Faune Col. Bass. Seine, VI, 1885, p. 367. — Dbrs. Frelon IV, 1894—95, p. 185. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 77 *(Protapion)*. — Europa, Kl.-Asien

heterocerum Thoms. Skand. Col. VII, 1865, p. 62.

dissimilipes Sharp, Biol. Centr. Amer. Col. IV, 1889, p. 49. — Guatemala

distans Dbrs. Bull. Soc. Ent. Fr. 1889, p. XXXIII. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 19 *(Ceratapion)*. — Europa

Caullei Dbrs. Frelon III, 1893—94, p. 97.

Caullei Wnck. Bull. Soc. Ent. Fr. 1858, p. XXI (ex parte); Abeille I, 1864, p. 135.

penetrans Bedel (nec Germar), Faune Col. Bass. Seine VI, 1885, p. 364.

var. *spathula* Dbrs. Frelon III, 1983—94, p. 98.

distincticolle Dbrs. Mitt. Schweiz. ent. Ges. III, 1870, p. 197; Frelon III, 1893—94, p. 26. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 26. *(Erythrapion)*. — Spanien

distinctirostre Dbrs. Frelon III, 1893—94, p. 40. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 96 *(Taeniapion)*. — Corsica, Sardinien, Sicilien

disforma ab. ochroceum Wagn. Ent. Centralbl. 1, 1926: 416. Sweden.

dissectum Fall. Bull. Brooklyn Ent. Soc. 20, 1925: 87 N. Jersey.

dilatipalpis Fall. Bull. Brooklyn Ent. Soc. 20, 1925: 85 N. Jersey
(non Mutsch.)

L Hallén Kgl. Svenska Vetenskapsakad. Handl. Fauna Fl. Fenn. 9, 1934: 183.

dissimilis v. wagneri Hölzel. Jahresb. Ver. f. vaterl. Naturk. Troppau 13, 1931: 44.
Germany.

divergens Wagn. Mem. Soc. ent. Belg. 19, 1912: 21 (Hemerobius) Europe.

divarsiformicum Wagn. Ann. Soc. ent. Belg. 41, 1912: 25 [Rezeptacle]
Nyasaland; Tanganyika.

divarsocostatum Ulyett Canad. Ent., 67(2), 1935: 18 Canary Isls.

dudichi Györffy Folia ent. hung., 1, 1936: 27 Tyrol.

dufani Hust. Journ. Colon. Franç. 3, 1929: 180 Guadeloupe.
dumonti Pagenstch. Bull. Soc. ent. Fr., 1929: 15 Tunisia.

eccambricum Forel Journ. Linn. Soc., 26, 1918: 220 U.S.A.

edmundi Györffy Rovart. L., 26, 1923: 90 Egypt.

elliptiporum Wagn. Ann. Naturhist. 78A, 1912: 128 (Synapsen) Paraguay.

diversistriatum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 54 *(Piezotrachelus)*. — Natal

dolosum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 148. — Arizona

dongollanum Wgnr. Soc. Ent. XXIV, 1909—10, p. 154 — Gebirge Dongollo (Eritrea)

Dariae Dbrs. Frelon V, 1895—96, p. 248. — Persien

dorsale Schilsky, Küst. Kraatz, Käf. Eur., XXXIX, 1902, p. 77 *(Protapion?)*. — Japan

dromedarius Fairm., Note Leyd. Mus. XXIII, 1901, p. 75 *(Aplemonus)*. — Madagascar

dubium Dbrs. Frelon V, 1895—96, p. 274. — Spanien

ebeninum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 55, t. 1, f. 11. — Germ. Mag. Ent. II, 1817, p. 197, t. 4, f. 3. — Schönh. Gen. Spec. Curc. I, 1833, p. 288 et V, 1839, p. 419. — Wenck. Abeille I, 1864, p. 208. — Bedel, Faun. Col. Bass. Seine VI, 1885, p. 370. — Dbrs. Frelon V, 1895—96, p. 248. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 13 *(Synapion)*. — Europa

Kunzei Boh. Schönh., Gen. Spec. Curc. V, 1839, p. 419.

edentatum Dbrs. Frelon III, 1893—94, p. 104. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 6 *(Ceratapion)*. — Algier

egregium Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 204 *(Ceratapion)*. — Turkestan

elegantulum Germ. Mag. Ent. III, 1818, p. 48. — Schönh. Gen. Spec. Curc. I, 1833, p. 296. — Wenck. Abeille I, 1864, p. 168. — Bedel, Faun. Col. Bass. Seine VI, 1885, p. 369. — Dbrs. Frelon, V, 1895—96, p. 293. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 37. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 309. — Europa, Algier, Syrien, Sibirien

coracinum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 299.

incisum Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 428.

laticolle Perr. Land. Exc. III, 1857, p. 55.

neglectum Gylh. Schönh., Gen. Spec. Curc. I, 1833, p. 253.

pineae Rosh. Tiere Andal. 1856, p. 244.

tricarinatum Waltl, Reis. Span. II, 1835, p. 76.

Biologie: Dietrich, Stett. Ent. Zeit. XVIII, 1857, p. 137. — Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 461.

ellipticum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 51. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 120. — Nebrasca, Texas

elongatissimum Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 198; Frelon, IV, 1894—95, p. 156. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 31 *(Exapion)*. — Spanien, Portugal

elongatulum Dbrs. Ann. Soc. Ent. Fr. LX, 1891, p. 324; Frelon IV, 1894—95, p. 147. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 38. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 33 *(Exapion)*. — Europa

germanicum Desbr. pars Ann. Soc. ent. Fr., 1929: 104.

liguricum Solari, Ann. Mus. Civ. Genova XLII, 1905, p. 101. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 311.
longulum Dbrs. Op. I, 1874—75, p. 30.

elongatum Germ. Mag. Ent. II, 1817, p. 214, t. 4, f. 7. — Wenck. Abeille I, 1864, p. 182. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 378. — Dbrs. Frelon V, 1895—96, p. 218. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 45 *(Catapion)*. — Europa
incanum Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 414.
millum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 277.
Biologie: Frauenfeld, Verh. zool.-bot. Ges. Wien, XVI, 1866, p. 964.

elutipes Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 167. — Californien
emaciipes Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 166, t. 5, f. 10 u. 10a. — Columbien, Michigan
ensirostre Gerst. Stett. Ent. Zeit. XV, 1854, p. 251. — Columbien
epicum Sharp, Biol. Centr. Amer. Col. IV, 1889, p. 72. — Panama
erinaceum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 34. — Moçambique
errabundum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 72. — Mexico
erraticum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 44. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 113, t. 2, f. 1 u. 1a. — Texas
estriatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 47.

ervi Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 23. — Germ., Mag. Ent. II, 1817, p. 138, t. 3, f. 13a u. b. — Schönh., Gen. Spec. Curc. I, 1833, p. 300. — Wenck. Abeille I, 1864, p. 217. — Bedel, Faun. Col. Bass. Seine VI, 1885, p. 374. — Dbrs. Frelon V, 1895—96, p. 237. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 57. — Europa, Syrien, Algier, Sibirien
lathyri Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 24.
ophthalmicum Dbrs. Frelon V, 1895—96, p. 237.
Biologie: Dietrich, Stett. Ent. Zeit. XVIII, 1857, p. 137. — Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 460.

erythraceum Beg.-Billc. Bull. Soc. Ent. Fr. LXXIV, 1905, p. 143. — Madagascar
erythreanum Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 202 *(Piezotrachelus)*. — Erythrea
erythropterum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 50, t. 3, f. 2. — Mexico
excellens Wgnr. Münch. Kol. Zeit. III, 1906—08, p. 205. — Buchara
exiguum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 158. — Madagascar
exophthalmum Wnck. Ann. Soc. Ent. Fr. (4) III, 1863, p. 179. — Brasilien
extensum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 61. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 170. — Dakota
externepunctatum Dbrs. Op. I, 1874—75, p. 30; Frelon III, 1893—94, p. 54. — Wgnr., Münch. Kol. Zeit. III, 1906—08, p. 206 *(Perapion)*. — Sarepta, Dobrutscha, Sibirien

Ensiferum Berg.

ermita Payarrnih. Bull. Soc. ent. Fr., 1920 : 145, fig. W. Sahara
— eriogoni Fall. Journ. N.Y. Ent. Soc., 26, 1918 : 221 U.S.A.

Excisum Uvarov.

* synonyms. longiclava Desbr. (= clavatum Schulsk.)

[f. maculatum Wagn. Ann. Mus. Hist. Nat. Hung., 31, 1938: 88. S. France.]
= valentianum J. Clerm. cf. Hust., Bull. Soc. ent. Fr., 1938. 61

fuegianum Enderl. Stockholm Kgl. Sv. Vet.-Akad. Handl., 3, 1912: 51 Tierra del Fuego

[f. lebrigi Wagn. Rev. Zool., 19, 1912: 100 Paraguay.

figuratum Bourg. Rev. Zool. Bot. afr., 31, 1938: 194 B. Congo.

f. [illegible] ab. ochraceo-maculatum Wagn. Col. Centralbl., 1, 1926: 186 Europe.

Martjanovi Fst. Hor. Soc. Ent. Ross. XXV, 1891, p. 413. — Wgnr. Münch. Kol. Zeit. III, 1906—08, p. 188.	
externestriatum Dbrs. Frelon V, 1895—96, p. 291. — Wgnr. Münch. Kol. Zeit. III, 1906—08, p. 310.	Kaukasus, Turkestan, Buchara
fabrile Fst. Deutsche Ent. Zeitschr. 1899, p. 339.	D.-O.-Afrika
facetum Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 431. — Wenck. Abeille I, 1864, p. 169. — Dbrs. Frelon V, 1895—96, p. 294. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 305. *perspicax* Wnck. Abeille I, 1864, p. 221. *Sundevalli* Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 435. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 72.	Europa, Asien
Fairmairei Wnck. Abeille I, 1864, p. 241.	Tanger
Faldermanni Gylh. Schönh. Gen. Spec. Curc. V, 1839, p. 370.	Brasilien
* **fallaciosum** Dbrs. Frelon I, 1892, p. 107. — Frelon III, 1893—94, p. 113. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 4. — Wgnr. Münch. Kol. Zeit. III, 1906—08, p. 26 *(Ceratapion).*	Algier
fallax Boh. in Schönh. Gen. Spec. Curc. VIII², 1845, p. 370. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 5. *(Piezotrachelus).*	Süd-Afrika
Falli Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767. *pyriforme* Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 57. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 173, t. 5, f. 17.	Arizona
familiare Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 430. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 59 *(Conapion).*	Central- u. Süd-Afrika
fasciculatum Boh. in Schönh. Gen. Spec. Curc. VIII, 2, 1845, p. 370.	Port-Natal
fastidiosum Beg.-Billc. Ann. Soc. Ent. France, LXXIV, 1905, p. 157.	Madagascar
Fausti Dbrs. Ann. Soc. Ent. France, 1889, p. XXXIII; Frelon III, 1893—94, p. 13. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, p. 19 *(Oxystoma).*	Kaukasus
femorale F. Syst. Eleuth. II, 1802, p. 423. — Schönh. Gen. Spec. Curc. V, 1839, p. 410.	S.-Amerika
femoratum Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 194.	Kilimandjaro
ferrugineum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 79.	Guatemala
fibulipes Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 172, t. 5, f. 18.	Californien
Figinii Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 200 *(Piezotrachelus).*	Erythrea
filicorne Wnck. Abeille I, 1864, p. 235. — Dbrs. Frelon V, 1895—96, p. 241. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 94. *decorum* Wnck. Abeille I, 1864, p. 238.	Südl. Mitteleuropa, Mittelmeergebiet
filipes Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 73.	Guatemala
filirostre Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 26. — Germ. Mag. Ent. II, 1817, p. 177. — Schönh. Gen. Spec. Curc. I, 1833, p. 305. — Wnck. Abeille I, 1864, p. 219. — Bedel, Faune Col Bass. Seine VI, 1885, p. 369. — Dbrs. Frelon	Europa, Algier, Syrien, Turkestan, Sibirien

IV, 1894—95, p. 183. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 90 *(Protapion).*
morio Germ. Mag. Ent. II, 1817, p. 178, t. 4, f. 5.
Biologie: Tomlin, Ent. Mag. XLIII, 1907, p. 276.

filum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 163, t. 5, f. 9 u. 9a. — Californien

finitimum Fall, l. c. p. 116, t. 2, f. 6 u. 15. — Massachusett, Michigan

fissile Fst. Hor. Soc. Ent. Ross. XXII, 1888, p. 175. — Dbrs. Frelon V, 1895—96, p. 245. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 50. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 197 *(Catapion).* — Sibirien

flavicorne F. Syst. Eleuth. II, 1802, p. 427. — Schönh. Gen. Spec. Curc. V, 1839, p. 403. — S.-Amerika

flavicrus Dbrs. Frelon IX, 1900—01, p. 80. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 12 *(Exapion).* — Tanger

flavimanum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 276. — Wnck. Abeille I, 1864, p. 147. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 378. — Dbrs. Frelon IV, 1894—95, p. 170. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 46 *(Catapion).* — Europa, Kl.-Asien
picicorne Steph. Man. 1839, p. 257.
var. *latithorax* Dbrs. Frelon IV, 1894—95, p. 171. — Spanien
var. *torquatum* Wnck. Abeille I, 1864, p. 148. — Frankreich
var. *Uhagonis* Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 195. — Spanien, Frankreich
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 457.

flavinasus Dbrs. Frelon XV, 1907—08, p. 86 *(Exapion).* — S.-Rußland

flavipes Payk. Monogr. Curcul. 1792, p. 143. — Herbst, Käf. VII, 1797, p. 106, t. 102, f. 5. — Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 37. — Germ. Mag. Ent. II, 1817, p. 158, t. 4, f. 13. — Schönh. Gen. Spec. Curc. I, 1833, p. 280. — Wnck. Abeille I, 1864, p. 206. — Dbrs. Frelon IV, 1894—95, p. 206. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 81 *(Protapion).* — Europa, Algier, Asien
dichroum Bedel, Faune Col. Bass. Seine VI, 1885, p. 209.
var. *Lederi* Kirsch, Schneid. u. Leder, Kaukas. Käferfauna 1878, p. 307.
(ab.) *apicirostre* Dbrs. Frelon IV, 1894—95, p. 209 (Übergang zu *Lederi* ♂).
Bergrothi Dbrs. (Fst. i. l.) Frelon IV, 1894—95, p. 206.
var. *coxale* Dbrs. l. c. p. 207 (*Lederi* ♀).
(ab.) *maculicoxis* Dbrs. Frelon VI, 1896—97, p. 23 (Übergang zu *Lederi* ♀).

flavofemoratum Hbst. Käf. VII, 1797, p. 115, t. 103, f. 2. — Germ. Mag. Ent. II, 1817, p. 163, t. 4, f. 10. — Schönh. Gen. Spec. Curc. I, 1833, p. 276. — Wnck. Abeille I, 1864, p. 160. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 375. — Dbrs. Frelon III, 1893—94, p. 33. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 60 *(Kalcapion).* — Europa, Algier, Mittel- u. N.-Asien

⊙ [illegible] Hoffmann, Bull. Soc. zool. Fr., 1930: 23

fecilifera Burg. Ann. & mag. Nat. hist., 8, 1938: 210 (Ramaphis) S. Congo

formosanum Lizer Suppl. Ent., 1914: 25 (Conap.) Formosa

fenicipenne Lizer. Rev. Zool., 19, 1912: 103 Bolivia.

frontellum Fall Journ. N.Y. Ent. Soc., 26, 1918: 2[illegible] U.S.A.

fry. Lizer. Ann. Soc. ent. Belg., 17, 1912: 11 (Coleophora) Burg.

[illegible] Lizer. Rev. Soc. ent. Arg., 19, 1914: 29 Brazil

boops Schönh. Gen. Spec. Curc. V, 1839, p. 396.
croceifemoratum Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 396.
⊙ *croceifemoratum* Kiesw. Berl. Ent. Zeitschr. VIII, 1864, p. 288.
scabiosum Weise, Deutsche Ent. Zeitschr. 1889, p. 184.
var. *viridimicans* Dbrs. Frelon III, 1893—94, p. 33. — Oran, Algier

flexipenne Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 88 *(Conapion).* — Abyssinien

flexirostre Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 205. — Br.-S.-Afrika

flexuosum Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 275 *(Conapion).* — Süd-Afrika

floridanum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 49. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 118. — Florida

foederatum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 8. — Mashonaland

formosum Beg.-Billc. Bull. Soc. Ent. France 1905, p. 45. — Madagascar

fornicatum Wgnr. in Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 101 *(Piezotrachelus).* — D.-O.-Afrika

fortipunctum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 9. — Mashonaland

fortirostre Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 74. — Mittel- u. Süd-Afrika

fossicolle Dbrs. Bull. Soc. Ent. Fr. (6) IX, 1889, p. XXXIV; Frelon III, 1893—94, p. 122 *(Ceratapion).* — Syrien

fossulatum Dbrs. Frelon VI, 1896—97, p. 15 *(Ceratapion).* — Kl.-Asien

foveatum Dbrs. Frelon XII, 1904, p. 55. — Kaukasus

foveicolle Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 610. — W.-Austral.

foveirostre Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 77. — W.-Afrika: Togo

frater Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 200; Frelon III, 1893—94, p. 102. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 6 *(Ceratapion).* — S.-Rußland, Kaukasus, Turkestan

fraudulentum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 74. — Panama

fronto Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 55 *(Piezotrachelus).* — Capland

frumentarium Payk. Monogr. Curcul. 1792, p. 139. — Schönh. Gen. Spec. Curc. I, 1833, p. 283. — Wnck. Abeille I, 1864, p. 245. — Dbrs. Frelon III, 1893—94, p. 25. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 56 *(Erythrapion).* — Europa, Algier, Kl.-Asien

haematodes Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 76. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 383.

var. *occultans* Fst. Berl. Ent. Zeitschr. XXIX, 1885, p. 244. — Algier

Biologie: Laboulbène, Ann. Soc. Ent. Fr. (6) II, 1862, p. 567, t. 13, f. 23—24. — Schlechtendal, Zeitschr. f. Naturw. LVII, 1884, p. 492.

fuliginosum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p 42; Ann. Soc. Ent. Belg. LIII, 1909, p. 212 *(Piezotrachelus).* — Mittel- u. Süd-Afrika

fulvirostre Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 274. — Wenck. Abeille I, 1864, p. 184. — Bedel, Faun. Col. Bass. Seine VI, 1885, p. 366. — Dbrs. Frelon III, 1893—94, p. 34. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 56 *(Pseudapion)*. — Südl. Mittel- u. Süd-Europa, Algier, Kl.-Asien, Turkestan, Tibet, Syrien

atritarse Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 277.

fortipubens Rttr. Wien. Ent. Zeit. XX, 1901, p. 226.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 458.

fulvum Dbrs. Frelon IV, 1894—95, p. 154. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 33 *(Exapion)*. — Corsica, Sardinien

fumitarse Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 162, t. 5, f. 6. — Texas

funereum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 123, t. 2, f. 20. — Californien

furtivum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 154. — N.-Amerika, Georgien

fuscimanum Sharp, Biol. Centr.-Am. Col. IV, 1889, p. 61. — Guatemala

fuscirostre F. Syst. Entom., 1775, p. 131. — Germ. Mag. Ent. II, 1817, p. 125, t. 2, f. 8a. — Schönh. Gen. Spec. Curc. I, 1833, p. 270. — Wenck. Abeille I, 1864, p. 155. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 361. — Dbrs. Frelon IV, 1894—95, p. 155. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 30 *(Exapion)*. — Europa, Algier, Syrien

albovittatum Herbst, Füessly's Arch. IV, 1784, p. 74.

melanopum Marsh. Ent. Britann. I, 1802, p. 248.

venustum Herbst, Col. VI, 1795, p. 163.

var. *Flachi* Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 204. — Portugal

Biologie: Buddeberg, Jahrb. Nass. Ver. f. Nat. XXXVII, 1884, p. 86.

fuscitarse Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 82. — D.-O.-Afrika

fuscosuturale Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 611. — Australien

fuscum Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 63. — D.-O.-Afrika, Rhodesien

gagatinum Motsch. Etud. ent. VII, 1858, p. 92. — Indien

gallaecianum Dbrs. Frelon IV, 1894—95, p. 138 *(Lepidapion)*. — Spanien

gallinula Gerst. Arch. zur Nat. XXXVII, 1871, I, p. 74. — D.-O.-Afrika

Ganglbaueri Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 61. — „

gaudiale Fst. Deutsche Ent. Z., XXIX, 1885, p. 189. — Dbrs. Frelon IV, 1894—95, p. 164. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 53. — Wgnr. Münch. Kol. Zeit. III 1906—08, p. 191 *(Metapion)*. — Afghanistan, Buchara, Turkestan

Korbi Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 99.

otiosum Fst. Hor. Soc. Ent. Ross. XXV, 1891, p. 414.

Gavoyi Dbrs. Frelon XII, 1904, p. 53. — S.-Frankreich

fulvirostre s.sp. moschata Hoffm. Ibérie, 36, 1938 : 30 note France.

fulvotibiale Wagn. Arch. Natug., 78 H, 1912 : 118. Mexico.

fulvovestitum Brug. [illegible] Belg. Congo.

fuscipes Wagn. [illegible] (Rogenhofera) Angola.
fuscipennis Wagn. t.c., 7 (Colpothrinax) Brazil : Bahia.

fuscenitidum Wagn. [illegible] Brazil

gattefossei Hoel [illegible] Senegal.

germanii Wagn. Nov. Zool., 19, 1912: 101 Bolivia

gibbiferum Hust. Bull. Soc. ent. Fr., 37, 1932: 136 Lebanon.

globatum Wagn. Nov. Zool., 19, 1912: 101 Bolivia

gelidum Fst. Deutsche Ent. Zeitschr. XXIX, 1885, p. 188. — Dbrs. Frelon IV, 1894—95, p. 128. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 71. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 191 *(Metapion)*. — Alexandergebirge, Turkestan

geminum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 23. — Natal

gemulum Fst. Deutsche Ent. Zeitschr. XXIX, 1885, p. 186. — Dbrs. Frelon V, 1895—96, p. 249. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 40. — Wagnr. Münch. Kol. Zeitschr. III, 1906—08, p. 193. — Buchara, Turkestan,

soricinum Dbrs. Frelon II, 1892—93, p. 108.

mus Dbrs. Frelon VI, 1896—97, p. 25.

genistae Kirby, Trans. Linn. Soc. Lond. X, 1811, p. 347. — Germ. Mag. Ent. II, 1817, p. 127. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 360. — Dbrs. Frelon IV, 1894—95, p. 150. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 34 *(Exapion)*. — England, Frankreich, Italien, Portugal, Spanien,

bivittatum Gerst. Stett. Ent. Zeit. XV, 1854. p. 259. — Algier,

funiculare Muls. Opusc. IX, 1859, p. 11.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 458.

germanum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 75. — Mexico

Germari Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 367. — Wagner, Mém. Soc. Ent. Belg. XVI, 1908, p. 6 *(Piezotrachelus)*. — Caffernland

Gerstäckeri Fst. Deutsche Ent. Zeitschr. 1895, p. 233 *(Piezotrachelus)*. — Süd-Afrika

pullus Boh. in Schönh. Gen. Spec. Curc. VIII, 2, 1845, p. 368. — Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767.

Gestroi Fst. Ann. Mus. Civ. Genova XL, 1899, p. 39. — N.-Guinea

gibbiceps Dbrs. Frelon III, 1893—94, p. 91 *(Ceratapion)*. — Persien

gibbipenne Boh. in Schönherr, Mantiss. sec. Curc. 1847, p. 7 *(Aplemonus)*. — Natal

gibbosulum Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 34. — Madagascar

gibbosum Hbst. Käf. VII, 1797, p. 105, t. 102, f. 4. — Germ. Mag. Ent. II, 1817, p. 182. — Indien

gilvipes Gemm. Col. Hefte VIII, 1871; — „

flavimanum Motsch. Etud. ent. VII, 1858, p. 94.

glabratum Gerst. Stett. Ent. Zeit. XV, 1854, p. 275. — Columbien

glabrirostre Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767. — Madagascar

nitidirostre Beg.-Billc., Ann. Soc. Ent. France LXXIV, 1905, p. 134.

globosum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 47 *(Piezotrachelus)*. — Rhodesien

globulipenne Wgnr. Mitt. Schweiz. ent. Ges. XI, 1907, p. 262. — Mém. Soc. Ent. Belg. XVI, 1908, p. 58 *(Conapion)*. — Süd-Afrika

glyphicum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 52. — Mexico

gnarum Fst. Öfv. Finska Vetensk. Soc. Förh. XXXIII, 1891, p. 54. — Dbrs. Frelon V, 1895—96, p. 269. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 21. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 194. — Sibirien

gracile Gerst. Stett. Ent. Zeit. XV, 1854, p. 268 *(Conapion)*. — Ceylon

gracilicolle Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 428. — Wenck. Abeille I, 1864, p. 233. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 369. — Dbrs. Frelon V, 1895—96, p. 302. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 65. — Südl. Mitteleuropa, Mittelmeergebiet.

leptocephalum Aubé, Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 239. — Algier, Tunis

graciliforme Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 170. — Dakota

gracilipenne Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 80. — Abessinien

gracilipes Dietr. Stett. Ent. Zeit. XVIII, 1857, p. 134. — Wencker, Abeille I, 1864, p. 206. — Dbrs. Frelon IV, 1894—95, p. 205. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 79.

Biologie: Dietrich, l. c.

gracilirostre Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 57, t. 2, f. 22. — Mexico

gracilitubus Dbrs. Frelon V, 1895—96, p. 253. — Armenien

graecum Dbrs. Frelon VI, 1896—97, p. 4. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 23 *(Erythrapion)*. — Griechenland, Dalmatien

grallarium Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 83, t. 2, f. 23. — Guatemala

grandaevum Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 206. — Mashonaland

granulum Gerst. Stett. Ent. Z. XV, 1854, p. 247. — Orinoco

Grenieri Dbrs. Opusc. I, 1874—75, p. 31; Frelon III, 1893—94, p. 21. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 5 *(Phrissotrichium)*. — Süd-Frankreich, Spanien

Moroderi Dbrs. Frelon XV, 1907—08, p. 85. — Wgnr. Ent. Blätter V, 1909, p. 123.

Gribodoi Dbrs. Frelon V, 1895—96, p. 232. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 62. — Bosnien, Hercegov., Dalmatien, Rumänien, Italien

ochroceras Dbrs. Frelon XV, 1907—08, p. 87. — Wgnr. Ent. Blätter V, 1909, p. 123.

griseopilosum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 27 *(Catapion)*. — Natal

griseopubescens Roelofs, Ann. Soc. Ent. Belg. XVIII, 1874, p. 129 *(Catapion)*. — Japan

griseosetosulum Dbrs. Opusc. I, 1874—75, p. 29 *(Catapion?)*. — Ägypten

grisescens Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 422. — Peru

griseum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 59. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 147. — N.-Amerika

fraternum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 60.

grossulum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 141. — Arizona

grus Fst. Deutsche Ent. Zeitschr. 1898, p. 288. — Indien

guatemalenum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 50. — Guatemala

gulare Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 140. — Florida

Gyllenhali Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 63. — Germ. Mag. Ent. II, 1817, p. 219. — Schönh. Gen. Spec. Curc. I, 1833, p. 297. — Wenck. Abeille I, 1864, p. 216. — Bedel, Faune — Europa

godmani Wagn. [illegible]

\ Wagner. D. ent. Nationalbibl., 2, 1911 : 96.

grande Bwq. , Rev. Zool. Bot. afr., 31, 1938 : 201 . Belg. Congo.

guadeloupense Hust. Faune Colon. Franç, 3, 1929 : 179 Guadeloupe -
guatamala[illegible] Wagn. [illegible]
* = bicolor Gerst. vide Wagner, Mem. Soc ent. Belg, 19, 1912 : 31.

· Guatemala.

haplopus Wagn. Nov. Zool., 19, 1912 : 99. Arizona.

[haikantingani Wagn. ? cit.
= zalantiannum J. Clermont nec Kirsch, Bull. Soc. ent. Fr., 1928 : 61.

heteromc Schatzmayr. Atti Soc. ital. Sc. nat., 72, 1932 : 171 Tunis.

hibisci Pruth. J. New York Ent. Soc., 26, 1918 : 219 U.S.A.
- Britton, Conn. Entomologist, Conn. St. Ent. Soc., 27, 1919 : 117-9.

huldebrandti Wagn. Mem. Soc. ent. Belg., 19, 1912 : 48 (Piezothecalus) Zanzibar
hilfi Wagn. Ent. Mitt., 1, 1912 : 17 Turkey

huitrum Wagn. Mem. Soc. ent. Belg., 19, 1912 : 16. Mexico

hobbsi Lea Proc. Linn. Soc. N.S. Wales, 37, 1912 : 672 Queensland

hoffmanni Wagn. ? cit.
(syn.) [illegible] Wagner, Hoffmann. C.R. Soc. Sav. Paris 1933 : 234
(syn.) [illegible] Hoffm., nec Carol] Hoffmann l.c., 234
s.sp. [illegible] Hoffmann l.c., 235, fig. Poland.

hulstaerti Burg. Rev. Zool. Bot. afr., 31, 1938 : 200 Belg. Congo.

Col. Bass. Seine VI, 1885, p. 371. — Dbrs. Frelon V, 1895—96, p. 270. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 23.
aethiops Gylh. Ins. Suec. III, 1813, p. 54.
punctigerum Thunbg. Nov. Act. Ups. VII, 1815, p. 118.
unicolor Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 58.

hamatum Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 22 *(Ceratapion)*. — Kaukasus

Hartmannianum Wgnr. Soc. Ent. XXIV, 1909—10 *(Perapion)*. — Tientsin

hastifer Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 68. — Panama

Hauseri Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 203 *(Catapion)*. — Buchara

Helleri Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 50 *(Piezotrachelus)*. — D.-O.-Afrika

hemisphaericum Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 87 *(Conapion)*. — Capland

Henoni Abeille, Echange 1894, p. 94. — Dbrs. Frelon VI, 1896—97, p. 5. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 24 *(Erythrapion)*. — Algier

Herbsti Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 367. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 59 *(Piezotrachelus)*. — Süd-Afrika

herculanum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 56. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 174, t. 5, f. 15. — N.-Amerika

hesperum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 124, t. 2, f. 23. — Californien

heterogeneum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 59, t. 3, f. 7. — Mexico

Heydeni Wnck. Ann. Soc. Ent. Fr. (4) III, 1863, p. 181. — Paraguay

Hilleri Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 67. — Japan

hirticorne Dbrs. Frelon IV, 1894—95, p. 204 *(Protapion?)*. — Algier

holosericeum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 268. — Wnck. Abeille I, 1864, p. 142. — Dbrs. Frelon III, 1893—94, p. 30. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 75. — Südl. Mitteleuropa, östl. Mittelmeergebiet, Kaukasus
cuneatum Hochh. Bull. Mosc. XX, 1847, p. 464.
hiemale Hampe, Wien. Ent. Monatsschr. V, 1861, p. 67.

Hookeri Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 69, t. 1, f. 18. — Germ. Mag. Ent. II, 1817, p. 238. — Schönh. Gen. Spec. Curc. I, 1833, p. 261. — Wnck. Abeille I, 1864, p. 150. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 363. — Dbrs. Frelon V, 1895—96, p. 304. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 43 *(Omphalapion)*. — Europa, Algier, Syrien
Biologie: Kieffer, Ill. Zeitschr. f. Entom. IV, 1899, p. 7.

Horvathi Schilsky, Termész. Füzet. XXIV, 1901, p. 153; Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 59. — Armenien
var. *Jacobsoni* Wgnr. Soc. Ent. XXIV, 1909—10. — Buchara

humerale Philippi, Stett. Ent. Zeit. XXV, 1864, p. 364. — Chile

humerosum Péring. Trans. S.-Afr. Phil. Soc. IV, 1886, p. 175. — Afrika: Damarland

*

hungaricum Dbrs. Le Frelon IV, 1894—95, p. 146. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 17 (ex parte ♀). — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 27 *(Exapion)*. Biologie: Wgnr. Zeitschr. f. wiss. Ins.-Biol. XIV (V), 1909, p. 156. — Europa

huron Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 159. — Illinois

hydrolapathi Marsh. Ent. Britann. I, 1802, p. 249. — Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 66, t. 1, f. 17. — Germ. Mag. Ent. II, 1817, p. 226. — Schönh. Gen. Spec. Curc. I, 1833, p. 285. — Wnck. Abeille I, 1864, p. 255. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 382. — Dbrs. Frelon III, 1893—94, p. 51. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 69 *(Perapion)*. *coeruleipenne* Steph. Ill. Brit. IV, 1831, p. 173. — Mittelmeergebiet, England

hydropicum Wnck. Abeille I, 1864, p. 174. — Dbrs. Frelon V, 1895—96, p. 235. — Daniel, Münch. Kol. Zeitschr. II, 1904—06, p. 182. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 56. — West-Alpen, Abruzzen

hystriculum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 56. — Mexico

illex Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 434 *(Piezotrachelus)*. — Süd-Afrika

ilvense Wngr. Riv. Col. Ital. III, 1905, p. 38 *(Perapion)*. — Mittelmeergebiet

immundum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 612. — Australien

immune Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 52. — Germ. Mag. Ent. II, 1817, p. 191. — Wnck. Abeille I, 1864, p. 173. — Bedel, Faune Col. Bass. Seine, VI, 1885, p. 375. — Dbrs. Frelon V, 1895—96, p. 277. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 79. *betulae* Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 260. *cribricolle* Perris, Ann. Soc. Linn. Lyon (2) IV, 1857, p. 135. Biologie: Buddeberg, Jahresb. Nass. Ver. f. Nat. XXXVIII, 1885, p. 91. — Mittel- u. S.-Europa, Algier

impeditum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 113, t. 2, f. 4. — New York

impexum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 136. — Californien

importunum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 146. — Florida, Georgien

impressidorsum Dbrs. Frelon V, 1895—96, p. 286. *impressidorsum* Dbrs. Frelon XV, 1907—08, p. 86. — Syrien

impunctistriatum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 48. — Fall, Trans. Amer. Ent. Soc. XXV; 1898, p. 114, t. 2, f. 3, 3a, 5 u. 19. — Texas, Illionis, Ohio

inaequale Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 256. — Brasilien

inapertum Dbrs. Frelon VI, 1896—97, p. 13 *(Ceratapion)*. — Rußland, Armenien

incommodum Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766. *coracinum* Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 32. — Madagascar

* synonym of *Cornuella* Gern. vide Hnat. Bull. Soc. ent. Fr., 1929: 105

— [illegible]
hnstaedti Szörffy n.n. for *andreinum* Hnat. Folia ent. hung., 1, 1924: 28

* Hnstache Paris Bull. Soc. ent., 1915: 239.
illotum Hagn. Arch. Naturg., 79. Bd., 1913) 1914: 164 Bolivia.
illawarrense Lea. P. Linn. Soc. N.S.W., 51, 1926: 320 (*Longicolla Lea* nom. prot.)
imitator Hagn. Arch. Naturg. 78 A, 1912: 106 (Trachyphr.). Guatemala.

incurvatirostre Berg. Rev Zool Bot afr., 31, 1938 : 188 Belg. Congo

incertum Bég. Bull. Soc. ent. Fr., 1911 : 154 Madagascar.

inermis Berg. Arch. Naturg., 79, A, 9, (1913) 1910 : 152 Trinidad.
inflatricollis Lea P. Linn. Soc. N.S.W., 51, 1926 : 305 Australia
insularis Hust. Ann. Mag. n. H., (10) 18, 1936 : 499 Abyssinia
informis Bég. Bill. Bull. Soc. ent. Fr., 1911 : 131 S. America.
inornatum Lea = Bég.-Bill. = machetyense Lea.

-- insulicola Berg. Arch. Naturg., 79, A, 9, (1913) 1910 : 152 Trinidad.

interruptum Lea P. Linn. Soc. N.S.W., 51, 1926 : 305 Australia.

indicum Motsch. Etud. ent. VII, 1858, p. 93. — Indien
indistinctum Motsch. Bull. Mosc. XX, 1849, II, p. 144. — Wnck. Abeille I, 1864, p. 131 *(Ceratapion)*. — Spanien
indubium Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 91 *(Synapion?)*. — Süd-Afrika
inexpertum Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 207 *(Exapion)*. — Bayern
Eppelsheimi Dbrs. Frelon VI, 1896—97, p. 17.
infaustum Fst. Ann. Mus. Civ. Genova XL, 1899, p. 40. — N.-Guinea
infernum Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 415. — Peru
inflatipenne Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 81, t. 3, f. 19. — Guatemala
inflatum Motsch. Etud. ent. VII, 1858, p. 91. — Indien
inornatum Beg.-Billc. Bull. Soc. Ent. France 1904, p. 57 *(Aspidapion)*. — Madagascar
inscriptum Fst. Ann. Soc. Ent. Fr. LXI, 1892, p. 514. — Indochina
insculpticolle Dbrs. Frelon X, 1900—01, p. 160 *(Ceratapion)*. — Syrien
insertum Wgnr. Soc. Ent. XXIV, 1909—10 *(Piezotrachelus)*. p. 154 — Erythrea
insidiosum Dbrs. Opusc. I, 1874—75, p. 28; Frelon V, 1895—96, p. 297. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 100. — Syrien, Persien, Turkestan
insigne Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 149 *(Rhinapion)*. — Madagascar
insignicolle Dbrs. Bull. Soc. Ent. Fr. 1891, p. LVI. — Wgnr. Mühch. Kol. Zeitschr. II, 1904—06, p. 378. — Krim, Taurus
insolens Fst. Deutsche Ent. Zeitschr. 1898, p. 287. — Indien
insulare Beg.-Billc. Bull. Soc. Ent. Fr. 1904, p. 103. — Madagascar
integricolle Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 611. — W.-Austral.
interjectum Dbrs. Frelon IV, 1894—95, p. 199. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 33 *(Protapion)*. — Süd-Europa, Algier, Syrien
var. *flavicorne* Dbrs. Frelon IV, 1894—95, p. 199.
var. *ocularium* Dbrs. l. c. — Algier
intermedium Epp. Stett. Ent. Zeit. XXXV, 1875, p. 76. — Dbrs. Frelon V, 1895—96, p. 279. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 83. — Mittel- u. Südeuropa, Kaukasus
var. *amphibolum* Fst. Öfv. Finska Vetensk. Soc. Förh. XXXII, 1890, p. 53. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 195. — S.-Rußland, Sibirien
interruptestriatum Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 180; Frelon V, 1895—96, p. 292. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 35. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 310. — Süd-Rußland
interstitiale Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 416. — Peru
irkutense Fst. Hor. Soc. Ent. Ross. XXII, 1888, p. 174. — Dbrs. Frelon VI, 1896—97, p. 14. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 16. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 195 *(Ceratapion)*. — Sibirien
italicum Dbrs. Frelon XII, 1904, p. 57 *(Catapion)*. — Piemontes. Alpen
japonicum Roelofs, Ann. Soc. Ent. Belg. XVIII, 1874, p. 128. — Japan

Jekeli Fst. Ann. Soc. Ent. Fr. LXI, 1892, p. 515. — Indochina

juniperi Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 433. — Wenck. Abeille I, 1864, p. 237. — Dbrs. Frelon V, 1895—96, p. 240. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 49. — Südl. Mitteleuropa, Mittelmeergebiet

Marqueti Wnck. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 237a.

montanum Miller, Wien. Ent. Monatschr. VI, 1862, p. 348.

juno Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 82, t. 3, f. 20. — Guatemala

Junodi Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 36. — Natal

kasbekianum Gerst. Stett. Ent. Zeit. XV, 1854, p. 238. — Wenck. Abeille I, 1864, p. 189. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 24. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 11 *(Ceratapion)*. — Kaukasus

angustissimum Dbrs. Bull. Soc. Ent. Fr. 1889, p. XXV.

kayumbense Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 98. — Congo

Kirschi Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 202. — Frelon III, 1893—94, p. 18. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 1 *(Onychapion)*. — Ägypten

Königi Dbrs. Frelon VI, 1896—97, p. 26. — Schilsky, Kraatz, Käf. Eur. XLII, 1906, p. 41 *(Catapion)*. — Kaukasus

Kolbei Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 197 *(Piezotrachelus)*. — D.-S.-W.-Afrika

Kolenatii Kolen. Bull. Mosc. XXXI, 1858, I, p. 151, t. 1, f. 6. — Wenck. Abeille I, 1864, p. 151. — Dbrs. Frelon VI, 1896—97, p. 29. — Kaukasus

Kraatzi Wenck. Berl. Ent. Zeitschr. III, 1859, p. 273. — Abeille I, 1864, p. 174. — Dbrs. Frelon V, 1895—96, p. 277. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 80. — Südeuropa, Algier, Tunis

parvithorax Dbrs. Bull. Soc. Ent. Fr. 1891, p. LVII.

var. *crassinasus* Dbrs. Frelon V, 1895—96, p. 278. — Algier

Kuenbergi Rttr. Wien. Ent. Zeit. XVII, 1898, p. 125. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 91 *(Protapion)*. — Buchara

kwaiense Hartm. Deutsche Ent. Zeitschr. 1904, p. 393. — D. O.-Afrika

laeve Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 32. — Madagascar

laevicolle Kirby, Trans. Linn. Soc. Lond. X, 1811, p. 348. — Germ. Mag. Ent. II, 1817, p. 174. — Schönh. Gen. Spec. Curc. I, 1833, p. 406. — Wenck. Abeille I, 1864, p. 195. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 366. — Dbrs. Frelon IV, 1894—95, p. 202. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 84 *(Protapion)*. — England, Mittelmeergebiet

laevigatum Payk Mon. Curc. 1792, p. 141. — Germ. Mag. Ent. II, 1817, p. 239. — Schönh. Gen. Spec. Curc. I, 1833, p. 261. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 362. — Dbrs. Frelon V, 1895—96, p. 309. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 41 *(Omphalapion)*. — Europa

carbonarium Germ. Mag. Ent. II, 1817, p. 176, t. 3, f. 17.

helveticum Dbrs. Frelon XV, 1907—08, p. 88. — Wgnr. Ent. Blätter V, 1909, p. 124.

kapiriense Burg. Rev. Zool. Bot. afr. 31, 1938 : 208 (Conaprion) Belg. Congo.

kenyae Hval. Veg. Allmand et Jeanmaire Afr. Or., fasc. 19, 1929 : Hval Kenya.
kenyaensis [illegible] (Pityrinkoff) Bull. Soc. bot. Fr. 1929 : 41

† kumiensis Burg. [illegible] (Conaprion) Baltic Amber.

kwamouthensis Burg. Rev. Zool. Bot. afr. 31, 1938 : 185 Belg. Congo.

Comon, Mosc. ent., 34, 1932 : 62.

lemarcinum Hoffm. Bull. Soc. ent. Fr., 1928 : [illegible]. – Comon, Mosc. Ent., 34 : 61 — France : Hte-Vienne

lep. deplanum Nagn. [illegible] Ent. Ztg., 31, 1917 : 86 [illegible], Tyrol m. Transsylvan.

Sahlbergi Gylh. Humm. Ess. IV, 1825, p. 61.
sorbi F. Ent. Syst. I, 2, 1797, p. 390.
viridescens Marsh. Ent. Brit. I, 1802, p. 249.
Biologie: Letzner, Arb. Schles. Ges. Breslau 1851, p. 94.

laevirostre Gerst. Stett. Ent. Zeit. XV, 1854, p. 252. — Columbien
laeviusculum Dbrs. Frelon XII, 1904, p. 58 *(Oxystoma)*. — Algier
lancirostre Chevr. Rev. zool. 1859, p. 385. — Wenck., Abeille I, 1864, p. 133. — Dbrs. Frelon III, 1893—94, p. 92. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 310 *(Ceratapion)*. — Algier, Tunis
lanciferum Dbrs. Frelon VI, 1896—97, p. 9. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 2.
laminatum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 58, t. 3, f. 6 u. 6a. — Mexico
lanigerum Gemm. Col. Heft VIII, 1871, p. 123. — Bedel, Faune Col. Bass. Seine, VI, 1885, p. 374. — Dbrs. Frelon V, 1895—96, p. 238. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 50. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 208. — Bayern, Schweiz, Frankreich, Pyrenäen
lanuginosum Wnck. Abeille I, 1864, p. 236.
lanuginosum Gerst. Stett. Ent. Zeit. XV, 1854, p. 245. — Columbien
lassum Sharp, Biol. Centr. Amer. Col. IV, 1889, p. 55. — Guatemala
laterale Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 80. — Mexico
laticeps Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 205. Dbrs. Frelon III, 1893—94, p. 51. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 27 *(Perapion)*. — Rußland
laticolle Gerst. Stett. Ent. Zeit. XV, 1854, p. 242. — Orinoco
latifrons Gerst. Stett. Ent. Zeit. XV, 1854, p. 246. — Brasilien
latipenne Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 81. — Panama
latipes Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 84, t. 3, f. 24. — Panama
Laufferi Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 20 *(Exapion)*. — Spanien
Lebasi Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 377. — Brasilien
Le-Douxi Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 32 *(Perapion)*. — Südafrika
Lemoroi Bris. Bull. Soc. Ent. France 1880, p. 35. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 380. — Dbrs. Frelon III, 1893—94, p. 63. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 63 *(Perapion)*. — Frankreich, Italien, Algier
lenense Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 67. — Sibirien
lentum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 82, t. 3, f. 22. — Guatemala
leonense Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766 *(Piezotrachelus)*. — Sierra Leone
languidum Boh. in Schönh., Gen. Spec. Curc. V, 1839, p. 368.
Leonhardi Rttr. Wien. Ent. Z. XXII, 1903, p. 178. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 1 *(Phrissotrichium)*. — Herzegowina
Leprieuri Wnck. Abeille I, 1864, p. 214. — Dbrs. Frelon V, 1895—96, p. 285. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 36 *(Synapion)*. — Algier

leptorhynchum Gerst. Stett. Ent. Zeit. XV, 1854, p. 274. — Columbien, Venezuela
aerolescens Fst. Stett. Ent. Zeit. LIV, 1893, p. 318.
Lesnei Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 28. — Wgnr. Ent. Blätt. IV, 1908, p. 105 *(Protapion)*. — Mandschurei
lethale Pascoe, Not. Leyd. Mus. V, 1883, p. 88. — Saleyer
Lethierryi Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 188. — Frelon V, 1895—96, p. 240. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 51. — Algier
leucophaeatum Wnck. Abeille I, 1864, p. 183. — Dbrs. Frelon V, 1895—96, p. 216. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 42 *(Catapion)*. — Südfrankreich, Italien, Spanien
obtusiusculum Dbrs. Frelon V, 1895—96, p. 219.
libanicum Dbrs. Frelon IV, 1894—95, p. 186 *(Protapion)*. — Libanon
limonii Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 78. — Germ. Mag. Ent. II, 1817, p. 229. — Schönh. Gen. Spec. Curc. I, 1833, p. 306. — Wenck. Abeille I, 1864, p. 248. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 381. — Dbrs. Frelon III, 1893—94, p. 49. Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 73 *(Perapion)*. — England, Belgien, Frankreich, Spanien, Portugal, Algier, Marokko
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 462.
Linderi Wnck. Bull. Soc. Ent. Fr. 1858, p. XXII. — Wenck. Abeille I, 1864, p. 205. — Dbrs. Frelon IV, 1894—95, p. 198. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 5 *(Protapion)*. — Elsaß
litigiosum Wnck. Abeille I, 1864, p. 189. — Dbrs. Frelon V, 1895—96, p. 238. — Türkei: Skutari
lividipes Wnck. Ann. Soc. Ent. Fr. (4) III, 1863, p. 180. — Brasilien
lividum Smith, Entom. Amer. III, 1887, p. 56. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 173. — Florida
lobirostre Rttr. Wien. Ent. Z. XX, 1901, p. 227. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 74. — Wgnr. Münch. Kol, Zeitschr. III, 1906—08, p. 31. — Turkestan
longiceps Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 5 *(Ceratapion)*. — Daghestan
longiclava Dbrs. Frelon VI, 1896—97, p. 12 *(Ceratapion)*. — Spanien
clavatum Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 3.
longicolle Gerst. Stett. Ent. Zeit. XV, 1854, p. 270 *(Piezotrachelus)*. — Capland
longicrus Hartm. Ann. Soc. Ent. Belg. LI, 1907, p. 383 *(Conapion)*. — D.-O.-Afrika
constricticolle Hartm. Deutsche Ent. Zeitschr. 1904, p. 396.
var. *rugosicolle* Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 196. — Natronsee
longirostre Oliv. Entom. V, 81, 1807, p. 35, t. 3, f. 51a u. b. — Schönh. Gen. Spec. Curc. I, 1833, p. 268. — Wnck. Abeille I, 1864, p. 186. — Dbrs. Frelon III, 1893—94, p. 35. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 58 *(Rhopalapion)*. — Südl. Mitteleuropa, S.-Europa, Algier, Syrien, Turkestan Buchara, Persien
Biologie: Wagner, Zeitschr. f. wiss. Ins.-Biol. XIV (V), 1909, p. 55.

lesnei st. rufiventris Prag. Bol. Cambridge, 1, 1921. 136 Kamerun.

likoneuse Prod. Syn. Hemard et Jeannel (Ins. Fr., 2, 1929: 490) (Congo) Kongo.

⊙ synonym of montanbouri Peyer. nec Prod. Bull. Soc. ent. Fr., 1928: 61.
* synonym of falciparum Peyer. nec Prod. Bull. Soc. ent. Fr., 1928: 61.

longicolle Lea nec Gerst. nec Klug nec Lea
longicorne Prag. Rev. Zool., 19, 1912: 107 Amazone.

longior Burg. Rev. Zool. Bot. afr., 31, 1938: 199 Belg. Congo.
longipenne Prag. Mem. Soc. ent. Belg., 19, 1912: 13 Congo.
longitarse Prag. Arch. Naturg., 77, A, 9, (1913) 1911: 10 Congo.

[illegible] Roy. Proc. Zool. Soc. Belg. 19, 1912: 26 (Rhynchonella) Natal.

[illegible] Roy. Proc. Zool. Soc. Belg. 19, 1912: 24 Congo.

[illegible] Roy. Bull. Soc. Belg. 48, 1913: 25. Palawan.

[illegible] Roy. Ann. Mag. n. H., (11)2, 1938: 396 (? Rhynchonella) Belg. Congo.

macleayanus Lea. P. Linn. Soc. N.S.W., 51, 1926: 340 (Terebratula Lea non Reg.-Bille.)

macrostylus Roy. Proc. Zool. Soc. Belg. 19, (1949), (1913) 1912: 24 Congo.

longithorax Dbrs. Bull. Soc. Ent. Fr. 1889, p. XXXIV; Frelon III, 1893—94, p. 27. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 25 *(Erythrapion)*. — S.-Italien Sicilien, Algier

longitubus Dbrs. Ann. Soc. Ent. France 1889, p. XXXIV; Frelon V, 1895—96, p. 218 *(Catapion)*. — Spanien

longulum Gerst. Stett. Ent. Zeit. XV, 1854, p. 239. — Brasilien

loti Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 58. — Germ. Mag. Ent. II, 1817, p. 206. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 376. — Dbrs. Frelon V, 1895—96, p. 275. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 87. — Europa, Algier, Syrien, Turkestan,

angustatum Kirby, Trans. Linn. Soc. Lond. X, 1811, p. 352. — Schönh. Gen. Spec. Curc. I, 1833, p. 292. — Wnck. Abeille 1, 1864, p. 227.

languidum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 292.

modestum Germ. Mag. Ent. II, 1817, p. 234, t. 4, f. 6.

var. *fallax* Wnck. Abeille I, 1864, p. 242. — Mittelmeergebiet

Sicardi Dbrs. Frelon III, 1893, p. 9; V, 1895—96, p. 276.

? *derelictum* Dbrs. Frelon XV, 1907—08, p. 90. — Wgnr. Deutsche Ent. Zeitschr. 1907, p. 767.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 460. — Frauenfeld, Verh. zool.-bot. Ges. Wien XVIII, 1868, p. 158. — Urban, Ent. Bl., 28, 1930: 109–113.

lunigerum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 17. — Mashonaland

luteipes Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 419. — Brasilien, Peru

luteirostre Gerst. Stett. Ent. Zeit. XV, 1854, p. 254. — Orinoco

maceratum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 71. — Panama

macilentum Blanch. Gay. Hist. Chil. V, 1851, p. 309. — Chile

macrocephalum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 49 *(Piezotrachelus)*. — Rhodesien

macromerum Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 419. — Peru

macrophthalmum Gerst. Stett. Ent. Zeit. XV, 1854, p. 257. — Orinoco

macropus Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766.

longimanum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 62, t. 3, f. 9. — Guatemala

macrorhynchum Eppelsh. Deutsche Ent. Zeitschr. 1888, p. 381. — Dbrs. Frelon III, 1893—94, p. 93. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 9 *(Ceratapion)*.

sejugum Dbrs. Frelon III, 1893—94, p. 94. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 3. — Wgnr. Ent. Blätter IV, 1908, p. 104. — Sporaden, Syrien, Kaukasus

macrothorax Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766.

longicolle Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 80. (nec Gerst.) — Guatemala

macula-alba Suffr. Wiegm. Archiv für Nat. XXXVI, 1870, I, p. 232. — Cuba

maculipes Pasc. Ann. Mag. Nat. Hist. XI, 1883, p. 122. — Kandy

madasgascariense Beg.-Billc. Bull. Soc. Ent. Fr. 1904, p. 57 *(Aspidapion)*. — Madagascar

madecassum Beg.-Bille. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 135. — Madagascar

magnirostre Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 44 *(Piezotrachelus)*. — Rhodesien

majorinum Fst. Deutsche Ent. Zeitschr. 1898, p. 290. — Indien

malgasicum Beg.-Bille. Bull. Soc. Ent. France 1904, p. 55 *(Aspidapion)*. — Madagascar

malvae F. Syst. Entom. 1775, p. 132. — Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 20, t. 1, f. 2. — Germ. Mag. Ent. II, 1817, p. 130, t. 3, f. 19a u. b. — Schönh. Gen. Spec. Curc. I, 1833, p. 272. — Wnck. Abeille I, 1864, p. 247. — Bedel, Faun. Col. Bass. Seine VI, 1885, p. 361. — Dbrs. Frelon III, 1893—94, p. 31. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 94. — Mittel- u. S.-Europa, Kaukasus, Syrien, Algier

flavescens Villa Col. Eur. Suppl. 1835, p. 49.

herbarum Aubé, Ann. Soc. Ent. France 1850, p. 338.

minutus Fourcr. Ent. Par. I, 1875, p. 115.

pulex Gmel. ed. Linn. I, IV, 1777, p. 1758.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 458. — Wgnr. Zeitschr. f. wiss. Ins. Biol. XIV (V), 1909, p. 52.

Mandoni Wnck. Ann. Soc. Ent. Fr. (4) III, 1863, p. 178. — Bolivia

manicense Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 9. — S.-Afrika: Manica

mansuetum Fst. Stett. Ent. Zeit. LIV, 1893, p. 321. — Venezuela

marchicum Hbst. Käf. VII, 1797, p. 118, t. 103, f. 7. — Germ. Mag. Ent. II, 1817, p. 197, t. 3, f. 15. — Wnck. Abeille I, 1864, p. 258. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 382. — Dbrs. Frelon III, 1893—94, p. 55. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 67 *(Perapion)*. — Europa, Algier Syrien, Sibirien.

? *aterrimus* L. Syst. Nat. X, 1758, p. 378.

aterrimum Kirby, Trans. Linn. Soc. London IX, 1808, p. 60.

laevithorax Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 288.

rumicis Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 67.

spartii Kirby, l. c. p. 56.

violaceum Gylh. Fauna Suec. III, 1813, p. 50.

Marseuli Wnck. Abeille I, 1864, p. 261. — Dbrs. Frelon III, 1893—94, p. 64. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 66 *(Perapion)*. — Algier

Marshalli Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 18. — S.-Afrika

matricum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 66. — Panama

Mauritii Beg.-Bille. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 142. — Madagascar

mediocre Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 56. — Mexico

meditabundum Fst. Öfv. Finsk. Vetensk. Soc. förh. XXXII, 1890, p. 52. — Dbrs. Frelon VI, 1896—97, p. 20. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 65. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 192. — Sibirien

mediterraneum Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 311 *(Protapion)*. — Mittelmeergebiet

oblitum Dbrs. Frelon IV, 1894—95, p. 194.

magyaricum Szilády Rovart Lap. 26, 1923: 93 Hungary.

makarense Burg. Rev. Zool. Bot. afr., 31, 1938: 184 Belg. Congo.

margaritacea Hagen Stett. Entom. Ztg., 7, 1846: 12 [Pennsylvania] Maine.
* = bicolor Emmel in Lugger, Minn. Ins. and Birds, 7, 1900: 61 [Minnesota]

margaritae Hagen Trans. Am. Ent. Soc., 19, 1892: 110 [Virginia]
Virginia.

margelanicum Wagner. Wiss. Ent. Zeit., 31, 1912: 90 Margelan.

marginipennis Motsch. (nec Fabr. sec. Schaum) Bull. Moscou, 1859, 2: 566
mayriannus Burg. Rev. Zool. Bot. afr., 31, 1938: 184 [Belgian Congo] Belg. Congo.
meliefasciatum Lec. Pacific R. Rep., 6, 1857: 51 [Nebraska] Nebraska.

madrenaturalense Lea. P. Linn. Soc. N.S. Wales, 51, 1926: 343 Australia

magalhaensense Burg. Bull. Jard. Bot. Brux., 31, 1938: 197 Belg. Congo

[illegible]

meridionale Lea n.n. for cylindricostre Lea non Hagen. P. Linn. Soc. N.S. Wales, 51, 1926: 340

[illegible]

[illegible]

minibatum Normand. Bull. Soc. H. n. Afr. Nord, 28, 1937: 234 Tunisia.

—**medium** Dbrs. Ann. Soc. Ent. France 1891, p. LVII. — Frelon V, 1895—96, p. 221. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 4 *(Catapion)*. — Algier

melanarium Gerst. Stett. Ent. Zeit. XV, 1854, p. 261. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 50. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 117, t. 2, f. 7 u. 22. — N.-Amerika

—**melancholicum** Wnck. Abeille I, 1864, p. 217. — Dbrs. Frelon V, 1895—96, p. 236. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 55. — Mittel- u. Südeuropa

hadrops Thoms. Skand. Col. VII, 1865, p. 72.

provinciale Dbrs. Bull. Soc. Ent. Fr. 1889, p. XXXIV.

—**meliloti** Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 64. — Germ. Mag. Ent. II, 1817, p. 222. — Schönh. Gen. Spec. Curc. I, 1833, p. 290. — Wnck. Abeille I, 1864, p. 226. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 376. — Dbrs. Frelon V, 1895—96, p. 282. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 86. — Europa, Syrien, Kaukasus, Algier

angustatum Gylh. Faun. Suec. III, 1813, p. 56.

bifoveolatum Steph. Ill. Brit. IV, 1831, p. 176.

var. *aeneovirens* Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 86.

Biologie: Frauenfeld, Verh. zool. bot. Ges. Wien XVI, 1866, p. 963.

mendax Dbrs. Frelon XV, 1907—08, p. 87 *(Exapion)*. — Algier

—**meorrhynchum** Philippi, Stett. Ent. Zeit. XXV, 1864, p. 364. — Chili

merale Fst. Deutsche Ent. Zeitschr. XXIX, 1885, p. 188. — Dbrs. Frelon IV, 1894—95, p. 129. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 73. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 190 *(Metapion)*. — Buchara, Turkestan

—**metallicum** Gerst. Stett. Ent. Zeit. XV, 1854, p. 243. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 61. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 137, t. 4, f. 5. — Kalifornien Florida

—**metrosideros** Broun, Man. N. Zeal. Col. 1880, p. 466. — Neu-Seeland

—**microcephalum** Wgnr. Mém. Soc. Ent. Belg., XVI, 1908, p. 46 *(Piezotrachelus)*. — Südafrika

millum Bach, Käf. N. u. M.-Deutschlands II, 1854, p. 198. Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 47 *(Catapion)*. — Mittel- u. Südeuropa

annulipes Wnck. Abeille I, 1864, p. 145. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 379.

cineraceum Wnck. Abeille I, 1864, p. 146. — Dbrs. Frelon IV, 1894—95, p. 165.

mimosae Hartm. Deutsche Ent. Z. 1897, p. 84. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 58. — D.-O.-Afrika Natal

—**miniatum** Germ. Schönh. Gen. Spec. Curc. I, 1833, p. 282. Wnck. Abeille I, 1864, p. 243. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 383. — Dbrs. Frelon III, 1893—94, p. 27. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 58 *(Erythrapion)*. — Europa, Syrien, Kaukasus

frumentarius F. Ent. Syst. I, 1797, p. 392.

frumentarium Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 77.
Biologie: Frauenfeld, Verh. zool. bot. Ges. Wien, XVIII, 1868, p. 160. — Wgnr. Zeitsch. f. wiss. Ins. Biol. XIV, (V), 1909, p. 2.

minimum Hbst. Käf. VII, 1797, p. 115, t. 103, f. 3. — Germ. Mag. Ent. II, 1817, p. 236, t. 3, f. 9. — Wnck. Abeille I, 1864, p, 220. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 379. — Dbrs. Frelon IV, 1894—95, p. 166. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 63. — Europa, Kaukasus, Sibirien
foraminosum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 289.
velox Kirby Trans. Linn. Soc. Lond. X, 1811, p. 349.
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 462. — Kaltenbach, Pflanzenfeinde 1874, p. 542.

minor Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 56. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 145, t. 4, f. 10 u. 10a. — Californien

minutissimum Rosh. Tiere Andal. 1856, p. 232. — Wnck. Abeille I, 1864, p. 150. — Dbrs. Frelon IV, 1894 —95, p. 167. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 311 *(Catapion)*. — Mittel- u. Südeuropa
parvulum Muls. Opusc. IX, 1859, p. 5.
serpyllicola Wnck. Abeille I, 1864, p. 150. — Dbrs. Frelon IV, 1894—95, p. 168. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 53.

minutum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 50. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 122. — Georgia, Florida
parvulum Smith, l. c. p. 49.

mitissimum Beg. Bille. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 154 *(Apiotherium)*. — Madagascar

Moczarskii Wgnr. Münch. Kol. Zeitschr. II, 1904—06, p. 378 *(Protapion)*. — Corfu

modestum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 58 Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 138. — Arizona, Kansas

moerens Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767. — Congo
tenebricosum Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 432.

molestum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 121. — Illinois

Montandoni Dbrs. Frelon VI, 1896—97, p. 13 *(Ceratapion)*. — Rumänien, Ungarn

monticola Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 15 *(Exapion)*. — S.-Tirol

montivagum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 12. — Tafelberg

morosum Fst. Deutsche Ent. Zeitschr. 1898, p. 290. — Indien

murinum Gerst. Stett. Ent. Zeit. XV, 1854, p. 241. — Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 63. — Mexico

mutatum Gemm. Col. Heft VIII, 1871, p. 121. — Indien
amplipenne Motsch. Etud. ent. VII, 1858, p. 94.

myochroum Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 29 *(Perapion)*. — Turkestan

nasua Gerst. Arch. Naturgesch. 1871, I, p. 74. — Afrika, Mombassa

nasutum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 161. — Texas

* Morphology. Lampert, Tijdschr. Ent., 75 Suppl., 1932: [illegible]

◎ *serpyllicola* Linck = *hoffmanni* Bmg. q.v.
Linck, S. Afr. Mus., 6a, 1928: 269 — Britain.

[Belg. Congo

mokoto Bmg. — Expl. Parc nat. Albert, Mission de [illegible], fasc. 23, 1938: 10
mokuense J.&B. — nom. nov. for *hyphydroides* Bmg. 1938 (nec [illegible] 1910)
monardi Vuat — Bull. Soc. roumaine [illegible], 1936: 1911 — Angola.

⊙ Synonym of *cylindricolla* Cyll. nec Thunb. — Bull. Soc. ent. Fr., 1928: 61
mombra Lucq. — Bull. soc. [illegible], 1911: 155 — [illegible].

moteanse Bmg. — Ann. Soc. Ent. Afr., 31, 1938: 187 — Belg. Congo
muiscana Vuat. — Ann. Mag. n. H., (10) 18, 1936: 497 — Abyssinia

naldaraé Vuat. — Ind. For. Rec. (N.S.) Ent., 3, 1938: 167. — India.

[illegible] Ann. [illegible] 15 : 228

nicaraguanum [illegible] Nov. Zool. 19, 1912 : 19 Nicaragua

~~negrinum Hust. 1932 Ent. Arb. 250~~

nigritarse ab. darwinianum Wagn. Col. Centralbl., 1, 1926 : 137 C. Europe.

nigrocaeruleum Fst Mém. Mus. H. n. Paris (N S) 9, 1939 : 241 Kenya

nigromaculatum Hust. l.c., p. 243 Kenya.

nigrosulcicole Lea Trans. R Soc S. Aust., 34, 1910 : 36 Australia

nigrotaeniatum Lea. Ann. Mag. Nat. 15, 1915 : 452 Australia.

nitidiventre Hust [illegible] Mém. et Journ. Cyl. Co., Java 17, 1919 : 493 Kenya

nivicodispersum Lea Trans. R. Soc. S. Aust, 31, 1910 : 30 Australia

nossibeense [illegible] Nossi-Bé.

notabile Buchanan [illegible] Soc. Zool. Glen 34, 1922 : [illegible] Java.

nunenacheri Wagn. Nov. Zool., 19 : 1912 : 97 California.

natalense Gerst. Stett. Ent. Zeit. XV, 1854, p. 273. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 59 *(Piezotrachelus)*. — Natal

navicula Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 154 *(Apiotherium)*. — Madagascar

Neavei Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 98. — Congo

nebraskense Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 145. — Nebraska

necopinum Fst. Stett. Ent. Zeit. LIV, 1893, p. 322. — Venezuela

nigerrimum Wgnr. Mitt. Schweiz. Ent. Ges. XI, 1907, p. 263 *(Conapion)*. — S.-Afrika

gibbipenne Fåhr. Öfv. Vetensk. Ak. Förh. Stockh. 1871, nr. 1, p. 239.

nigrellum Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 35 *(Omphalapion)*. — Madagascar

nigritarse Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 36, t. 1, f. 6. — Germ. Mag. Ent. II, 1817, p. 156, t. 4, f. 12a—c. — Schönh. Gen. Spec. Curc. I, 1833, p. 282. — Wnck. Abeille I, 1864, p. 207. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 368. — Dbrs. Frelon IV, 1894—95, p. 210. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 80 *(Protapion)*. — Europa, Kaukasus, Syrien, Algier

Waterhousei Boh. Schönh. Gen. Spec. Curc. V, 1839, p. 408.

nigritulum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 31 *(Catapion)*. — S.-Afrika

nigroaeneum Gerst. Stett. Ent. Zeit. XV, 1854, p. 255. — Brasilien

nigrosparsum Suffr. Arch. Naturgesch. 1870, I, p. 230. — Cuba

nigrum Hbst. Käf. VII, 1797, p. 122, t. 103, f. 11. — Germ. Mag. Ent. II, 1817, p. 239. — Schönh. Gen. Spec. Curc. I, 1833, p. 254. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 64. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 152. — N.-Amerika

Biologie: Cotton, Ohio Nat. V, 1905, p. 346.

niloticum Dbrs. Frelon IV, 1894—95, p. 83. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 39 *(Metapion)*. — Ägypten

nitens Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 24 *(Ceratapion)*. — Tunis, Algier

nitidipenne Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 85. — Br.-O.-Afrika

nitidirostre Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 49. — Panama

nitidulum Gerst. Stett. Ent. Zeit. XV, 1854, p. 268 *(Conapion)*. — Ceylon

nitidum Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 416. — Peru

nodicorne Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 78, t. 3, f. 18 u. 18a. — Mexico

nodirostre Gerst. Stett. Ent. Zeit. XV, 1854, p. 241. — Florida

Normandi Dbrs. Frelon IX, 1899—1900, p. 81 *(Metapion)*. — Tunis

novellum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 144, t. 4, f. 19. — Columbien

obesulum Dbrs. Frelon IV, 1894—95, p. 186 *(Protapion)*. — Syrien

obliquestriatum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 148 *(Rhinapion)*. — Madagascar

oblitum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 54. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 153. — Texas, Colorado

capitatum Smith, l. c. p. 54.

oblivium Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 54. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 311 *(Catapion)*. — Europa

oblongulum Dbrs. Op. I, 1874—75, p. 31; Frelon IV, 1894—95, p. 144. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 13 *(Exapion)*. — Spanien

oblongum Gylh. Schönh., Gen. Spec. Curc. V, 1839, p. 421. — Wencker, Abeille I, 1864, p. 228. — Dbrs. Frelon III, 1893—94, p. 62 *(Perapion)*. — Mitteleuropa, Kaukasus, Sibirien, Syrien

sibiricum Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 442.

obnoxium Fst. Stett. Ent. Zeit. LII, 1891, p. 282. — Indien

obscurum Marsh. Ent. Brit. I, 1802, p. 244. — Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 33. — Germ. Mag. Ent. II, 1817, p. 152. — Schönh. Gen. Spec. Curc. I, 1833, p. 278. — England

obsoletum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 44. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 119. — Dakota, Nebraska

ovale Smith, l. c. p. 47.

obtectum Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 74 *(Metapion)*. — Sibirien

obtusipenne Dbrs. Frelon V, 1895—96, p. 221 *(Catapion)*. — Mittel- u. S.-Europa

occidentale Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 123, t. 2, f. 10 u. 25. — Colorado, Texas

ochropus Germ. Mag. Ent. III, 1818, p. 46. — Schönh. Gen. Spec. Curc. I, 1833, p. 252. — Wnck. Abeille I, 1864, p. 122. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 373. — Dbrs. Frelon III, 1893—94, p. 10. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 45 *(Oxystoma)*. — Europa, Algier, Syrien, Transkaspien, Sibirien

var. *smyrnense* Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. XXX. — Smyrna

var. *tarsale* Schilsky l. c. — Kaukasus

Biologie: Dietrich, Stett. Ent. Zeit. XVIII, 1857, p. 137.

oculare Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 257. — Wnck. Abeille I, 1864, p. 144. — Dbrs. Frelon IV, 1894—95, p. 126 *(Metapion)*. — Spanien

Hartmanni Dbrs. Frelon VI, 1896—97, p. 17.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 453.

oedorrhynchum Lec. Proc. Acad. Nat. Sc. Phil. 1858, p. 78. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 50. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 130. — Californien

offensum Fst. Hor. Soc. Ent. Ross. XXV, 1890—91, p. 413. — Dbrs. Frelon V, 1895—96, p. 269. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 22. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 194. — Krim

ononicola Bach, Käf. N.- u. M.-Deutschl. II, 1854, p. 195. — Dbrs. Frelon IV, 1894—95, p. 189. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 85 *(Protapion)*. — Europa, Syrien

Bohemani Thoms. Skand. Col. VII, 1865, p. 64. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 367 (pars).

[illegible] Hirst. [illegible] 1929 : 107

[illegible] Belize.

[illegible] [illegible]

oligochrysum [illegible] Rev. Zool. Bot. afr., 31, 1938 : 207 (Congrion) Belg. Congo.

omissum [illegible] Arch. Naturg., 78A, 1912 : 121 Mexico : Vera [illegible]

ononidis Gylh. Faun. Suec. IV, 1827, p. 539. — Wnck. Abeille I, 1864, p. 198.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 459.

ononis Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 25. — Germ. Mag. Ent. II, 1817, p. 137, t. 3, f. 24a u. b. — Schönh. Gen. Spec. Curc. I, 1833, p. 300. — Wnck. Abeille I, 1864, p. 218. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 371. — Dbrs. Frelon V, 1895—96, p. 267. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 48. — Europa, Algier, Syrien

cinerascens Germ. Mag. Ent. II, 1817, p. 138, t. 3, f. 4.

furvum Seidl. Fauna Transsylv. 1891, p. 738.

glaucinum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 255.

mecops Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 413.

perplexum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 293.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 460.

onopordi Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 71. — Germ. Mag. Ent. II, 1817, p. 240, t. 2, f. 14. — Schönh. Gen. Spec. Curc. I, 1833, p. 264. — Wnck. Abeille I, 1864, p. 138. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 363. — Dbrs. Frelon III, 1893—94, p. 91. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 16 *(Ceratapion)*. — Europa, Algier, N. u. Cent.-Asien, China

penetrans Steph. Ill. Brit. IV, 1831, p. 175.

rugicolle Steph. l. c. (var.).

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 464. — Frauenfeld, Verh. zool.-bot. Ges. Wien XVIII, 1868, p. 160.

opacicolle Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 50. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 134. — Californien

opacinum Fst. Deutsche Ent. Zeit. XXXI, 1887, p. 179. — Dbrs. Frelon V, 1895—96, p. 268. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 47. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 189; Ent. Blätter IV, 1908, p. 104 *(Ceratapion)*. — Sibirien

opacum Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 420. — Brasilien, Peru

opeticum Bach, Käf. N. u. M.-Deutschl. II, 1854, p. 188. — Wnck. Abeille I, 1864, p. 118. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 372. — Dbrs. Frelon III, 1893—94, p. 11. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 46 *(Oxystoma)*. — Mittel- u. S.-Europa, Sibirien

Dietrichi Dietr. Stett. Ent. Zeit. XVIII, 1857, p. 133.

nigricorne Motsch. Schrencks Reise 1860, p. 169, t. 10, f. 24.

Biologie: Dietr. Stett. Ent. Zeit. XVIII, 1857, p. 134.

oranense Dbrs. Frelon IX, 1899—1900, p. 77 *(Erythrapion).* — Oran

oreophilum Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 34. — Madagascar

orientale Gerst. Stett. Ent. Zeit. XV, 1854, p. 237. — Wnck. Abeille I, 1864, p. 128. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 12 *(Ceratapion).* — Mittel- u. Südeuropa, Syrien, Persien, Kaukasus

Henschi Rttr. Wien. Ent. Zeit. XX, 1901, p. 226.

similans Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII; 1901, p. 21.

orthorhynchum Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 207. — Rhodesien

oscillator Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 64. — Mexico

ovipenne Hochh. Bull. Mosc. XXIV, 1851, p. 9. — Taurien

oxyrhynchum Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 78. — D.-O.-Afrika

pachymerum Philippi, Stett. Ent. Zeit. XXV, 1864, p. 364. — Chile

pachyrrhynchum Gemming. Col. Heft VIII, 1871, p. 123. — Amur

bulbinasum Sharp, Trans. Ent. Soc. Lond. 1891, p. 295. — Sapporo

crassirostre Motsch. Schrencks Reise 1860, p. 169, t. 10, f. 23.

Schrencki Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. CXVIII.

pacificum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 79. — Guatemala

pallidirostre Roel. Ann. Soc. Ent. Belg. XVII, 1882, p. 128. — Japan

pallipes Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 38, t. 1, f. 7. — Germ. Mag. Ent. II, 1817, p. 160. — Schönh. Gen. Spec. Curc. I, 1833, p. 276. — Wnck. Abeille I, 1864, p. 159. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 362. — Dbrs. Frelon III, 1893—94, p. 35. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 59 *(Taeniapion).* — Europa

geniculatum Germ. Mag. Ent. II, 1817, p. 175, t. 3, f. 25a u. b.

pallitarse Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 74, t. 3, f. 16. — Mexico

pamanzianum Beg.-Billc. Bull. Soc. Ent. France 1904, p. 56. — Madagascar

panamense Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 54. — Panama

Papei Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 81. — Natal

paradoxum Gerst. Stett. Ent. Zeit. XV, 1854, p. 274. — Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 63, t. 3, f. 10. — Mexico

parallelocolle Wgnr. in Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 98; Mém. Soc. Ent. Belg. XVI; 1908, p. 59 *(Conapion).* — Kilimandjaro, Rhodesien

parallelum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 47. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 170. — Michigan, New Jersey

parens Dbrs. in Heyden, Reise Span. 1870, p. 161; Frelon III, 1893—94, p. 101. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 5 *(Ceratapion).* — Spanien, Algier, Oran

hipponense Dbrs. Frelon III, 1893—94, p. 102.

parpanense Rühl, Die Ins.-Welt 1885, nr. 17, p. 100. — Schweiz

particeps Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 201 *(Piezotrachelus).* — Erythrea

opulentum Wagn. Ann. Soc. ent. Belg. 19, 1912: 47 (Trypherodema) Natal
opulentum s.sp. nitens Borg. Rev. Zool. Bot. 31, 1938: 212. S. Tomé.

orthoderum Lea Proc. Linn. Soc. N.S.W., 51, 1926: 317 Queensland

otidicephaloides Wagn. Nov. Zool., 19, 1912: 104 Bolivia.

pallidicorne Wagn. Ent. Mitt., 4, 1915: 47 Argentina

pallidirostre s. sp. formosicola Wagn. Suppl. Ent., 1915: 28 Formosa.

parvicaps Wagn. Arch. Naturg., 79, Ag, (1913) 1914: 160. Brasil

parvocastaneum Lea Proc. Linn. Soc. N.S.W. 51, 1926. 348 Australia.

illatum Knobl. Glylops 1, 1932: 3 S. Africa.
var. n. leptorhinum Knobl. l.c., 4 S. Africa.
var. n. basipenne Knobl. l.c., 4 S. Africa.

parviclava Dbrs. Frelon VI, 1896—97, p. 8 *(Ceratapion).* — Syrien

parvulum Gerst. Stett. Ent. Zeit. XV, 1854, p. 248. — Brasilien, Venezuela, Columbien
motabile Fst. Stett. Ent. Zeit. LIV, 1893, p. 317.

patruele Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 64. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 142, t. 4, f. 11, 11a u. 17. — Florida, Illinois

Pauli Hartm. in Wagner, Ann. Soc. Ent. Belg. LI, 1907, p. 293. — D.-O.-Afrika
amabile Hartm. Deutsche Ent. Zeitschr. 1904, p. 395.

pauper Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 54. — Mexico

pauxillum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 149. — Madagascar

pavidum Germ. Mag. Ent. II, 1817, p. 203, t. 4, f. 4. — Schönh. Gen. Spec. Curc. V, 1839, p. 433. — Wnck. Abeille I, 1864, p. 236. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 374. — Dbrs. Frelon V, 1895—96, p. 234. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 93. — Europa, Syrien, Kaukasus
orbitale Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 434.
plumbeum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 301.

peculiare Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766. — Panama
gibbosum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 82, t. 3, f. 21 u. 21a.

pedale Rey in Muls. et Rey, Opusc. IX, 1859, p. 13. — Wnck. Abeille I, 1864, p. 197. — Dbrs. Frelon IV, 1894—95, p. 191. — Schilsky, Küst. Kraatz, Käf. Eur. XLIII, 1906, p. 6 *(Protapion).* — S.-Frankreich

pedestre Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 77. — Panama

penetrans Germ. Mag. Ent. II, 1817, p. 244, t. 2, f. 11 b. — Schönh. Gen. Spec. Curc. V, 1839, p. 381. — Wnck. Abeille I, 1864, p. 134. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 364. — Dbrs. Frelon III, 1893—94, p. 96. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 18 *(Ceratapion).* — Europa
Caullei Wnck. Bull. Soc. Ent. Fr. 1858, p. XXI *(ex parte).*
Biologie: Frauenfeld, Verh. zool.-bot. Ges. Wien XVI, 1866, p. 965. — Goureau, Ann. Soc. Ent. Fr. (4) VI, 1866, p. 172.

peninsulare Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 149, t. 5, f. 2 u. 2a. — Californien

pennsylvanicum Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 417. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 50. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 122, t. 2, f. 9 u. 24. — Californien, Arizona
erythrocerum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 44.

perforicolle Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 144, t. 5, f. 1. — New-Jersey

periscelis Gylh. in Schönh. Gen. Curc. V, 1839, p. 391. — Wnck. Abeille I, 1864, p. 158. — Dbrs. Frelon III, 1893—94, p. 32. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 300. — Brasilien

strangulatum Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 413. — Peru

perlongum Fst. Hor. Soc. Ent. Ross. XXV, 1891, p. 410. — Dbrs. Frelon III, 1893—94, p. 95. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 4. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 189 *(Ceratapion)*. — S.-Rußland

perminutum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 59. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 125, t. 3, f. 1 u. 1a. — Florida, Texas

perpusillum Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 31. — Madagascar

Perraudieri Dbrs. Bull. Acad. Hippone, 1884, p. 159; Frelon V, 1895—96, p. 285. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 15 *(Synapion)*. — Algier

Perrieri Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 144. — Madagaskar.

Perrisi Wnck. Ann. Soc. Ent. Fr. 1858, p. 238; Abeille I, 1864, p. 123. — Dbrs. Frelon III, 1893—94, p. 20. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 7 *(Phrissotrichium)*. — S.-W.-Europa

rugicolle Germ. Stett. Ent. Zeit. VI, 1845, p. 143.

persicum Dbrs. Frelon III, 1893—94, p. 11; Frelon V, 1895—96, p. 298. — Persien

persimile Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 172, t. 5, f. 19. — N.-Amerika

perspicillum Fst. Stett. Ent. Zeit. XLVIII, 1887, p. 186. — Dbrs. Frelon V, 1895—96, p. 232. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 46. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 193. — Turkestan, Buchara, Persien

pervicax Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 139, t. 4, f. 2 u. 14. — Florida

Peyerimhoffi Dbrs. Frelon X, 1902, p. 108. — Syrien

philanthum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 608. — W.-Australien

Philippi Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 144. — Madagascar

phocopus Eppelsh. Deutsche Ent. Zeitschr. 1888, p. 380. — Dbrs. Frelon IV, 1894—95, p. 173. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 43 *(Catapion)*. — Sporaden

phrygium Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 307. — Anatolien

piceirostre Gerst. Stett. Ent. Zeit. XV, 1854, p. 253. — Orinoco

picipes Gerst. Stett. Ent. Zeit. XV, 1854, p. 276. — Columbien

pictum Wgnr. Societ. Ent. XXIV, 1909, p. 26. — Formosa

picturatum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 65, t. 3, f. 11. — Panama

piezotracheloides Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 381 *(Pseudopiezotr.)*. — D.-O.-Afrika

pilicorne Dbrs. Opusc. I, 1874—75, p. 26; Frelon III, 1893—94, p. 100. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 17 *(Ceratapion)*. — Syrien, Persien, Buchara

piliferum Gyllh. in Schönh. Gen. Spec. Curc. V, 1839, p. 395. — Caffernland

pilosum Gyllh. in Schönh. Gen. Spec. Curc. I, 1833, p. 258. — Ins. S.-Eustach.

parlatorium Fall. Journ. N.Y. Ent. Soc., 26, 1918: 222 U.S.A.

permixtum Wagn. Ent. Mitt., 4, 1915: 55 Paraguay
perpiceum Lindg. Ann. Mus. Nac. Hung., 7/8, 1910: 107, fig. (Triongulum) Guatemala.

persicarium Wagn. Wien. Ent. Zeit., 31, 1912: 22 Guatemala.

persicum s.sp. *araxicola* Wagn. Wien. Ent. Ztg., 31, 1912: 90. Caucasus: Araxesthal.

⊙ s.sp. of *morosum* Fst. Verh. Naturf. Ges. Basel, Suppl. Bd., 1910: 29.
* = *labasi* Cyle. Verh. Naturf. Ges. Basel, 23, 1912: 31.
pictipes Lea Trans. Roy. Soc. Tasm., 51, 1918: 208. Australien.

[Kinyo.
(*pilirostre* Fst. Verh. Naturf. Ges. Basel (N.F.) 9, 1898: 202. (Type Wagn.) = Kingyo 1918.
pilirostre Wagn. Deut. Ent. Ztg., 1913, Hft. (1913) 1914: 129 (Embolaspis) Mexico.
pilistriatum Lea Trans. Roy. Soc. Tasm., 34, 1910: 32 Australien.

piscidiae Montrouz. Ann. Soc. Ent. Fr. 1860, p. 874. — Ins. Lifu

pisi F. Syst. Eleuth. II, 1802, p. 425. — Schönh. Gen. Spec. Curc. I, 1833, p. 304. — Wnck. Abeille I, 1864, p. 221. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 370. — Dbrs. Frelon V, 1895—96, p. 300. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 63. — Europa, Algier, Sibirien

aeratum Steph. Ill. Brit. IV, 1831, p. 187.

amplipenne Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 308.

costipenne Fauv. Bull. Soc. Norm. 1867, II, p. 262.

cyanipenne Schönh. Gen. Spec. Curc. I, 1833, p. 307.

gravidum Ol. Ent. V, 1807, p. 81, t. 3, f. 44.

Kosmanni Gerh. Deutsche Ent. Zeitschr. 1901, p. 158.

pasticum Germ. Mag. Ent. II, 1817, p. 185.

pullum Gylh. Schönh. Gen. Spec. Curc. I, 1833, p. 299.

punctifrons Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 50, t. 1, f. 9.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 461. — Clermont, Echange XVIII, 1902, p. 83.

pistillum Fst. Hor. Soc. Ent. Ross. XXVII, 1894, p. 146. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 18. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 195 *(Synapion)*. — Transkaspien

substriatum Schilsky, Küst. Kraatz, Käf. Eur. XXIX, 1902, p. 17.

placidum Fst. Deutsche Ent. Zeitschr. XXXI, 1887, p. 180. — Dbrs. Frelon V, 1895—96, p. 301. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 98. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 198. — China, Japan

lugubre Fst. Stett. Ent. Zeit. L, 1889, p. 224.

platalea Germ. Mag. Ent. II, 1817, p. 143, t. 3, f. 23a, b. — Schönh. Gen. Spec. Curc. I, 1833, p. 297. — Wnck. Abeille I, 1864, p. 216. — Dbrs. Frelon V, 1895—96, p. 268. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 20. — Europa, Kaukasus

good sp. — *afrum* Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 291.

furvum Sahlb. Ins. Fenn. II, 1834, p. 17.

puncticolle Steph. Manual., 1839, p. 259.

unicolor Thoms. Skand. Col. VII, 1865, p. 69.

validirostre Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 301.

plenum Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 208. — Rhodesien

pleuriticum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 73, t. 3, f. 15. — Mexico

plicatum Fst. Stett. Ent. Zeit. XLVIII, 1887, p. 185. — Dbrs. Frelon V, 1895—96, p. 246. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 91. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 193. — Buchara, Turkestan

plumbeomicans Rosh. Thiere Andal. 1856, p. 243. — Wnck. Abeille I, 1864, p. 228. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 88. — Spanien, Portugal

Pluto Beg.-Bille. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 141. — Madagascar
poeticum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 69, t. 3, f. 14. — Guatemala
politum Dbrs. Opusc. I, 1874—75, p. 29; Frelon IV, 1894—95, p. 203. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 82 *(Protapion)*. — Syrien
pomonae F. Ent. syst., Suppl., 1798, p. 164. — Germ. Mag. Ent. II, 1817, p. 143, t. 2, f. 1a. — Schönh. Gen. Spec. Curc. I, 1833, p. 250. — Wnck. Abeille I, 1864, p. 117. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 372. — Dbrs. Frelon III, 1893—94, p. 10. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 50 *(Oxystoma)*. — Europa, Algier, Syrien, Kaukasus, Sibirien
breviatum Dbrs. Op. I, 1874—75, p. 32.
coerulescens Marsh. Ent. Brit. I, 1802, p. 245.
conspicuum Dbrs. Assis. scient. Bourbonnais, 1866, p. 163.
cyaneus Panz. Faun. Ins. Germ. XX, 12, f. a, b.
Biologie: Walton, Ann. Mag. Nat. Hist. 1844, p. 446. — Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 452.
porcatum Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 374. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 64. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 150. — Pennsylvania, Virginia
porosicolle Gemm. Col. Hefte VIII, 1871, p. 122. — Californien
cribricolle Lec. Ent. Report 1857, p. 53. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 149, t. 5, f. 3 u. 3a.
brevicolle Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 53. — Texas, Arizona
porrectum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 7. — Rhodesien
portoricanum Gerst. Stett. Ent. Zeit. XV, 1854, p. 278. — Portorico
postscutatum Beg.-Bille. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 141. — Madagascar
Poupillieri Wnck. Abeille I, 1864, p. 127. — Dbrs. Frelon III, 1893—94, p. 17. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 2 *(Onychapion)*. — Tunis, Algier
praecarium Fst. Stett. Ent. Zeit. L, 1889, p. 225. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 66. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 198 *(Catapion)*. — Japan
praeditum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 48. — Guatemala
probum Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 433. — Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 278, t. 1, f. IIa, b *(Pseudopiezotrachelus)*. — Congo
proclive Lec. Entom. Report 1857, p. 53. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 58. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 140, t. 4, f. 9, 9a, 9b u. 15. — Californien
propinquicorne Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 138, t. 4, f. 7 u. 7a. — Texas
propinquum Hartm. in Wagner, Ann. Soc. Ent. Belg. LI, 1907, p. 383 *(Conapion)*. — D.-O.-Afrika
cognatum Hartm. Deutsche Ent. Zeitschr. 1904, p. 397.
protensum Lec. Entom. Report 1857, p. 53. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 46. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 114. — Californien

[illegible] Csiki, Rev. [illegible] 1928: 92. Turkestan

[illegible] Ang. Mem. Zool. Stg., 31, 1931: 205 (Comp. o.) Belg. Congo
[illegible] Ann. Zool. Stg., 31, 1912: 83. Turkestan.

[illegible]

pulchrum ? auct. ? ref. (Zool. Rec. 1916: 125).

*/ Pascoe - Ann. Mag. nat. Hist. (4) 13, 1874: 387. — Lea.

punctirostre (Eutrichapion)
var: araxallum Reitt. Fauna Germ., 5, 1916: 255

protractum Sharp, Trans. Ent. Soc. Lond. 1891, p. 294. — Japan
pseudapricans Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 150. — Madagascar
pseudarrogans Rttr. Wien. Ent. Zeit. XX, 1901, p. 227. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 60. — Buchara
pseudelongatum Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766 *(Catapion)*. — S.-Rußland
humerosum Dbrs. Frelon V, 1895—96, p. 220.
pubescens Kirby, Trans. Linn. Soc. Lond. X, 1811, p. 350. — Germ. Mag. Ent. II, 1817, p. 210. — Schönh. Gen. Spec. Curc. I, 1833, p. 256. — Wnck. Abeille I, 1864, p. 176. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 377. — Dbrs. Frelon IV, 1894—95, p. 162. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 38 *(Catapion)*. — Europa
civicum Germ. Mag. Ent. II, 1817, p. 234, t. 3, f. 12.
salicis Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 286.
Biologie; Corti, Riv. Coll. Ital. I, 1905, p. 178.
pudicum Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 606. — W.-Australien
pulchripes Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 71. — Mexico
pulicare Pascoe, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 614. — W-Australia. Swan Riv.
pulverulentum Wnck. Ann. Soc. Ent. Fr. (4) III, 1863, p. 177. — Brasilien
pumilio Dbrs. Frelon III, 1893—94, p. 17. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII; 1901, p. 3 *(Onychapion)*. — Kaukasus
puncticeps Wgnr. Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 103 *(Piezotrachelus)*. — Kilimandjaro
punctigerum Payk. Monogr. Curc. 1792, p. 141. — Germ. Mag. Ent. II, 1817, p. 188. — Schönh. Gen. Spec. Curc. I, 1833, p. 305. — Wnck. Abeille I, 1864, p. 210. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 370. — Dbrs. Frelon V, 1895—96, p. 288. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 69. — Europa, Algier, Syrien
Stierlini Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 181.
sulcifrons Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 50.
punctinasum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 46. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 126, t. 3, f. 3 u. 3a. — Br.-Columb., Nevada
punctirostre Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 425. — Wnck. Abeille I, 1864, p. 211. — Dbrs. Frelon V, 1895—96, p. 297. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 70. — Mittel- u. Südost-Europa, Kaukasus, Sibirien
Schmidti Bach, Käf. N.-M.-Deutschl. II, 1854, p. 206.
Biologie: Frauenfeld, Verh. zool.-bot. Ges. Wien XVIII, 1868, p. 159.
punctithorax Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767. — Madagascar
puncticolle Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 156.

punctulirostre Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 57. — Mexico

puritanum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 174, t. 5, f. 16. — Pennsylvanien

Putoni Bris. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 386 — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 16 *(Exapion)*. — Spanien

breviusculum Dbrs. Frelon IV, 1894—95, p. 151.

pyriforme Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 417. — Peru

quadricolle Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 113, t. 2, f. 2 u. 2a. — Mississippi

quadricostatum Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 8 *(Ceratapion)*. — Syrien

quadrispinosum Wollast. Col. Hesper. 1867, p. 127. — Kap-Verde, Fogo

quercicola Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 60. — Mexico

radiolus Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 73. — Germ. Mag. Ent. II, 1817, p. 246, t. 3, f. 13. — Schönh. Gen. Spec. Curc. I, 1833, p. 263. — Wnck. Abeille I, 1864, p. 165. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 365. — Dbrs. Frelon III, 1893—94, p. 43. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 51. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 17 *(Aspidapion)*. — Europa, Algier, Turkestan, Syrien, Erythrea

aeneum Payk. Faun. Suec. III, 1800, p. 180, var. b.

aterrimum Marsh. Ent. Brit. I, 1802, p. 244.

chalybeipenne Woll. Ins. Mad. 1854, p. 413.

oxurum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 73.

Rougeti Wnck. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 106.

var. *ferruginipes* Wnck. Abeille I, 1864, p. 166.

var. *foveatoscutellatum* Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 19. — Griechenland

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 453. — Frauenfeld, Verh. zool.-bot. Ges. Wien XVI, 1866, p. 962. — Wgnr. Zeitschr. f. wiss. Ins.-Biol. XIV, (V), 1909, p. 54.

rapulum Wnck. Abeille I, 1864, p. 175. — Dbrs. Frelon V, 1895—96, p. 245. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 90. — Frankreich, Algier

reclusum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 126, t. 3, f. 2 u. 2a. — New-Jersey

reconditum Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 432. — Pennsylvanien

rectangulum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 30 *(Catapion)*. — Mashonaland

rectinasus Dbrs. Frelon XII, 1904, p. 56. — S.-Frankreich

rectipes Dbrs. Bull. Soc. Ent. Fr. 1891, p. LVI; Frelon VI, 1896—97, p. 11 *(Ceratapion)*. — Tanger, Algier

rectirostre Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 58. — Mandschurei

reflexum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 290. — Wnck. Abeille I, 1864, p. 239. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 376. — Dbrs. Frelon V, 1895—96, p. 299. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 66. — Europa, Algier, Sibirien

pygmaeum Lange Naturh. Tidsskr. 4, 3:2 : 29. Europe

pyripanna Raitt. Bull. Soc. Fouad Ent. Egypte, 1, 1961 : 55 Transcaspia.
quadratum Bourg. Rev. Zool. Bot. afr., 8, 1938 : 222 (Pterochaet.) B. Congo.
quadrisetosa Lea Proc. Linn. Soc. N.S.W. 51, 1926 : 348 Australia

* L., sensu Marsham (misident.)

good species

Conan, Proc. Zool., 34 : 1932 : 62

racemum Lange Naturh. Tidsskr. 4, 3:2 : 29. Europe, Transcaspia.

radamalum Schatz. Boll. Soc. ent. Ital., 51, 1920 : 42 Italy

[illegible] Egypt.

rasidunum Uvag. [illegible] (Pezothachalus) Brachonaid.

[illegible] [illegible] Braz. C.

rectilaria Lea P. Linn Soc. N.S.W., 51, 1926: 349 Australia

[illegible] [illegible] E. Congo.

differens Dbrs. Opusc. I, 1874—75, p. 28.
livescerum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 298.
translatitium Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 427.

Reitteri Dbrs. Frelon I, 1891, p. 108; Frelon V, 1895—96, p. 243. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 52. — Turkestan

relictum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 70. — Mexico

restricticolle Motsch. Etud. ent. VII, 1858, p. 94. — Indien

Revellierei Perris, Abeille VII, 1870, p. 24. — Dbrs. Frelon III, 1893—94, p. 21. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 8 *(Phrissotrichium)*. — Corsica

diversum Dbrs. Mitt. schweiz. Ent. Ges. III, 1870, p. 186.

Reyi Dbrs. Frelon VI, 1896—97, p. 19 *(Exapion)*. — Ost-Pyrenäen

rhodesiacum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 15. — Rhodesien

rhomboidale Dbrs. Mitt. Schweiz. Ent. Ges. III, 1871, p. 182; Frelon V, 1895—96, p. 287. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 100. — Krain, S.-Ungarn, Bosnien, Herzegov.

rhomboideum Gerst. Stett. Ent. Zeit. XV, 1854, p. 246. — Columbien

ripicola Hartm. Deutsche Ent. Zeitschr. 1906, p. 79 *(Pseudopiezotrachelus)*. — Transvaal

robusticorne Dbrs. Acad. Hipp. IX, 1866, p. 44; Frelon III, 1893—94, p, 105. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 20 *(Ceratapion)*. — Spanien, Algier, Tunis

insolitum Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 196.

robustirostre Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 184; Frelon III, 1893—94, p. 53. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 34 *(Perapion)*. — Algier

robustum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 45. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 119. — Texas, Illinois

obesum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 49.

Roepkei Wgnr. Soc. Ent. XXIV, 1909—10, p. 153. — Java

rostrum Say, Journ. Ac. Phil. V, 1827, p. 253. — Say, Descript. Curc. N.-Amer. 1831, p. 6. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 63. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 151. — N.-Amerika

Sayi Gylh. in Schönh. Gen. Spec. I, 1833, p. 252.
scrobicolle Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 374. — Wnck. Abeille I, 1864, p. 121. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 304.
Biologie: Harris, Ins. of Massachus. 1841, p. 59.

rotundatum Wgnr. Soc. Ent. XXIV. 1909—10, p. 154 — Erythrea ; Sabderat.

rotundipenne Wollast. Ins. Mader. 1854, p. 415, t. 8, f. 6. — Wnck. Abeille I, 1864, p. 66. — Canarische Inseln

rubens Steph. Ill. Brit. IV, 1831, p. 174. — Wnck. Abeille I, 1864, p. 246. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 384. — Dbrs. Frelon III, 1893—94, p. 24. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 54. — Europa, Algier

* nd Sp. name used until Monod 1859.

algiricum Everts, Tijdschr. Entom. XXII, 1879, p. 59, t. 5, f. d.
podolicum Rybinski, Bull. Acad. Cracovie 1902, p. 12, t. 3, f. 5.

rubicundum Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 400. — Kaffernland

rubidum Fåhr. Öfv. kgl. Vetensk. Akad. Verh. 1871, p. 238. — „

rudicolle Hochh. Bull. Mosc. XXIV, 1851, p. 12. — Wnck. Abeille I, 1864, p. 230. — Dbrs. Frelon VI, 1896—97, p. 16. — Kaukasus

rufescens Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 273. — Wnck. Abeille I, 1864, p. 163. — Dbrs. Frelon III, 1893—94, p. 39. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 97 *(Taeniapion)*. — Südl. Mitteleuropa, S.-Europa, Algier, Syrien

pallidulum Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 400.

rufipenne Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 397. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 302. — Mexico, Brasilien, Venezuela

rufinulum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 69, t. 2, f. 24.
semicastaneum Fst. Stett. Ent. Zeit. LIV, 1893, p. 320.

rufipes Gyllh. in Schönh. Gen. Spec. Curc. V, 1839, p. 389. — Capland

rufirostre F. Syst. Ent. 1775, p. 132. — Herbst, Käf. VII, 1779, p. 111, t. 102, f. 10. — Germ. Mag. Ent. II, 1817, p. 154, t. 4, f. 11. — Schönh. Gen. Spec. Curc. I, 1833, p. 274. — Wnck. Abeille I, 1864, p. 185. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 366. — Dbrs. Frelon III, 1893—94, p. 33. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 57 *(Pseudapion)*. — Europa, Syrien, Algier

malvarum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 33.
trifolii Marsh. Ent. Brit. I, 1802, p. 246.
var. *Stephani* Vitale, Bull. Soc. Ital. XXI, 1887, p. 148. — Sicilien

Biologie: Kaltenbach, Pflanzenfeinde 1874, p. 67. — Wgnr. Zeitschr. wiss. Ins. Biol. V (XIV), 1909, p. 55.

rufo-brunneum Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767. — Madagascar

pullum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 135.

rufo-piceum Wgnr. Societ. Entom. XXIV, 1909, p. 26. — Formosa

rufulum Wnck. Abeille I, 1864, p. 162. — Dbrs. Frelon III, 1893—94, p. 40. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 30 *(Taeniapion)*. — Ungarn, Mittelmeergebiet

semirufum Rey, L'Echange 1888, p. 54.

rugicolle Germ. Mag. Ent. II, 1817, p. 201, t. 3, f. 18. — Schönh. Gen. Spec. Curc. I, 1833, p. 262. — Wnck. Abeille I, 1864, p. 126. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 384. — Dbrs. Frelon III, 1893—94, p. 21. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 6 *(Phrissotrichium)*. — Mittel-Europa, westl. Mittelmeergebiet

hirsutum Villa, Col. Eur. dupl. Suppl. 1835, p. 49.

rubricosum [illegible] Rend. Bogl. Pal. ..., 31, 1938 : 43. [illegible]
rubriostre [illegible] [illegible] 19. 1912 : 13 [illegible]
rubrorugosum [illegible] Arch. [illegible], 184, 1912 : 132 [illegible]

rudviostre Arnstl. J. E. Afr. Ug. n. H. Soc., 15, 1940 : 56 [illegible]

rufiscens var: rotatum Wagn. Wiam. Ent. Ztg., 31, 1912 : 84. Graeca.

rufoperbicrum Reitt. Bull. Soc. ent. Egypte, 1, 1908 : 54 Cairo.
[illegible]

rufrium var: [illegible] [illegible] 31, 1912 : 85
rufulum var: [illegible] l.c : 86. Mogador.

[illegible] Burg. [illegible] (Ruwenzori) E. Congo
[illegible] Burg. [illegible] [illegible] Belgian Congo.

[illegible] Burg. [illegible] [illegible] Transv.: Leva
Burg.

sapporensis Kôno. Trans. Sapporo Nat. Hist Soc., 9, 1927: 24. Japan.

Sarelae Pagenst. Ann. Soc. ent. Fr., 95; 1926: 292, fig. Dr. Guinea.

schenklingi Burg. Suppl. Cat., 1914: 23. (Constrictus) Formosa: Kankau.

setiferum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 266.
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 456. — Kaltenbach, Pflanzenfeinde 1874, p. 43.

rugifrons Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 373. — Brasilien

rugipenne Hochh. Bull. Mosc. XXIV, 1851, p. 11. — Wnck. Abeille I, 1864, p. 137. — Dbrs. Frelon VI, 1896—97, p. 9. — Taurien

rugirostre Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 78. — Mexico

Ruspolii Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 202 *(Piezotrachelus)*. — Coromma

russeolum Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 398. — Transvaal, D.O.Afrika

— *tropicum* Hartm. Deutsche Ent. Zeitschr. 1904, p. 392.

Ryei Blackb. Ent. Mont. Mag. 1874, p. 178 *(Protapion)*. — Schottland

sagax Fst. Stett. Ent. Zeit. LIV, 1893, p. 321. — Venezuela

sagittiferum Woll. Ins. Mad. 1854, p. 410. — Wnck. Abeille I, 1864, p. 264 *(Taeniapion)*. — Madera

samarense Fst. Hor. Soc. Ent. Ross. XXV, 1891, p. 411. — Dbrs. Frelon VI, 1896—97, p. 21. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 49. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 191 *(Catapion)*. — S.-Rußland

samson Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 84, t. 3, f. 23. — Panama

sanctifelicis Sharp, l. c. p. 77, t. 2, f. 19. — „

sanguineum Degeer, Mém. V, 1775, p. 251. — Schönh. Gen. Spec. Curc. I, 1833, p. 284. — Wnck. Abeille I, 1864, p. 246. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 383. — Dbrs. Frelon III, 1893—94, p. 24. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 55 *(Erythrapion)*. — Europa, Algier, Syrien, Kaukasus, Transkaspien

rufum Solari, Ann. Mus. Civ. Genova XLII, 1905, p. 100. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 311.

sanguinipes Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 68 — Abessinien, Eurythrea

var. *atripes* Wgnr. l. c. p. 69.

sareptanum Dbrs. Mitt. Schweiz. Ent. Ges. II, 1867, p. 216. — Frelon III, 1893—94, p. 103. —Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 22 *(Ceratapion)*. — S.-Rußland, Rumänien, S.-Ungarn, Türkei

curtipenne Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 179.

Sauteri Wgnr. Societas Entom. XXIV, 1909, p. 27 *(Piezotrachelus)*. — Formosa

scalptum Rey in Muls. Opusc. IX, 1859, p. 9. — Wnck. Abeille I, 1864, p. 131. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 364. — Dbrs. Frelon III, 1893—94, p. 99. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 9 *(Ceratapion)*. — Südl. Mitteleuropa, S.-Europa, Kaukasus

Schilskyi Wgnr. Münch. Kol. Zeitschr., III, 1906—08, p. 33. — Margelan

gibbosum Fst. Stett. Ent. Zeit. XLVIII, 1887, p. 303. — Dbrs. Frelon III, 1893—94, p. 123. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 76. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 192.

Schneideri Tourn. Schneider u. Leder, Beiträge 1878, p. 306. — Kaukasus

Schönherri Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 406. — Wnck. Abeille I, 1864, p. 196. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 368. — Dbrs. Frelon IV, 1894—95, p. 201. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 83 *(Protapion)*. — Südl. Mitteleuropa, Südeuropa, England

Schoutedeni Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 40 *(Piezotrachelus)*. — D.-O.-Afrika

var. *salsburgense* Wgn. l. c. p. 41. — Salisbury, Rhodesien

Schröderi Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 211. — D.-O.-Afrika

scolopax Gerst. Stett. Ent. Zeit. XV, 1854, p. 248. — Aragua

sculpticolle Dbrs. Frelon VI, 1896—97, p. 8 *(Ceratapion)*. — Samarkand

sculpturatum Fst. Ann. Mus. Civ. Genova XL, 1899, p. 38 *(Conapion)*. — N.-Guinea

scutellare Kirby, Trans. Linn. Soc. Lond. X, 1811, p. 353. — Germ. Mag. Ent. II, 1817, p. 223. — Schönh. Gen. Spec. Curc. I, 1833, p. 290. — Wnck. Abeille I, 1864, p. 225. — Bedel, Faune, Col. Bass. Seine VI, 1885, p. 375. — Dbrs. Frelon V, 1895—96, p. 272. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 84. — Westl. u. s. Europa, Kleinasien, Syrien, Algier, Tunis

Kirbyi Germ. Mag. Ent. III, 1818, p. 50.

ulicicola Perris, Ann. Soc. Ent. Fr. IX, 1840, p. 90, t. 4, f. 2—6.

Biologie: Perris, l. c.

scydmaenoides Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 67, t. 3, f. 13. — Panama

sedi Germ. Mag. Ent. III, 1818, p. 49. — Schönh. Gen. Spec. Curc. V, 1839, p. 443. — Wnck. Abeille I, 1864, p. 251. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 381. — Dbrs. Frelon III, 1893—94, p. 61. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 64 *(Perapion)*. — Europa, Sibirien

tumidicolle Bach, Käf. N. u. Mittel-Deutschl. II, 1854, p. 201.

Biologie: Buddeberg, Jahresb. Nassau. Ver. f. Nat. XXXVIII, 1885, p. 90.

sefrense Dbrs. Frelon VI, 1896—97, p. 10 *(Ceratapion)*. — Algier

segne Fst. Deutsche Ent. Zeitschr. 1895, p. 232. — Central- u. S.-Afrika

segnipes Say, Descr. of Curc. of N. Amer. 1831, p. 6. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 59. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 161, t. 5, f. 7 u. 7a. — N.-Amerika

cinereum Gerst. Stett. Ent. Zeit. XV, 1854, p. 250.

semicyanescens Dbrs. Frelon XII, 1904, p. 54. — Turkestan

semivittatum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 271. — Wnck. Abeille I, 1864, p. 158. — Bedel, Faun. Col. Bass. Seine VI, 1885, p. 362. — Dbrs. Frelon III, 1893—94, p. 36. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 98 *(Taeniapion)*. — Mittel- u. S.-Europa Algier, Tunis, Syrien, Kaukasus

albopilosum Luc. Expl. Alg. 1848, p. 408, t. 35, f. 5a—d.

schoutedeni Bres. Rev. Zool. Bot. afr., 31, 1938 : 206 (Conaprion) Belg. Congo.

schultzei Wagn. Ann. S. Soc., 7, 1912 : 101, f. 1 (Pseudaphis phaseoli Theob.) Luzon.

sculpturata Lea. P. Linn. Soc. N.S. Wales, 51, 1926 : 897 Queensland

Voigt, Ang. Schädlingsk., 8, 1932 : 135–143, figs.

silicola Borg. Rev. Zool. Bot. afr., 31, 1938 : 195 Belgian Congo.

signata s. sp. morrisoni Wagn. Mem. Soc. ent. Belg., 19, 1912 : 17 Mexico

silensi Mord. Ent. Mag., [illegible] 1913 : 154, 226 England

simmondsi Wagn. Mem. Soc. ent. Belg., 19, 1912 : 15. Grahamstown

similaceanum Wag. Ent. Mitt., 9, 1920 : 198 Japan.

centrimacula Betta, Cat. Col. Lomb. 1844, p. 52.
Germari Walt. Ann. Mag. Nat. Hist. XIII, 1844, p. 456.
pallidactylum Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 394.
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 457.

semotum Fst. Deutsche Ent. Zeitschr. 1898, p. 291. — Indien
senex Woll. Cat. Canar. Col. 1864, p. 306. — Canar. Inseln
seniculus Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 61. — Germ. Mag. Ent. II, 1817, p. 216. — Schönh. Gen. Spec. Curc. I, 1833, p. 285. — Wnck. Abeille I, 1864, p. 181. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 378. — Dbrs. Frelon V, 1895—96, p. 250. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 44 *(Catapion)*. — Europa, Algier, Tunis, Syrien, Kl.-Asien, Turkestan, Sibirien, Mandschur.
murinum Everts, Natur. Sic. II, 1889, p. 252.
palpebratum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 258.
plebejum Germ. Mag. Ent. II, 1817, p. 215.
pusillum Steph. Ill. Brit. IV, 1831, p. 179.
setosum Wnck. Abeille I, 1864, p. 180.
tenuius Gylh. Faun. Suec. III, 1813, p. 57.
var. *jaffense* Dbrs. Frelon V, 1895—96, p. 250.
var. *Meieri* Dbrs. Frelon IX, 1899—1900, p. 82.
Biologie: Frauenfeld, Verh. zool.-bot. Ges. Wien XVI, 1866, p. 963.

separandum Aubé, Ann. Soc. Ent. Fr. (4) VI, 1866, p. 163 *(Taeniapion)*. — Corsica, S.-Frankr.
Biologie: Aubé, l. c.

seriatosetosulum Wnck. Abeille I, 1864, p. 179. — Dbrs. Frelon IV, 1894—95, p. 161. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 41 *(Catapion)*. — Mittelmeergebiet
neapolitanum Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 200.

seriatum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 60, t. 3, f. 8. — Honduras

seriepilosum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 14. — Mashonaland

setuliferum Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 36. — Madagascar

setulosum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 146. — ,,

Severini Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 273 *(Conapion)*. — Congo

shingalense Heller, Deutsche Ent. Zeitschr. 1901, p. 341. — Ceylon = ceylonicum Gerst.
Sharpi Fst. Deutsche Ent. Zeitschr. 1898, p. 295 *(Piezotrachelus)*. — Indien; Belgaum

simile Kirby, Trans. Linn. Soc. Lond. X, 1811, p. 351. — Germ. Mag. Ent. II, 1817, p. 208. — Schönh. Gen. Spec. Curc. I, 1833, p. 424. — Wnck. Abeille I, 1864, p. 181. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 377. — Dbrs. Frelon V, 1895—96, p. 244. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 89 *(Catapion)*. — Europa, Algier, Kl.-Asien, Sibirien
Eppelsheimi Faust, Deutsche Ent. Zeitschr. 1887, p. 179.

superciliosum Gylh. Fauna Suec. III, 1813, p. 58.
triste Germ. Mag. Ent. II, 1817, p. 233, t. 3, f. 2.

simillimum Dbrs. Bull. Soc. Ent. Fr. (6) IX, 1889, p. LVII *(Ceratapion)*. — Sarepta

simum Germ. Mag. Ent. II, 1817, p. 235, t. 4, f. 8. — Schönh. Gen. Spec. Curc. I, 1833, p. 296. — Wnck. Abeille I, 1864, p. 262. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 380. — Dbrs. Frelon III, 1893—94, p. 65. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 61 *(Perapion)*. — Mittel- u. S.-Europa, Algier

Biologie: Frauenfeld, Verh. zool.-bot. Ges. Wien XVI, 1866, p. 965.

singulare Wnck. Ann. Soc. Ent. Fr. (4) III, 1863, p. 180. — Neu-Caledon.

sinuirostrum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 121, t. 2, f. 21. — Florida

Sjöstedti Wgnr. in Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 96. — Kilimandjaro

Smithi Wgnr. Deutsche Ent. Zeitschr. 1909, p. 767. — Columbia

aeneipenne Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 61. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 136.

socium Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 382 *(Pseudopiezotrachelus)*. — S.-Afrika

solanii Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 612. — Australien

Solarii Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 69. — Erythrea

soleatum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 33 *(Perapion)*. — Mashonaland

solitare Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 73. — Mexico

solutum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 168. — Texas

sordidum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 48. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 127. — Arizona

vespertinum Casey, Bull. Brooklyn Ent. Soc. VII, 1884, p. 67.
var. *californicum* Smith, l. c. p. 52. — Californien

spadiceum Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 66. — S.-Afrika, Erythrea

sparsum Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 431.
luminosum Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 272 u. 380. — D.-O.-Afrika, Senegal, Congo

spectator Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 61. — Guatemala

Spencei Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 57, t. 1, f. 13. — Germ. Mag. Ent. II, 1817, p. 204. — Schönh. Gen. Spec. Curc. I, 1833, p. 304. — Wnck. Abeille I, 1864, p. 232. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 371. — Dbrs. Frelon V, 1895—96, p. 272. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 24. — Europa, Algier

columbinum Steph. Ill. Brit. IV, 1831, p. 194.
cyaneum Gylh. Faun. Suec. III, 1813, p. 45.
foveolatum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 9.
intrusum Gylh. Faun. Suec. IV, 1827, p. 550.

spinicoxale Wgnr. Entom. Blätter IV, 1908, p. 103 *(Protapion)*. — Persien

spadicarum [illegible]

speculiferum Falk. Canad. Ent., 59, 1927: 140 Canada

spiculiferum [illegible]

Spinidens Wagn. [illegible] Trans: [illegible]

Squamosum Normand Bull Soc H. Nat. Afr. 28, 1937: 233 Tunisia

Steinbachi Wagn. [illegible] (Aegypt.) Bolivia.
* = priapus Genet. vide Wagner, l.c., 31.
stenotherminn Wagn. Nov. Zool., 19, 1912: 102 Bolivia.
⊙ = [illegible]

Stichorchis Arnhl. J.E. Afr. Ug. & H Sec., 15, 1940: 55 Kenya · Chyulu Hills
Stigma Arnhl. Ann. Mag. Nat. Hist., (10) 6, 1930: 562 (Rhinoceros) Sudan

Stilbum Lea Trans. R. Soc. S. Aust., 34, 1910: 32 Australia

Stralyperma Lea Proc. Soc. N.S.W. 51, 1926: 314 Australia

Strongylodendris Wagn. Zool. Anz., 2, 1913: 216 Philippines.

spinipes Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 169. — Arizona
spissum Faust, Stett. Ent. Zeit. LIV, 1893, p. 317. — Venezuela
splendens Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 422. — Peru
splendidulum Dbrs. Op. I, 1874—75, p. 27; Frelon V, 1895—96, p. 283. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 35. — Syrien, Palästina
damascenum Dbrs. Op. I, 1874—75, p. 29.
spretissimum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 48. — Mexico
squamans Dbrs. Frelon XV, 1907—08, p. 89 *(Ceratapion)*. — Kl.-Asien
squamosum Fst. Stett. Ent. Zeit. XLV, 1884, p. 455. — Dbrs. Frelon IV, 1894—95, p. 127. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 72. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 190 *(Metapion)*. — Transkaspien
squamulatum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 275 *(Exapion)*. — Capland
stabile Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 51. — Guatemala
Standfussi Wgnr. Mitt. Schweiz. Ent. Ges. XI, 1907, p. 259 *(Aplemonus)*. — Transvaal
Staudingeri Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 25. — D.-O.-Afrika
sternale Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 153 *(Apiotherion)*. — Madagascar
Steveni Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 393. — Dbrs. Frelon III, 1893—94, p. 120. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 29 *(Ceratapion)*. — S.-Rußland, Transkaspien
var. *nigerrimum* Fst. Deutsche Ent. Zeitsch. 1894, p. 65. — Schilsky, l. c. XLIII, 1906, p. XI.
var. *picipes* Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 208 — Aulie-Ata
stolidum Germ. Mag. Ent. II, 1817, p. 218, t. 2, f. 5. — Wnck. Abeille I, 1864, p. 139. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 365. — Dbrs. Frelon III, 1893—94, p. 119. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 25 *(Ceratapion)*. — Europa, Algier
confluens Gylh. Fauna Suec. IV, 1827, p. 531.
striaticeps Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 20. — Natal
striatum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 22, t. 1, f. 10. — Schönh. Gen. Spec. Curc. I, 1833, p. 305. — Wnck. Abeille I, 1864, p. 171. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 375. — Dbrs. Frelon V, 1895—96, p. 277. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 78. — Europa, Algier
atratulum Germ. Mag. Ent. II, 1817, p. 192, t. 3, f. 16.
pisi Germ., l. c. p. 190.
strictum Dbrs. Frelon V, 1895—96, p. 239. — Kaukasus
strigipenne Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 25 *(Erythrapion)*. — Kaukasus
strobilanthi Dbrs. Journ. Asiat. Soc. Bengal. LIX 1890, p. 215. — Sikkim
subaeneum Gerst. Stett. Ent. Z. XV, 1854, p. 252. — Portorico
subangulirostre Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 75. — D.-O.-Afrika
subauratum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 76, t. 3, f. 17 u. 17a. — Guatemala

subcandidum Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 69 *(Metapion)*. — Andalusien

subcaviceps Dbrs. Frelon III, 1893—94, p. 97 *(Ceratapion)*. — Mittelmeergebiet

subconiceps Dbrs. Frelon XII, 1904, p. 57. — Carcassonne

subconicicolle Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 199; Frelon III, 1893—94, p. 96 *(Ceratapion)*. — Sarepta

subcostatum Motsch. Etud. ent. VII, 1858, p. 92. — Ost-Indien

subcrenulatum Dbrs. Frelon IX, 1899—1900, p. 79 *(Ceratapion)*. — Moicères

subdentirostre Dbrs. Op. I, 1874—75, p. 27; Frelon III, 1893—94, p. 101. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 7 *(Ceratapion)*. — Palästina, Syrien

subelongatum Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 71 *(Catapion)*. — D.-O.-Afrika

subfarinosum Dbrs. Frelon VI, 1896—97, p. 23 *(Catapion)*. — Turkestan

subglabratum Wgnr. Deutsche Ent. Zeitschr. 1909, p. 766. — Peru

coerulescens Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 421.

subglabrum Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 183. — Frelon V, 1895—96, p. 289. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 37. — Südl. Mitteleuropa, Mittelmeergebiet

glabratum Kiesw. Berl. Ent. Zeitschr. VIII, 1864, p. 289.

glabrum Gemm. Col. Hefte VIII, 1871, p. 123.

subglobosum Gerst. Stett. Ent. Zeit. XV, 1854, p. 243. — N.-Amerika

sublaevithorax Dbrs. Frelon III, 1893—94, p. 107 *(Ceratapion)*. — Kaukasus

sublineatum Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 21 *(Exapion)*. — Armenien

submetallicum Boh. in Schönh. Gen. Spec. Curc. V, 1839, p. 376. — Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 48. — Mexico

subnitidum Wgnr. Stett. Ent. Zeit. LXIX, 1908, p. 84. — Abessinien

subornatum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 164. — Texas

subparallelum Dbrs. Bull. Soc. Ent. Fr. 1888, p. CXCIII; Frelon IV, 1894—95, p. 153. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 32 *(Exapion)*. — Westl. Mittelmeergebiet

var. *subrectirostre* Dbrs. Frelon IV, 1894,—95, p. 153.

subplumbeum Dbrs. Frelon XII, 1904, p. 108. — Arabien

subpubescens Wnck. Abeille I, 1864, p. 176. — Dbrs. Frelon V, 1895—96, p. 252 *(Catapion)*. — Algier, Oran

subrufum Sharp, Biol. Centr. Amer. Col. IV, 1889, p. 68. — Guatemala

subsquamosum Dbrs. Frelon V, 1895—96, p. 247. — Portugal

subtinctum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 138. — Texas

subtrapezicolle Dbrs. Frelon VI, 1896—97, p. 27. — Syrien

subulatum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 28, t. 1, f. 5. — Germ. Mag. Ent. II, 1817, p. 146, t. 4, f. 21a, b. — Schönh. Gen. Spec. Curc. V, 1839, p. 371. — Wnck. Abeille I, 1864, p. 120. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 373. — Dbrs. Frelon III, 1893—94, p. 12. — Europa, Algier, Syrien, Sibirien

subcaterodrmis Wagn. Rev. Zool. Afr., 1, 1911 : 256 - Belg. Congo : Lamba.
(synonym of crassulum Jst. sec Burg. Rev. Zool. Bot. Afr., [illegible])

Subserrugatum Wagn., Arch. Naturg., 78 A, 1912 : 124 [illegible]

Subrudum Wagn. [illegible] Brazil

Subopacum Lea Trans. R. Soc. S. [illegible], 34, 1910 : 21 [illegible]

? ab. silensi Rowl. Ent. Mag. London 1/9, 1913: 150 England.

[illegible] [illegible] 7(8) 1912: 113 [Thelaphusa] Brazil: Rio Janeiro.

* = xanthotrix Gyll. [illegible]

[illegible] Trans. R. Soc. S. Aust., 37, 1913: 35 Tasmania.

tchamiensis Hirsch. Rep. Allmand et Jeannel Exp. Ca., 19, 1929: 489 Kenya

© - Bergy Straude. Rec. Clul. Nat. Hist., 32, 1929: 226, fig.

— asphaltinum

— atramentarium

— probum

— sparsum Fst.

— Zinkvalerat

benzoesaures is same basis



ience Sharp's Group diagnosis is here

- and without any true entire striæ. Gp. I
- but with 3, 4, or 5 true striæ. II
- with six striæ III
- with eight striæ. IV
- with ten striæ. V
- with eleven striæ. VI
- with twelve striæ. VII

Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 47 *(Oxystoma)*.
Marshami Steph. Ill. Brit. IV, 1831, p. 168.
Biologie: Spence, Germ. Mag. Ent. III, 1818, p. 38. — Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 453.

subulirostre Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 266. — Brasilien

suetum Fst. Deutsche Ent. Zeitschr. 1898, p. 292 *(Conapion)*. — Indien, Belgaum

sulcatipenne Hartm. Deutsche Ent. Zeitschr. 1904, p. 394. — D.-O.-Afrika

sulcifrons Hbst. Käf. VII, 1797, p. 132, t. 103, f. 12 — Germ. Mag. Ent. II, 1817, p. 189, t. 2, f. 10. — Schönh. Gen. Spec. Curc. I, 1833, p. 306. — Wnck. Abeille I, 1864, p. 209. — Dbrs. Frelon III, 1893—94, p. 121. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 28 *(Ceratapion)*. — Europa, Kl.-Asien, Syrien, Transeaspien.

var. *cuprifulgens* Schilsky, l. c. XLIII, 1906, p. XI. — Turkestan

sulcipenne Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 401. — Brasilien

sulcirostre Sharp, Trans. Ent. Soc. Lond. 1891, p. 295. — Japan

sulphuripes Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 418. — Peru

superbum Tourn. Abeille V, 1868, p. 147. — Dbrs. Frelon III, 1893—94, p. 50 *(Perapion?)*. — Ägypten

suspiciosum Beg.-Billc. Ann. Soc. Ent. Fr. LXXVI, 1907, p. 31. — Madagascar

sustrictum Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 276 *(Conapion)*. — Congo

suturale Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 152 *(Apiotherium)*. — Madagascar

symbolum Faust, Stett. Ent. Zeit. LVIII, 1897, p. 178. — Fergusson

syriacum Dbrs. Frelon VI, 1896—97, p. 6 *(Taeniapion?)*. — Syrien

tabogense Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 52. — Panama

tamaricis Gylh. in Schönh. Gen. Spec. Curc. V, 1839, p. 388. — Wnck. Abeille I, 1864, p. 126. — Dbrs. Frelon III, 1893—94, p. 17. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 1 *(Onychapion?)*. — Mittelmeergebiet

Gautardi Tourn. Abeille V, 1868, p. 146.

tanganum Hartm. Deutsche Ent. Zeitschr. 1897, p. 83. — D.-O.-Afrika

tantillum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 55. — Guatemala

tauricum Dbrs. Frelon X, 1900—01, p. 159 *(Ceratapion)*. — Taurien

teapense Sharp., Biol. Centr. Amer. Col. IV, 1889, p. 76. — Mexico

Tellinii Wgnr. Ann. Soc. Ent. Belg. LIII 1909, p. 211. — Erythrea

tenebricosum Gemm. Col. Hefte VIII, 1871, p. 123. — Chili

obscurum Blanch. Gay. Hist. Chil. V, p. 309, t. 22, f. 4a—c.

tenebrosum Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 43 *(Piezotrachelus)*. — Rhodesia

tenerum Kirsch, Berl. Ent. Zeitschr. XVIII, 1874, p. 414. — Peru

tenue Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 61. — Germ. Mag. Ent. II, 1817, p. 213. — Schönh. Gen. Spec. Curc. I, 1833, p. 287. — Wnck. Abeille I, 1864, p. 209. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 376. — Dbrs. Frelon V, 1895—96, — Europa, Algier, Asien

p. 280. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 81.
Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 453.

tenuicolle Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 44 *(Piezotrachelus).* — Mashonaland

tenuicorne Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 37 *(Conapion).* — „

tenuiforme Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 129, t. 3, f. 5 u. 5a. — Florida

tenuirostre Dbrs. Frelon IV, 1894—95, p. 169 *(Catapion).* — Tunis

tenuirostrum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 62. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 135, t. 4, f. 1. — Nebraska, Kansas

tereticolle Dbrs. Frelon VI, 1896—97, p. 22 *(Protapion).* — Syrien

teretirostre Lea, Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 610. — Australien

terminale Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 81. — Mexico

terrae-reginae Blackb. Proc. Linn. Soc. N. S. Wales XVII, 1892, p. 151. — Queensland

tessellatum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 147. — Madagascar

tetrum Beg.-Billc. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 157. — „

texanum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 51. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 122. — Texas

tonsile Fst. Deutsche Ent. Zeitschr. 1898, p. 289. — Indien

transsylvanicum Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 10 *(Ceratapion).* — Siebenbürgen

transvaalense Hartm. Deutsche Ent. Zeitschr. 1906, p. 79. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 58. — Transvaal, Mashonal.

trapezicolle Wgnr. in Sjöstedt, Ergebn. Exped. Kilimandjaro VII, 9, 1908, p. 97. — Kilimandjaro

triangulicolle Motsch. Etud. ent. VII, 1858, p. 92. — Ost-Indien

triviale Fåhr. Öfvers. Vetensk. Akad. Verh. 1871, p. 239. — Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 58. — S.-Afrika

troglodytes Mannh. Bull. Mosc. XVI, 1843, II, p. 289. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 61. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 137, t. 4, f. 6. — N.-Amerika

Truquii Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 651. — Wnck. Abeille I, 1864, p. 193. — Dbrs. Frelon IV, 1894—95, p. 184. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 75 *(Protapion).* — Türkei, Syrien

Tschoffeni Fst. Ann. Soc. Ent. Belg. XLIII, 1899, p. 430. — Wgnr. Ann. Soc. Ent. Belg. LI, 1907, p. 376 *(Conapion).* — Congo

tuberculiferum Motsch. Etud. ent. VII, 1858, p. 94. — Ost-Indien

tubiferum Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 284. — Wnck. Abeille I, 1864, p. 125. — Dbrs. Frelon III, 1893—94, p. 22. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901 p. 9 *(Phrissotrichium).* — Südl. Europa, Algier, Syrien

var. *sicanum* Wnck. Abeille I, 1864, p. 125.

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 460. — Xambeu, Rev. d'Ent. IX, 1890, p. 273; Ann. Soc. Linn. Lyon XI, 1893, p. 50.

tubulatum Fåhr. Öfv. Vet. Akad. Verh. 1871, p. 240 *(Piezotrachelus).* — S.-Afrika

tenuissimum Sing. Rev. Zool. Bot. afr., 31, 1938: 218 (Rozetrachelus) Belg. Congo.
tenuistriatum Hagn. Trans. R. Soc. S. Aust., 34, 1910: 81 Australia.
terricola Brown. Bull. N.Z. Inst., 1, 1920: 702 New Zealand.

testaceum Hagn. Ann. Soc. ent. Belg., 19, 1912: 3 (Coelopotmap.) Brazil.

tomentiferum Wagn. Nov. Zool., 19, 1912: 115 Bolivia.
tomentosum Hagn. Arch. Naturg., 77A, 1911: 26 Mexico. Guatemala.
torquatum Lea. Proc. Linn. Soc. N.S.W., 51, 1926: 345 Torres Straits.

trilobicolle Lea Proc. Linn. Soc. N.S. Wales, 51, 1926: 342 Australia.
trinidadense Hagn. Arch. Naturg., 77A, Hft. (1911): 153 [Steinheil] Trinidad.

tropidorhynchum Hagn. Arch. Naturg., 77A, Hft. (1911): 143. Brazil.

tshibindense Sing. Rev. Zool. Bot. afr., 31, 1938: 219 (Rozetrachelus). Belg. Congo.

tuberculum ssp. *beiteli* Hamm. Bull. ent. Res., 19, 1929: 52 Algeria.

A larva Falcoz, Misc. ent., 32, 1930: 49-52, figs.

Kurbidium Lea — Trans. Ent. Soc., 1910 : 513 — S. Australia.

Lurpi Berg. — Ann. Mus. Nac. B. Aires, 19, 119, (1913) 1914 : 157 — Colombia; Bolivia.

ugandense Berg. — Ann. Soc. ent. Belg., 9, 1912 : 50 (Rhytachalcus) — Uganda.

umbrosum Berg. — Ann. Soc. ent. Belg., 19, 1912 : 10 — Brit. E. Africa: Entebbe.
umatense Berg. — Ann. Mus. Nac. B. Aires, 19, 119, (1913) 1914 : 154 — Trinidad.
undulipennis Berg. — Ann. Soc. ent. Belg., 19, 1912 : 11 — Brazil: Bahia.

urrupense Mono, Ins. mats., 9, 1935 : 105 — Kurile Is.

tumefactum Beg.-Bille. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 156. — Madagascar

tumidum Gerst. Stett. Ent. Zeit. XV, 1854, p. 271. — Java

tunicense Dbrs. Frelon IV, 1894—95, p. 167. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 55 *(Catapion).* — Tunis

turbulentum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 56. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 146. — Pennsylvanien, New York, Texas

turkestanicum Dbrs. Frelon II, 1892—93, p. 107; Frelon V, 1895—96, p. 249. — Turkestan

uliciperda Pandel. in Gren. Cat. Col. 1867, p. 183. — Dbrs. Frelon IV, 1894—95, p. 142. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 37 *(Exapion).* Comon, Misc. ent., 34, 1932 : 61. — Westl. Mittelmeergebiet

ulicis Wnck. Abeille I, 1864, p. 151 (ex parte).

ulicis Forster, Nov. Spec. Ins. 1771, p. 31. — Germ. Mag. Ent. II, 1817, p. 124. — Schönh. Gen. Spec. Curc. I, 1833, p. 269. — Wnck. Abeille I, 1864, p. 151 (ex parte). — Bedel, Faune Col. Bass. Seine VI, 1885, p. 360. — Dbrs. Frelon IV, 1894—95, p. 144. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 36 *(Exapion).* — Südl. Europa, Algier

carpini Gylh. in Schönh. Gen. Spec. Curc. I, 1833, p. 269.

ilicis Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 18, t. 1, f. 1.

nigrirostre F. Ent. Syst. Suppl. 1798, p. 163.

sarothamni Gredl. in Katter Ent. Mon. 1882, p. 331.

var. *nigripes* Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. XXVII.

Biologie: Goureau, Ann. Soc. Ent. Fr. (2) V, 1847, p. 250, t. 3, f. 10. — Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 457. Davies, Ann. App. Biol., 15, 1928 : 263-286, fig.

umboniferum Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 174. — Maryland

umbrinum Woll. Cat. Can. Col. 1864, p. 314. — Canarische Inseln

uncipes Wgnr. Ann. Soc. Ent. Belg. LIII, 1909, p. 198 *(Piezotrachelus).* — S.-Afrika

unguiculare Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 36. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 309. — Turkestan, Buchara

unicum Beg.-Bille. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 145. — Madagascar

uniseriatum Fst. Deutsche Ent. Zeitschr. XXIX, 1885, p. 185. — Dbrs. Frelon III, 1893—94, p. 106. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 13. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 190 *(Ceratapion).* — Transkaspien, Persien

urticarium Hbst. Füssly Arch. V, 1784, p. 74. — Bedel, Faune Col. Bass. Seine VI, 1886, p. 361. — Dbrs. Frelon III, 1893—94, p. 39. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 95 *(Taeniapion).* — Europa, Algier

concinnum Marsh. Ent. Brit. I, 1802, p. 248.

fasciatum Oliv. Ent. V, 1789—1808, p. 39, t. 3, f. 57.
lythri Panz. Faun. Germ. XVII, 1794, p. 8.
scalptor Hbst. Käf. VI, 1796, p. 105, t. 66, f. 10.
vernale Payk. Mon. Curc. 1792, p. 138. — Germ. Mag. Ent. II, 1817, p. 131, t. 2, f. 7a—b. — Wnck. Abeille I, 1864, p. 162.
var. *turcicum* Dbrs. Frelon VI, 1896—97, p. 7.
Biologie: Frauenfeld, Verh. zool.-bot. Ges. Wien XVI, 1866, p. 964.

usambarense Hartm. in Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 5.
foveicolle Hartm. Deutsche Ent. Zeitschr. 1904, p. 398.

validum Germ. Mag. Ent. II, 1817, p. 246, t. 3, f. 21a, b. — Schönh. Gen. Spec. Curc. V, 1839, p. 416. — Wnck. Abeille I, 1864, p. 164. — Dbrs. Frelon III, 1893—94, p. 42. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 52. — Wgnr. Münch. Kol. Zeitschr. III, 1906—08, p. 15 *(Aspidapion)*. — Europa, Algier, Syrien
coeruleum Hbst. Käf. VII, 1797, p. 113, t. 102, f. 11.
Grimmi Hochh. Bull. Mosc. XX, 1847, II, p. 462.
Biologie: Wgnr. Ztsch. f. wiss. Ins.-Biol. XIV (V), 1909, p. 55.

varicorne Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 60. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 159, t. 5, f. 4 u. 4a. — Texas

variegatum Wnck. Abeille I, 1864, p. 188. — Bedel, Faune Col. Bass. Seine, VI, 1885, p. 361. — Dbrs. Frelon III, 1893—94, p. 30. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 64. — N.-Österreich, Tyrol, Süd-Frankreich, Corsica
bicolor Gredl. Käf. Pass. II, 1857, p. 69.
Biologie: Guerpel, Rev. Ent. France XII, 1893, p. 257.

varipes Germ. Mag. Ent. II, 1817, p. 173. — Schönh. Gen. Spec. Curc. I, 1833, p. 279. — Wnck. Abeille I, 1864, p. 199. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 367. — Dbrs. Frelon IV, 1894—95, p. 195. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 86. — Europa, Algier, Syrien, Kl. Asien
flavipes F. Syst. Ent. 1775, p. 133.

varium Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 5 u. 38 *(Piezotrachelus)*. — Afrika
colonus Fst. Deutsche Ent. Zeitschr. 1899, p. 342. (nec 1893)
var. *congruum* Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 40.
var. *Melichari* Wgnr. l. c. p. 40.
var. *vicinum* Hartm. Deutsche Ent. Zeitschr. 1904, p. 399. — Wgnr. l. c. p. 39.

vastum Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 64. — Japan

velatum Gerst. Stett. Ent. Zeit. XV, 1854, p. 278. — Wnck. Abeille I, 1864, p. 252. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 4 *(Perapion)*. — N.-Österreich, Ungarn, Frankreich, Schweiz, Ital., Sicil., Kaukasus,
aerugineum Kirsch in Leder, Beitr. 1878, p. 304. — Dbrs. Frelon VI, 1896—97, p. 3.

[Sardinia

urticarium var: [illegible] Arch. Naturg., 81, A 11, 1916: 109
urticarium var Maroni Vinciguerra. l.c. Sardinia.
urticarium [illegible] Commentt. Ital. 6 (2), [illegible]: 6
[Canary I.

vesentinum Clermont Bol. Soc. España Hist. Nat., 19, 1919: 316 —
(Exapion) Spain.

vandervijstianum Bmg. Rev. Zool. Bot. afr., 31, 1938: 24 (Piezotrachelus) Belg. Congo.

varandorffi Wagn. Ann. Soc. ent. Italy, 19, 1912: 41. Kenya

Variabile [illegible] Soc. ent. Italy, [illegible]: [illegible] Arabia

varicolor Lea. P. Linn. Soc. N.S.W., 51, 1926: 302

varistriatum Lea P. Linn. Soc. N.S.W., 51, 1926: 306

Varium [illegible] Ann. Soc. ent. Italy, 9, 92: C
Togo; Senegal.

relatum s. sp. [illegible] Bull. Soc. Bot. Fr. 1921: 79 ? Tunis.

rostabarile var. Trans. R. Soc. S. Aust., 34, 1910: 34. Australia
-ratum Hook. Hdbk. Fl. Tasm. (N.S.) 9, 1934: 205 Kenya
vatica Engl. Bot. Jahrb. 44, (1913) 1914: 150 (Tanganyika) Suriname.

violaceum var: n. harcynioe Hubenth. Ent. Blatt, 7, 1911: 192. Germany.
violaceum s.sp. kaufmanni Borbas Rovart. L., 26, 1923: 100 Hungary.

helianthemi Bedel, Bull. Soc. Ent. Fr. (6) VII, 1887, p. CLIV, — Dbrs. Frelon III, 1893—94, p. 20. — Kl.-Asien

— **ventricosum** Lec. Proc. Acad. Philad. IX, 1858, p. 78. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 55. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 163. t. 5, f. 12 u. 12a. — Arizona, Texas

typicum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 53.

venustulum Wnck. Abeille I, 1864, p. 148. — Dbrs. Frelon IV, 1894—95, p. 163 *(Catapion)*. — Griechenland

— **versutum** Fst. Ann. Soc. Ent. Fr. LXI, 1892, p. 514. — Indo-China

— **verulamense** Wgnr. Mém. Soc. Ent. Belg. XVI, 1908, p. 19. — Natal

* — **vestitum** Philippi, Stett. Ent. Zeit. XXV, 1864, p. 364. — Chile

vetulum Hartm. Deutsche Ent. Zeitschr. 1904, p. 395. — D.-O.-Afrika

vetustum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 58. — Mexico

— **viciae** Payk. Faun. Suec. III, 1798, p. 181. — Germ. Mag. Ent. II, 1817, p. 150, t. 4, f. 15. — Schönh. Gen. Spec. Curc. I, 1833, p. 278. — Wnck. Abeille I, 1864, p. 187. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 375. — Dbrs. Frelon V, 1895—96, p. 237. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 53. — Europa, Algier, Asien

var. *Griesbachi* Steph. Ill. Brit. IV, 1831, p. 179.

var. *rufinasus* Dbrs. Frelon V, 1895—96, p. 238. — Syrien

Biologie: Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 458.

— **vicinum** Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 25, t. 1, f. 3. — Germ. Mag. Ent. II, 1817, p. 139. — Schönh. Gen. Spec. Curc. V, 1839, p. 379. — Wnck. Abeille I, 1864, p. 143. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 379. — Dbrs. Frelon IV, 1894—95, p. 165. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 51 *(Catapion)*. — Europa, Algier, Syrien

incrassatum Germ. Mag. Ent. II, 1817, p. 140, t. 2, f. 3.

loti Gylh. Faun. Suec. III, 1813, p. 60.

var. *sulcithorax* Dbrs. Frelon IX, 1901—02, p. 82. — Hamburg

Biologie: Kieffer, Illustr. Ztschr. Entom. IV, 1899, p. 7.

vile Gerst. Stett. Ent. Zeit. XV, 1854, p. 249. — Baltimore

Vincenti Dbrs. Frelon XII, 1904, p. 54. — Ägypten

vinosum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 70. — Guatemala

— **violaceum** Kb. Trans. Linn. Soc. Lond. IX, 1808, p. 65, t. 1, f. 16. — Germ. Mag. Ent. II, 1817, p. 224. — Schönh. Gen. Spec. Curc. I, 1833, p. 293. — Wnck. Abeille I, 1864, p. 254. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 382. — Dbrs. Frelon III, 1893—94, p. 52. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 70 *(Perapion)*. — Europa, Algier, Syrien, Sibirien, Kaukasus, Transkaspien

cyaneum Oliv. Ent. V, 81, 1807, p. 32.

var. *alpinum* Wnck. Abeille I, 1864, p. 254.

— var. *fallax* Woll. Cat. Can. Col. 1864, p. 313. — Canaren

var. *obscurum* Gerh. Deutsche Ent. Zeitschr. 1898, p. 335.

* vestitum, Gyll., Schh. Gen. Curc. I, 1833, p. 267 — 5 S. Domingo

var. *virescens* Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 70.
Biologie: Laboulbène, Ann. Soc. Ent. Fr. (4) II, 1862, p. 565, t. 13, f. 16—22. — Perris, Ann. Soc. Ent. Fr. (4) III, 1863, p. 462. — Kaltenbach, Pflanzenfeinde 1874, p. 514. — De Stefani-Perez, Natural. Sic. XVII, 1905, p. 177.

virens Hbst. Käf. VII, 1797, p. 118, t. 103, f. 6. — Germ. Mag. Ent. II, 1817, p. 193. — Schönh. Gen. Spec. Curc. I, 1833, p. 295. — Wnck. Abeille I, 1864, p. 215. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 377. — Dbrs. Frelon V, 1895—96, p. 290. — Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 71. — Europa, Algier, Syrien, Sibirien
aeneocephalum Gylh. Faun. Suec. III, 1813, p. 49.
marchicum Kirby, Trans. Linn. Soc. Lond. IX, 1808, p. 54.
var. *atratulum* Vitale, Riv. Ital. III, 1905, p. 207.
tristiculum Schilsky, Küst. Kraatz, Käf. Eur. XXXXII, 1906, p. 71.
var. *coeleste* Schilsky, l. c.
var. *violatum* Schilsky, l. c.
Biologie: Frauenfeld, Verh. zool.-bot. Ges. Wien, XVI, 1866, p. 963.

viridicoeruleum Everts, Tijdsch. Ent. XXII, 1879, p. 59 *(Ceratapion?)*. — Sicilien

virile Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 117. — Colorado

vorax Hbst. Käf. VII, 1797, p. 119, t. 103, f. 8. — Germ. Mag. Ent. II, 1817, p. 141, t. 3, f. 3. — Schönh. Gen. Spec. Curc. I, 1833, p. 302. — Wnck. Abeille I, 1864 p. 233. — Bedel, Faune Col. Bass. Seine VI, 1885, p. 373. — Dbrs. Frelon V, 1895—96, p. 231. — Schilsky, Küst. Kraatz, Käf. Eur. XXXIX, 1902, p. 61. — Europa, Algier, Canarische Inseln, Syrien
Desbrochersi Kirsch, Ent. Monatsbl. II, 1880, p. 13.
fuscicornis Marsh. Ent. Brit. I, 1802, p. 244.
longipes Woll. Cat. Can. Col. 1864, p. 315.
pallicorne Gylh. in Schönh., Gen. Spec. Curc. I, 1833, p. 302.
simplicipes Dbrs. Bull. Soc. Ent. Fr. LX, 1891, p. LVII.
villosulus Marsh. Ent. Brit. I, 1802, p. 250.

Wagneri Flach, Wiener Ent. Zeit. XXV, 1906, p. 121. — Spanien, Portugal

Walshi Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 57. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 142, t. 4, f. 12, 12a u. 18. — N.-Amerika
lanuginosum Walsh, Proc. Ent. Soc. Philad. 1867, p. 269.
vicinum Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 58.

Weisei Fst. Deutsche Ent. Zeitschr. 1899, p. 341. — Afrika

Wenckeri Bris. in Gren. Cat. Col. 1863, p. 96. — Wnck. Abeille I, 1864, p. 124. — Dbrs. Frelon III, 1893—94, p. 22. — Schilsky, Küst. Kraatz, Käf. Eur. XXXVIII, 1901, p. 10 *(Phrissotrichium)*. — Spanien, Portugal

Dei Guercio, Redia 10, 1915: 254-263 figs.

Zimmerm. Zoogeogr. Ind. 16, 1930: 495-6 figs.
viridissimum Bmg. Rec. Zool. Bot. afr., 31, 1938: 223 (Pterotrachalus).
[Belgian Congo

vitiensis Zimm. Proc. Hawaii ent. Soc., 10, 1939: 319, fig. Fiji Isds.

vrydaghi Bmg. Rec. Zool. Bot. afr., 31, 1938: 192, fig. Belgian Congo.

wagneriensis Györiffy Folia [illegible] Hungr. 1, 1924. 26 S. Sweden.

watsoniensis Bmg. Rec. Zool. Bot. afr., 31, 1938: 220 (Pterotrachalus). Belgian
[Congo.

wrigleswilliana Hagn. Ann. Soc. ent. Belg., 19, 1913 : 12 Brazil: Rio Janeiro.

winklari Hagn. Ent. Mitt., 1, 1912 : 19 Ins. Kephallonia.
wittgauensis Borg Expl. Parc nat. Albert, Miss. de Witte (1933-35)
Fasc. 22, 1938 : 4 Belgian Congo.
wollastoni Borg. Rev. Zool. Bot. afr., 31, 1938 : 202 Belgian Congo.
xanthocyclum Hagn. Ann. Soc. ent. Belg., 19, 1913 : 27 Brazil
* xanthoglossum Hagn. Ann. Soc. ent. Belg., 19, 1913 : 160 Turkmenistan: Kuram
* xanthozonia Mshl. Ann. Mag. N.H., (10)14, 1934 : 629 Porto Rico.
yukatanensis Hagn. Ann. Soc. ent. Belg., 19, 1913 : 116 Brazil.
yobensis Borg. Rev. Zool. Bot. afr., 31, 1938 : 197 Belgian Congo
– zikani Strand Ent. Mitt., 11, 1922 : 52 figs. (Brazil.
zurcheri Hagn. Ent. Mitt., 4, 1915 : 50 Paraguay
zuluensis Mshl. Ann. Mag. N.H. (10)18, 1936 : 198 Abyssinia.

(*) = solealum Hagn. nec Mshl.

* Mshl. nec Fall. = marksiezi n.n.

Westwoodi Woll. Cat. Can. Col. 1864, p. 311 *(Ceratapion)*. — Canarien

Woerzi Wgnr. Münch. Kol. Zeitschr. II, 1904, p. 377. — Schilsky, Küst. Kraatz, Käf. Eur. XLII, 1906, p. 32. — Montenegro, Corfu

Wollastoni Chevr. Rev. Zool. 1852, p. 579. — Woll. Ins. Mad. 1854, p. 414, t. 8, f. 4. — Wnck. Abeille I, 1864, p. 266. — Madeira

xanthopus Gylh. in Schönh., Gen. Spec. Curc. V, 1839, p. 375. — Brasilien

xanthoxyli Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 176, t. 5, f. 14 u. 14a. — Texas

zizyphii Marshall, Proc. Zool. Soc. Lond. 1906, p. 943 *(Aplemonus)*. — Natal

Zuberi Dbrs. Mitt. Schweiz. Ent. Ges. III, 1870, p. 199; Frelon V, 1895—96, p. 217 *(Catapion)*. — Sarepta

1000

Heterapion Sharp.

Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 85.

femoratum Sharp, Biol. Centr.-Amer. Col. IV, 1889, p. 85, t. 3, f. 26 u. 26a. — Mexico

infirme Sharp, l. c. p. 86. — Guatemala

2

Podapion Riley.

Riley, Bull. Brookl. Ent. Soc. VI, 1883, p. 61.

gallicola Riley, Bull. Brookl. Ent. Soc. VI, 1883, p. 61. — Smith, Trans. Amer. Ent. Soc. XI, 1884, p. 65, t. 3, f. 2. — Fall, Trans. Amer. Ent. Soc. XXV, 1898, p. 178. — Californien

1

1060

Index.

Tribus, Genera.

Alacentron Schky. 7
Apion Hbst. 7
Apionides Lac. 5
Apionides Schönh. 3, 5
Apionini Wgnr. 5
Apiotherium Beg.-Billc. 7
Aplemonus Schönh. 7
Aporhina Lacord. 4
Aspidapion Schky. 7
Catapion Schky. 7
Ceratapion Schky. 7
Chalcocybebus Snell. 4
Conapion Motsch. 7
Cybebides Lac. 5
Cybebus Schönh. 6
Cylades Lac. 3
Cylades Schönh. 5
Cylas Latr. 5
Erythrapion Schky. 7
Eurhinus Kb. 3
Eurhynchides Lac. 3
Eurhynchini Wgnr. 3
Eurhynchus Schönh. 3
Exapion Bed. 7
Heterapion Sharp 67
Kalcapion Schky. 7
Lepidapion Schky. 7
Mecolenus Schönh. 6
Megatrachelus Fst. 7
Metapion Schky 7
Myrmacicelus Chevr. 5
Omphalapion Schky. 7
Onychapion Schky. 7
Oxystoma Dum. 7
Perapion Wgnr. 7
Phrissotrichium Schky. 7
Piezotrachelus Schönh. 7
Podapion Riley 67
Podapion Schky. 8
Protapion Schky. 7
Pseudapion Schky. 8
Pseudopiezotrachelus Wgnr. 8
Pterapion Fst. 6
Rhadinocyba Fst. 7
Rhinapion Beg.-Billc. 8
Rhopalapion Schky. 8
Synapion Schky. 8
Taeniapion Schky. 8
Tanaonides Schönh. 5
Tanaos Schönh. 6

Species, Subspecies, Varietates.

abdominale Smith 8
abruptum Sharp 8
abyssinicum Wgnr. 8
acanthopterus Boisd. 3
acarinum Sharp 8
aciculare Germ. 8
acium Gylh. 14
acrophilum Fall 8
aculeatum Fall 8
acupunctatum Sharp 8
acuminatum Schlsky. 8
acuticlava Dbrs. 8
adjectum Dbrs. 8
admirabile Wgnr. 8
aduncirostre Gerst. 8
aegrotum Sharp 8
aegyptiacum Dbrs. 8
aemulum Lea 8

aenea Hell. 7
aeneicolle Gerst. 8
aeneipenne Pasc. 9
aeneipenne Smith 58
aeneocephalum Gylh. 66
aeneomicans Wnck. 9
aeneovirens Schlsky. 41
aenescens Schlsky. 18
aeneum F. 9
aeneum Payk. 9, 52
aequabile Fall 9
aeratum Steph. 49
aereirostre Dbrs. 8
aerolescens Fst. 38
aerugineum Kirsch 64
aestimatum Fst. 9
aestivum Germ. 9
aethiopicum Wgnr. 9
aethiops Hbst. 10
aethiops Gylh. 33
afer Gylh. 49
affine Kb. 10
africanum Gylh. 10
agonis Lea 10
akbesianum Dbrs. 10
Albertisii Pasc. 10
albofasciatum Wgnr. 19
alboguttatus Snell. 4
alboirroratum Motsch. 10
albo-nigrum Beg.-Billc. 10
albopictum Fst. 10
albopilosum Lucas 56
albosquamosum Beg.-Billc. 10
albosuturale Wgnr. 10
albovittatum Hbst. 30
alcyoneum Germ. 10
algiricum Dbrs. 12
algiricum Ev. 54
alliariae Hbst. 17
Alluaudi Beg.-Billc. 10
Alluaudi Beg.-Billc. 15
alpinum Wnck. 65
alternans Fst. 10
alternatum Fall 10
alternatum Dbrs. 10
alternum Wgnr. 10
altum Sharp 10
amabile Lea 11
amabile Hartm. 47
ambovobense Beg.-Billc. 11
americanum Wgnr. 11
amethystinum Mill. 11
amoenum Sharp 11
amphibolum Fst. 35
amplipenne Gylh. 49
amplipenne Motsch. 42
amplum Fst. 11
ampullula Gerst. 11
anceps Fall 11
andalusicum Dbrs. 11
andinum Olliff 11
Andreinii Wgnr. 11
Andrewesi Wgnr. 11
androicum Beg.-Billc. 11
angulatum Gerst. 11
angulicolle Gylh. 11
angulirostre Schky. 11
angulosum Motsch. 11
angustatum Gylh. 40
angustatum Kb. 39
angustatum Philippi 18
angustatus Labr. 5
angusticolle Gylh. 11
angusticolle Gerst. 11
angustipenne Dbrs. 11
angustissimum Dbrs. 36
angustithorax Wgnr. 11
angustium Dbrs. 11
anisorrhynchum Gerst. 11
annulatum Gerst. 11
annulipes Wnck. 41
antennale Dbrs. 12
antennatum Smith 12
anthidium Lea 12
antiquum Gylh. 12
apicirostre Dbrs. 28
approximatum Dbrs. 12
apricans Hbst. 12
aquilinum Boh. 21
arabicum Wgnr. 12
araneiforme Wgnr. 12
arborator Fst. 12
arcirostre Dbrs. 12
arduum Wgnr. 12
areolatum Kirsch 12
argentatum Gerst. 12
argutulum Pasc. 13
aridulum Beg.-Billc. 13
arizonae Fall 13
armatum Gerst. 13
armeniacum Dbrs. 13
armiferum Wnck. 23
armipes Wgnr. 13
arragonicum Everts 19
arrogans Wnck. 13
Arrowi Wgnr. 13
artemisiae Mor. 13
aruensis Hell. 4
asiaticum Dbrs. 20
aspericolle Wgnr. 13
asphaltinum Boh. 13
assimile Kb. 13
astragali Payk. 13
aterrimum Kb. 40
aterrimum L. 40
aterrimum Marsh. 52.
aterrimum Redtenb. 10
atomarium Kb. 14

atramentarium Wgnr. 14
atratulum Germ. 59
atratulum Vitale 66
atratum Wgnr. 14
atricolor Hartm. 14
atripenne Dbrs. 14
atripes Smith 14
atripes Wgnr. 55
atrirostre F. 14
atritarse Gylh. 30
atrocoeruleum Wgnr. 14
atronitidum Wnck. 14
attenuatum Smith 14
auctum Sharp 14
auletoides Rttr. 14
auratus Hell. 4
auripes Fall 14
Aurivillii Fst. 14
australis Hell. 4
austriacum Wgnr. 14
austrinum Woll. 14
avidum Fst. 14

barbatum Beg.-Billc. 14
Barnevillei Wnck. 13
basale Sharp 15
basicorne Illig. 17
basirostre Sharp 15
batnense Dbrs. 15
Beaucheni Beg.-Billc. 15
Beckeri Dbrs. 15
Beguini Wgnr. 15
bellicosus Boh. 3
bellum Beg.-Billc. 15
benignum Fst. 15
Bergrothi Dbrs. 28
betulae Gylh. 34
Beuthini Hoffm. 24
bicarinatum Beg.-Billc. 15
bicolor Gerst. 15
bicolor Gredl. (Apion) 64
bicolor Gylh. (Tanaos) 6
biforme Fst. 15
bifoveolatum Steph. 41
Billcocqui Wgnr. 15
binotatum Lea 15
bipartirostre Dbrs. 15
bipartitum Dbrs. 15
biseriatum Dbrs. 15
bispinosus Boisd. 4
bistigma Schönh. 6
bistriatus Guér. 6
bivittatum Gerst. 31
blatta Beg.-Billc. 15
Bohemani Bedel 13
Bohemani Thoms. 44
bomaense Fst. 15
bonariense Steinh. 15
Bonvouloiri Bris. 15
boops Schönh. 29
Bouvieri Beg.-Billc. 15
brachystegiae Wgnr. 15
Brenskei Dbrs. 15
breviatum Dbrs. 50
breviceps Wgnr. 15
brevicolle Smith 50
brevicorne Gerst. 15
brevicorne Schlsky. 17
brevihirtum Wgnr. 15
brevipilis Dbrs. 15
brevirostre Hbst. 16
brevirostre Kb. 21
brevithorax Dbrs. 23
breviusculum Rosh. 16
breviusculum Dbrs. 52
Brisouti Dbrs. 16
Bruleriei Dbrs. 16
brunneus F. 5
brunnipes Boh. 16
Buddebergi Bedel 16
Bugnioni Wgnr. 16
bulbinasum Sharp 46
burdigalense Wnck. 16

caelebs Wgnr. 16
caffrum Boh. 16
caiffense Dbrs. 16
calcaratipes Sharp 16
calcaratum Woll. 16
californicum Smith 58
candidum Wnck. 16
cannescens Dbrs. 17
cantabricum Dbrs. 17
cantianum Wgnr. 17
Capiomonti Wnck. 22
capitatum Smith 43
carbonarium Ev. 18
carbonarium Germ. 36
carduorum Kb. 17
carinatum Smith 17
carinirostrum Fall 17
cariosum Fairm. 17
carpini Gylh. 63
carpophagum Lea 17
Casperi Wgnr. 17
castaneipes Gerst. 17
castaneus Kl. 6
caucasicum Hochh. 17
Caullei Dbrs. 24
Caullei Wnck. 24, 47
causticum Fst. 17
cavatum Dbrs. 17
caviceps Dbrs. 17
cavifrons Lec. 18
centrale Fall 18
centrimacula Betta 57

ceratum Beg.-Billc. 18
cerdo Gerst. 18
ceutorrhynchidium Wgnr. 18
ceutorrhynchoides Woll. 18
ceylonicum Gerst. 18
chalceum Gerst. 18
chalceum Marsh. 9
chalybeicolor Motsch. 18
chalybeipenne Woll. 52
Championi Sharp 18
chenocephalum Dbrs. 18
Chevrolati Gylh. 18
chilense Wgnr. 18
chirindanum Wgnr. 18
chiriquense Sharp 18
chloris Fst. 7
Chobauti Schlsky. 15
chrysocamum Gerst. 18
chuparosae Fall 18
ciliare Dbrs. 11
cineraceum Wnck. 41
cinerascens Germ. 45
cinereum Gerst. 56
cingalense Walk. 18
circumscriptum Hartm. 20
civicum Germ. 51
clavatum Schlsky. 38
clavipes Gerst. 18
coelestc Fst. 18
coeleste Schlsky. 66
coeruleipenne Steph. 34
coerulescens Kirsch 60
coerulescens Marsh. 50
coeruleum Hbst. 10, 64
cognatum Hochh. 19
cognatum Hartm. 50
collare Schlsky. 19
colon Sharp 19
colonus Fst. 19
colonus Fst. 64
coloradense Fall 19
columbianum Fst. 19
columbinum Germ. 19
columbinum Steph. 58
combustum Wgnr. 20
commodum Fall 19
comosum Pasc. 19
compactum Dbrs. 19
compressicolle Wgnr. 19
compressus Hartm. 5
concinnum Schlsky. 19
concinnum Marsh. 63
concoloratum Smith 17
condensatum Lea 19
confertum Smith 19
confluens Kb. 19
confluens Gylh. 59
conforme Dbrs. 17
confusum Dbrs. 20
congruum Lea 20
congruum Wgnr. 64
coniceps Dbrs. 20
conicicolle Gerst. 20
conicicolle Schlsky. 19
conicicolle Sharp 11
conicolle Wgnr. 20
conjunctum Wgnr. 20
connexum Schlsky. 20
conocephalum Dbrs. 20
consanguineum Dbrs. 18
considerandum Fåhr. 20
consimile Wgnr. 20
consobrinum Wgnr. 20
consors Dbrs. 20
conspicuum Dbrs. 50
constricticolle Sharp 20
constricticolle Hartm. 38
constrictum Hartm. 20
contiguum Beg.-Billc. 20
contractum Gerst. 20
contusum Smith 20
coracellum Fall 20
coracinum Beg.-Billc. 34
coracinum Gylh. 25
corcyreum Schlsky. 24
cordatum Smith 20
corniculatum Germ. 20
corsicum Dbrs. 20
corvinum Fst. 20
costipenne Fauv. 49
coxale Fall 21
coxale Dbrs. 28
craccae L. 21
craccae Panz. 9
crassicolle Motsch. 21
crassinasum Lec. 21
crassinasus Dbrs. 36
crassipes Kirsch 21
crassirostre Gylh. 21
crassirostre Motsch. 46
crassiusculum Dbrs. 21
crassum Fall 21
credulum Fst. 21
crenulatum Dbrs. 20
cretaceicolle Sharp 21
cretaceum Rosh. 21
cribricolle Lec. 50
cribricolle Perr. 34
crinitum Wgnr. 31
croceifemoratum Gylh. 29
croceifemoratum Kiesw. 29
crotalariae F. 21
cruentatum Walt. 21
crusculum Fst. 21
cuneatum Hochh. 33
cuprescens Mannh. 21
cuprifulgens Schlsky. 61
curticorne Fall 21

curtipenne Dbrs. 54
curtipennis Fairm. 5
curtirostre Germ. 21
Curtisi Steph. 22
Curtisi Wnck. 22
curtulum Dbrs. 22
curvipes Dbrs. 12
curvipilosum Wgnr. 22
curvirostre Gylh. 22
cyanellum Dbrs. 22
cyaneomicans Dbrs. 13
cyanescens Boh. (Cylas) 5
cyanescens Gylh. (Apion) 22
cyaneum Deg. 17
cyaneum Gylh. 58
cyaneum Ol. 65
cyaneus Panz. 50
cyanipenne Schönh. 49
cyladoides Hartm. 22
cylindricolle Gylh. 22
cylindricum Dbrs. 22
cylindriforme Wgnr. 22
cylindrirostre Wgnr. 22

daimio Sharp 22
damascenum Dbrs. 59
Damryi Dbrs. 22
dauricum Fst. 22
Davidis Sharp 23
decolor Dbrs. 23
decoloratum Smith 23
decorum Wnck. 27
defensum Fst. 23
Delagrangei Dbrs. 23
deletum Schlsky. 23
delicatulum Woll. 23
dentipes Gerst. 23
dentirostre Gerst. 23
denudatum Beg.-Billc. 23
derasum Sharp 23
derelictum Dbrs. 23
derelictum Dbrs. 39
Desbrochersi Kirsch 66
desolatum Smith 23
detritum Rey 23
dichroum Bedel 28
Dietrichi Dietr. 45
differens Dbrs. 53
difficile Hbst. 23
difficile auct. 20
difforme Ahr. 24
dilatatum Smith 24
dilaticolle Motsch. 24
dilatipes Dbrs. 24
dimidiatum Dbrs. 18
dimidiatus F. 6
disjunctum Wgnr. 24
dispar Germ. 24
disparatum Sharp 24
disparipes Fall 24
disparirostre Wgnr. 24
dissimile Germ. 24
dissimilipes Sharp 24
distans Dbrs. 24
distincticolle Dbrs. 24
distinctirostre Dbrs. 24
diversistriatum Wgnr. 25
diversum Dbrs. 53
dolosum Fall 25
dongollanum Wgnr. 25
Doriae Dbrs. 25
dorsale Schlsky. 25
dromedarius Fairm. 25
dubium Dbrs. 25

ebeninum Kb. 25
edentatum Dbrs. 25
egregium Wgnr. 25
elegantulum Germ. 25
ellipticum Smith 25
elongatissimum Dbrs. 25
elongatulum Dbrs. 25
elongatum Germ. 26
elutipes Fall 26
emaciipes Fall 26
encaustum Wnck. 12
ensirostre Gerst. 26
epicum Sharp 26
Eppelsheimi Dbrs. 35
Eppelsheimi Fst. 57
ergenense Beck. 14
erinaceum Wgnr. 26
errabundum Sharp 26
erraticum Smith 26
ervi Kb. 26
erythraceum Beg.-Billc. 26
erythreanum Wgnr. 26
erythrocerum Smith 47
erythropterum Sharp 26
estriatum Smith 26
exarmatus Hell. 4
excellens Wgnr. 26
exiguum Beg.-Billc. 26
exophthalmum Wnck. 26
exsertus Pasc. 5
extensum Smith 26
externepunctatum Dbrs. 26
externestriatum Dbrs. 27
extinctum Kraatz 16

fabrile Fst. 27
facetum Gylh. 27
fagi Kb. 12
Fairmairei Wnck. 27
Faldermanni Gylh. 27

fallaciosum Dbrs. 27
fallax *(Apion)* Boh. 27
fallax *(Tanaos)* Gylh. 6
fallax Wnck. 39
fallax Woll. 65
Falli Wgnr. 27
familiare Fst. 27
fasciatum Ol. 64
fasciculatum Boh. 27
fastidiosum Beg.-Billc. 27
Fausti Dbrs. 27
femorale F. 27
femoralis Fst. 5
femoratum Sharp *(Het.)* 67
femoratum Wgnr. *(Apion)* 27
ferrugineum Sharp 27
ferruginipes Wnck. 52
fibulipes Fall 27
Figinii Wgnr. 27
filicorne Wnck. 27
filipes Sharp 27
filirostre Kb. 27
filum Fall 28
finitimum Fall 28
fissile Fst. 28
Flachi Wgnr. 30
flavescens Villa 40
flavicorne F. 28
flavicorne Dbrs. 35
flavicrus Dbrs. 28
flavifemoratum Kb. 9, 12
flavimanum Gylh. 28
flavimanum Motsch. 31
flavinasus Dbrs. 28
flavipes Payk. 28
flavipes F. 64
flavipes Laich. 9
flavipes Panz. 12
flavofemoratum Hbst. 28
flexipenne Wgnr. 29
flexirostre Wgnr. 29
flexuosum Wgnr. 29
floridanum Smith 29
foederatum Wgnr. 29
foraminosum Gylh. 42
formicarius Chevr. (Myrm.) 5
formicarius F. (Cylas) 5
famosum Beg.-Billc. 29
fornicatum Wgnr. 29
fortipubens Rttr. 30
fortipunctum Wgnr. 29
fortirostre Wngr. 29
fossicolle Dbrs. 29
fossulatum Dbrs. 29
foveatoscutellatum Wgnr. 52
foveatum Dbrs. 29
foveicolle Lea 29
foveicolle Hartm. 64
foveirostre Wgnr. 29
foveolatum Kb. 58
frater Dbrs. 29
fraternum Smith 32
fraudulentum Sharp 29
frontale Dbrs. 22
fronto Wgnr. 29
frumentarium Payk. 29
frumentarium F. 41
frumentarium Kirby 42
fuliginosum Wgnr. 29
fulvirostre Gylh. 30
fulvofasciatus Blanch. 3
fulvum Dbrs. 30
fumitarse Fall 30
funereum Fall 30
funiculare Muls. 31
furtivum Fall 30
furvum Sahlbg. 49
furvum Seidl. 45
fuscicorne Marsh. 66
fuscimanum Sharp 30
fuscirostre F. 30
fuscitarse Wgnr. 30
fuscosuturale Lea 30
fuscum Wgnr. 30

gagatinum Motsch. 30
galactitis Wnck. 17
gallaecianum Dbrs. 30
gallicola Riley 67
gallinula Gerst. 30
Ganglbaueri Wgnr. 30
gaudiale Fst. 30
Gautardi Tourn. 61
Gavoyi Dbrs. 30
gelidum Fst. 31
geminum Wgnr. 31
gemulum Fst. 31
geniculatum Germ. 46
genistae Kb. 31
genistae auct. 19
germanum Sharp 31
germanicum Dbrs. 23
Germari Gylh. 31
Germari Walt. 57
Gerstäckeri Fst. 31
Gestroi Fst. 31
gibbiceps Dbrs. 31
gibbipenne Boh. 31
gibbipenne Fahr. 43
gibbipennis Fairm. 6
gibbirostre Gylh. 17
gibbosulum Beg.-Billc. 31
gibbosum Hbst. 31
gibbosum Fst. 55
gibbosum Sharp 47
gilvipes Gemm. 31
glabratum Gerst. 31

glabratum Kiesw. 60
glabripennis Hartm. 5
glabrirostre Wgnr. 31
glabrum Gemm. 60
glaucinum Gylh. 45
globosum Wgnr. 31
globulipenne Wgnr. 31
glyphicum Sharp 31
gnarum Fst. 31
gracile Gerst. 32
gracilicolle Gylh. 32
graciliforme Fall 32
gracilipenne Wgnr. 32
gracilipes Dietr. 32
gracilirostre Sharp 32
gracilitubus Dbrs. 32
graecum Dbrs. 32
grallarium Sharp 32
grandaevum Wgnr. 32
granulum Gerst. 32
gravidum Ol. 49
Grenieri Dbrs. 32
Gribodoi Dbrs. 32
Griesbachi Steph. 65
Grimmi Hochh. 64
griseopilosum Wgnr. 32
griseopubescens Roel. 32
griseosetosulum Dbrs. 32
grisescens Kirsch 32
griseum Smith 32
grossulum Fall 32
grus Fst. 32
guatemalenum Sharp 32
gulare Fall 32
guttifer Hell. 4
Gyllenhali Kb. 32

hadrops Thoms. 41
haematodes Kb. 29
hamatum Wgnr. 33
Hartmanni Dbrs. 44
Hartmannianum Wgnr. 33
hastifer Sharp 33
Hauseri Wgnr. 33
helianthemi Bedel 65
Helleri Wgnr. 33
helveticum Dbrs. 36
hemisphaericum Wgnr. 33
Henoni Abeille 33
Henschi Rttr. 46
herbarum Aubé 40
Herbsti Gylh. 33
herculanum Smith 33
hesperum Fall 33
heterocerum Thoms. 24
heterogeneum Sharp 33
Heydeni Wnck. 33
Heydeni Dbrs. 17
hiemale Hampe 33
Hilleri Schlsky. 33
hipponense Dbrs. 9
hipponense Dbrs. 46
hirsutum Villa 54
hirticorne Dbrs. 33
hispanicum Wnck. 10
Holdhausi Wgnr. 11
holosericeum Gylh. 33
Hoockeri Kb. 33
Horvathi Schlsky 33
humerale Philippi 33
humerosum Pering. 33
humerosum Dbrs. 51
humile Germ. 21
hungaricum Dbrs. 34
huron Fall 34
hydrolapathi Marsh. 34
hydropicum Wnck. 34
hyspanicum Wnck. 6
hystriculum Sharp 34

ilicis Kb. 63
illex Fst. 34
ilvense Wgnr. 34
immundum Lea 34
immune Kb. 34
impeditum Fall 34
impexum Fall 34
importunum Fall 34
impressidorsum Dbrs. 34
impressidorsum Dbrs. 34
impunctatus Fst. 5
impunctistriatum Smith 34
inaequale Gylh. 34
inapertum Dbrs. 34
incanum Boh. 26
incertum Dbrs. 13
incisum Boh. 25
incommodum Wgnr. 34
incrassatum Germ. 65
indicum Motsch. 35
indistinctum Motsch. 35
indubium Wgnr. 35
inermis Hell. 4
inexpertum Wgnr. 35
infaustum Fst. 35
infernum Kirsch 35
infirme Sharp 67
inflatipenne Sharp 35
inflatum Motsch. 35
inornatum Beg.-Billc. 35
inscriptum Fst. 35
insculpticolle Dbrs. 35
insertum Wgnr. 35
insidiosum Dbrs. 35
insigne Beg.-Billc. 35
insignicolle Dbrs. 35

insignis Hell. 4
insolens Fst. 35
insolitum Dbrs. 53
insulare Beg.-Billc. 35
integricolle Lea 35
interjectum Dbrs. 35
intermedium Epp. 35
intermedius Hell. 4
interrupta Hell. 4
interruptestriatum Dbrs. 35
interstitiale Kirsch 35 interstitialis Fhs. 6
interstitiale Boh. 16
intrusum Gylh. 58
irkutense Fst. 35
italicum Dbrs. 35
jaffense Dbrs. 57
Jakobsoni Wgnr. 33
japonicum Roel. 35
Jekeli Fst. 36
judaicum Schlsky. 17
juniperi Boh. 36
juno Sharp 36
Junodi Wgnr. 36

kasbekianum Gerst. 36
kayumbense Wgnr. 36
Kiesenwetteri Dbrs. 23
Kirbyi Germ. 56
Kirschi Dbrs. 36
Königi Dbrs. 36
Kolbei Wgnr. 36
Kolenatii Kol. 36
Korbi Schky. 30
Kosmanni Gerh. 49
Kraatzi Wnck. 36
Kuenbergi Rttr. 36
Kunzei Boh. 25
kwaiense Hartm. 36

laeve Beg.-Billc. 36
laevicolle Kb. 36
laevicollis Boh. 5
laevigatum Payk. 36
laevigatum Kb. 16
laevior Kb. 3
laevirostre Gerst. 37
laevithorax Gylh. 40
laeviusculum Dbrs. 37
lanciferum Dbrs. 37
lancirostre Chevr. 37
laminatum Sharp 37
languidum Boh. 37
languidum Gylh. 39
lanigerum Gemm. 37
lanuginosum Gerst. 37
lanuginosum Walsh. 66
lanuginosum Wnck. 37
lassum Sharp 37
laterale Sharp 37
lathyri Kb. 26
laticeps Dbrs. 37
laticolle Gerst. 37
laticolle Perr. 25
latifrons Gerst. 37
latipenne Sharp 37
latipes Sharp 37
latithorax Dbrs. 28
laudabile Fst. 8
Laufferi Schky. 37
Leachi Steph. 9
Lebasi Gylh. 37
Lederi Kirsch 28
Le-Douxi Wgnr. 37
Lemoroi Bris. 37
lenense Schky. 37
lentum Sharp 37
leonense Wgnr. 37
Leonhardi Rttr. 37
Leprieuri Wnck. 37
leptocephalum Aubé 32
leptorhynchum Gerst. 38
Lesnei Schky. 38
lethale Pasc. 38
Lethierryi Dbrs. 38
leucophaeatum Wnck. 38
libanicum Dbrs. 38
liguricum Solari 26
limonii Kb. 38
Linderi Wnck. 38
litigiosum Wnck. 38
livescerum Gylh. 53
lividipes Wnck. 38
lividum Smith 38
lobirostre Rttr. 38
longiceps Schky. 38
longiclava Dbrs. 38
longicolle Gerst. 38
longicolle Sharp 39
longicollis Chevr. 5
longicrus Hartm. 38
longimanum Rey 11
longimanum Sharp 39
longipes Woll. 66
longirostre Ol. 38
longithorax Dbrs. 39
longitubus Dbrs. 39
longulum Gerst. 39
longulum Dbrs. 26
loti Kb. 39
loti Gylh. 65
lucidithorax Dbrs. 10
lugubre Fst. 49
luminosum Wgnr. 58
lunigerum Wgnr. 39
luteipes Kirsch 39
luteirostre Gerst. 39
lythri Panz. 64

maceratum Sharp 39
macilentum Blanch. 39
macrocephalum Wgnr. 39
macromerum Kirsch 39
macrophthalmum Gerst. 39
macropus Wgnr. 39
macrorhynchum Eppelsh. 39
macrothorax Wgnr. 39
macula-alba Suffr. 39
maculicoxis Dbrs. 28
maculipes Pasc. 39
madagascariense Beg.-Billc. 39
madecassum Beg.-Billc. 40
magnirostre Wgnr. 40
majorinum Fst. 40
malgasicum Beg.-Billc. 40
malvae F. 40
malvarum Kb. 54
Mandoni Wnck. 40
manicense Wgnr. 40
mansuetum Fst. 40
marchicum Hbst. 40
marchicum Gylh. 10
marchicum Kb. 66
Marqueti Wnck. 36
Marseuli Wnck. 40
Marshalli Wgnr. 40
Marshami Steph. 61
Martjanovi Fst. 27
massutei Hell. 4
matricum Sharp 40
Mauritii Beg.-Billc. 40
mecops Boh. 45
medianum Thoms. 22
mediocre Sharp 40
meditabundum Fst. 40
mediterraneum Wgnr. 40
medium Dbrs. 41
Meieri Dbrs. 57
melanarium Gerst. 41
melancholicum Wnck. 41
melanopum Marsh. 30
Melichari Wgnr. 64
meliloti Kb. 41
mendax Dbrs. 41
meorrhynchum Philippi 41
merale Fst. 41
meridianum Wnck. 17
metallicum Gerst. 41
metrosideros Broun 41
microcephalum Wgnr. 41
millum Bach 41
millum Gylh. 26
mimosae Hartm. 41
miniatum Germ. 41
minimum Hbst. 42
minor Smith 42
minutissimum Rosh. 42
minutum Smith 42
minutus Fourcr. 40
mitissimum Beg.-Billc. 42
Moczarskii Wgnr. 42
modestum Smith 42
modestum Germ. 39
moerens Wgnr. 42
molestum Fall 42
monstrosum Fst. 6
Montandoni Dbrs. 42
montanum Mill. 36
monticola Schky. 42
montivagum Wgnr. 42
morio Germ. 28
Moroderi Dbrs. 32
morosum Fst. 42
motabile Fst. 47
Motschulskyi Hochh. 9
muricatus Kb. 3
murinum Gerst. 42
murinum Ev. 57
mus Dbrs. 31
mutatum Gemm. 42
myochroum Schky. 42

nasua Gerst. 42
nasutum Fall 42
natalense Gerst. 43
navicula Beg.-Billc. 43
neapolitanum Dbrs. 57
Neavei Wgnr. 43
nebraskense Fall 43
necopinum Fst. 43
neglectum Gylh. 25
nigerrimum Wgnr. 43
nigerrimum Fst. 59
nigrellum Beg.-Billc. 43
nigricollis Hell. 7
nigricorne Motsch. 45
nigricoxale Schky. 15
nigricrus Dbrs. 12
nigripes Dbrs. 12
nigripes Schky. 63
nigrirostre F. 63
nigritarse Kb. 43
nigritarsis Fst. 6
nigritulum Wgnr. 43
nigroaeneum Gerst. 43
nigrocoerulans Fairm. 5
nigrosparsum Suffr. 43
nigrum Hbst. 43
niloticum Dbrs. 43
nitens Schky. (Apion) 43
nitens Snell (Chalcocyb.) 4
nitidipenne Wgnr. 43
nitidipennis Fst. 7
nitidirostre Sharp 43
nitidirostre Beg.-Billc. 31
nitidulum Gerst. 43

nitidum Kirsch 43
nodicorne Sharp 43
nodirostre Gerst. 43
Normandi Dbrs. 43
nothum Dbrs. 9
novellum Fall 43

obesulum Dbrs. 43
obesum Smith 53
obliquestriatum Beg.-Billc. 43
oblitum Smith 43
oblitum Dbrs. 40
oblivium Schky. 44
oblongulum Dbrs. 44
oblongum Gylh. 44
obnoxium Fst. 44
obscurum Marsh 44
obscurum Blanch. 61
obscurum Gerh. 65
obsoletum Smith 44
obtectum Schky. 44
obtusipenne Dbrs. 44
obtusiusculum Dbrs. 38
obtusum Dbrs. 11
occidentale Fall 44
occultans Fst. 29
ochroceras Dbrs. 32
ochropus Germ. 44
ochropus Gmel. 12
oculare Gylh. 44
ocularium Dbrs. 35
oedorrhynchum Lec. 44
offensum Fst. 44
ononicola Bach 44
ononidis Gylh. 45
ononis Kb. 45
onopordi Kb. 45
opacicolle Smith 45
opacinum Fst. 45
opacum Kirsch 45
opeticum Bach 45
ophthalmicum Dbrs. 26
oranense Dbrs. 46
orbitale Boh. 47
oreophilum Beg.-Billc. 46
orientale Gerst. 46
orthorhynchum Wgnr. 46
oscillator Sharp 46
otiasum Fst. 30
ovale Smith 44
ovipenne Hochh. 46
oxurum Kb. 52
oxyrhynchum Wgnr. 46

pachymerum Philippi 46
pachyrrhynchum Gemm. 46
pacificum Sharp 46
pallicorne Gylh. 66
pallidactylum Gylh. 59
pallidirostre Roel. 46
pallidulum Gylh. 54
pallipes Kb. 46
pallitarse Sharp 46
palpebratum Gylh. 57
pamanzianum Beg.-Billc. 46
panamense Sharp 46
Papei Wgnr. 46
papuanus Hell. 4
paradoxum Gerst. 46
parallelocolle Wgnr. 46
parallelum Smith 46
parens Dbrs. 46
parpanense Rühl 46
particeps Wgnr. 46
parviclava Dbrs. 47
parvithorax Dbrs. 36
parvulum Gerst. 47
parvulum Muls. 42
parvulum Smith 42
pasticum Germ. 49
patruele Smith 47
Pauli Hartm. 47
pauper Sharp 47
pauxillum Beg.-Billc. 47
pavidum Germ. 47
peculiare Wgnr. 47
pedale Rey 47
pedemontanum Dbrs. 19
pedestre Sharp 47
penetrans Germ. 47
penetrans Bedel 24
penetrans Steph. 45
peninsulare Fall 47
pennsylvanicum Boh. 47
perforicolle Fall 47
periscelis Gylh. 47
perlongum Fst. 48
perminutum Smith 48
perplexum Gylh. 45
perpusillum Beg.-Billc. 48
Perraudieri Dbrs. 48
Perrieri Beg.-Billc. (Apion) 48
Perrieri Fairm. (Cyb.) 6
Perrisi Wnck. 48
persicum Dbrs. 48
persimile Fall 48
perspicax Wnck. 27
perspicillum Faust 48
pervicax Fall 48
Peyerimhoffi Dbrs. 48
philanthum Lea 48
Philippi Beg.-Billc. 48
phocopus Epph. 48
phrygium Wgnr. 48
piceirostre Gerst. 48
picicorne Steph. 28

picipes Gerst. 48
picipes Wgnr. 59
pictum Wgnr. 48
picturatum Sharp 48
piezotracheloides Wgnr. 48
pilicorne Dbrs. 48
piliferum Gylh. 48
pilosum Gylh. 48
pineae Rosh. 25
piscidiae Montr. 49
pisi F. 49
pisi Germ. 59
pistillum Fst. 49
pistillum Fst. 11
placidum Fst. 49
platalea Germ. 49
plebejum Germ. 57
plebejum Steph. 22
plenum Wgnr. 49
pleuralis Fairm. 6
pleuriticum Sharp 49
plicatum Fst. 49
plumbeomicans Rosh. 49
plumbeum Gylh. 47
Pluto Beg.-Billc. 50
podolicum Rybinski 54
poeticum Sharp 50
politum Dbrs. 50
pomonae F. 50
porcatum Boh. 50
porosicolle Gemm. 50
porrectum Wgnr. 50
portoricanum Gerst. 50
postscutatum Beg.-Billc. 50
Poupillieri Wnck. 50
praecarium Fst. 50
praeditum Sharp 50
probum Fst. 50
proclive Lec. 50
propinquicorne Fall 50
propinquum Hartm. 50
protensum Lec. 50
protractum Sharp 51
provinciale Dbrs. 41
pseudapricans Beg.-Billc. 51
pseudarrogans Rttr. 51
pseudelongatum Wgnr. 51
pubescens Kb. 51
pudicum Lea 51
puerulus Lea 6
pulchellum Mill. 8
pulchripes Sharp 51
pulex Gmel. 40
pulicare Pasc. 51
pullum Beg.-Billc. 54
pullum Gylh. 49
pullus Boh. 31
pulverulentum Wnck. 51
pumilio Dbrs. 51
puncticeps Wgnr. 51
puncticolle Beg.-Billc. 51
puncticolle Schky 19
puncticolle Steph. 49
punctícollis Boh. 5
punctifrons Kb. 49
punctigerum Payk 51
punctigerum Thunbg. 33
punctinasum Smith 51
punctirostre Gylh. 51
punctithorax Wgnr. 51
punctulirostre Sharp 52
puritanum Fall 52
pusillum Germ. 14
pusillum Steph. 57
Putoni Bris. 52
pyriforme Kirsch 52
pyriforme Smith 26

quadricolle Fall 52
quadricostatum Schky. 52
quadridens Er. 3
quadrinodosus Er. 3
quadrispinosum Woll. 52
quadrituberculatus Boh. 4
quercicola Sharp 52

radiolus Kb. 52
Ragusae Ev. 23
rapulum Wnck. 52
recidivum Fst. 8
reclusum Fall 52
reconditum Gylh. 52
rectangulum Wngr. 52
rectinasus Dbrs. 52
rectipes Dbrs. 52
rectirostre Schlsky. 52
reflexum Gylh. 52
Reitteri Dbrs. 53
relictum Sharp 53
restricticolle Motsch. 53
Revellierei Perr. 53
Reyi Dbrs. 53
rhodesiacum Wgnr. 53
rhomboidale Dbrs. 53
rhomboideum Gerst. 53
Richteri Fst. 4
ripicola Hartm. 53
robusticorne Dbrs. 53
robustirostre Dbrs. 53
robustum Smith 53
robustus Fst. 5
Roelofsi Ev. 19
Roepkei Wgnr. 53
rostrum Say 53
rotundatum Wgnr. 53
rotundipenne Woll. 53

Rougeti Wnck. 52
rubens Steph. 53
rubicundum Gylh. 54
rubidum Fåhr. 54
rubripes Dbrs. 9
rudicolle Hochh. 54
rufescens Fairm. (Cylas) 5
rufescens Gylh. (Apion) 54
ruficorne Hbst. 21
ruficrus Germ. 9
ruficrus Wnck. 12
rufinasus Dbrs. 65
rufinulum Sharp 54
rufipenne Gylh. 54
rufipennis Boh. 6
rufipes Fst. (Cylas) 5
rufipes Gylh. (Apion) 54
rufirostre F. 54
rufobrunneum Wgnr. 54
rufo-piceum Wgnr. 54
rufulum Wnck. 54
rufum Solari 55
rufus Fst. 6
rugicolle Germ. 54
rugicolle Germ. 47
rugicolle Steph. 45
rugifrons Boh. 55
rugipenne Hochh. 55
rugirostre Sharp 55
rugosicolle Wgnr. 38
rumicis Kb. 40
Ruspolii Wgnr. 55
russeolum Gylh. 55
russicum Dbrs. 17
Ryei Blackb. 55

saeculare Gozis 13
sagax Fst. 55
sagittiferum Woll. 55
Sahlbergi Gylh. 37
salicis Gylh. 51
salsburgense Wgnr. 56
samarense Fst. 56
samson Sharp 55
sanctifelicis Sharp 55
sanguineum Deg. 55
sanguineus Thbg. 6
sanguinipes Wgnr. 55
sareptanum Dbrs. 55
sarothamni Gredl. 61
Sauteri Wgnr. 55
Sayi Gylh. 53
scabiosum Weise 29
scabrior Kb. 4
scalptor Hbst. 64
scalptum Rey 55
scapularis Pasc. 4
Schmidti Bach 51
Schneideri Tourn. 56
Schilskyi Wgnr. 55
Schönherri Boh. 56
Schoutedeni Wgnr. 56
Schrencki Schky. 46
Schröderi Wgnr. 56
scolopax Gerst. 56
scrobicolle Gylh. 53
sculpticolle Dbrs. 56
sculpturatum Fst. 56
scutellare Kb. 56
scydmaenoides Sharp 56
sedi Germ. 56
sedi Gylh. 22
sefrense Dbrs. 56
segne Fst. 56
segnipes Say 56
sejugum Dbrs. 39
semicastaneum Fst. 54
semicyanescens Dbrs. 56
semicyaneum Muls. 16
semipunctatus Fåhr. 5
semirufum Rey 54
semivittatum Gylh. 56
semotum Fst. 57
senex Woll. 57
seniculus Kb. 57
separandum Aubé 57
seriatosetosulum Wnck. 57
seriatum Sharp 57
seriepilosum Wgnr. 57
serpyllicola Wnck. 42
setiferum Gylh. 55
setosum Wnck. 57
setuliferum Beg.-Billc. 57
setulosum Beg.-Billc. 57
Severini Wgnr. 57
Sharpi Fst. 57
shingalense Heller 57
sibiricum Boh. 44
sicanum Wnck. 62
Sicardi Dbrs. 39
similans Schky. 46
simile Kb. 57
simillimum Dbrs. 58
simum Germ. 58
simplicipes Dbrs. 66
singulare Wnck. 58
sinuirostrum Fall 58
Sjöstedti Wgnr. 58
Smithi Wgnr. 58
smyrnense Schky. 44
socium Wgnr. 58
solanii Lea 58
Solarii Wgnr. 58
Solariorum Wgnr. 20
soleatum Wgnr. 58
solitare Sharp 58
solutum Fall 58

sorbi F. 37
sordidum Smith 58
soricinum Dbrs. 31
spadiceum Wgnr. 58
sparsum Fst. 58
spartii Kb. 40
spathula Dbrs. 24
spectator Sharp 58
Spencei Kb. 58
spinicoxale Wgnr. 58
spinipes Fall 59
spissum Fst. 59
splendens Kirsch 59
splendida Hell. 7
splendidulum Dbrs. 59
splendidus Blackb. 4
splendidus Blanch. 4
spretissimum Sharp 59
squamans Dbrs. 59
squamigerum Duv. 12
squamosum Fst. 59
squamulatum Gylh. 59
stabile Sharp 59
Standfussi Wgnr. 59
Staudingeri Wgnr. 59
stenocephalum Perr. 10
Stephani Vitale 54
sternale Beg.-Billc. 59
Steveni Gylh. 59
Stierlini Desbr. 51
stolidum Germ. 59
stolidum Gylh. 19
strangulatum Kirsch 48
striaticeps Wgnr. 59
striatum Kb. 59
strictum Dbrs. 59
strigipenne Schky. 59
strobilanthi Dbrs. 59
subaeneum Gerst. 59
subangulirostre Wgnr. 59
subauratum Sharp 59
subcandidum Schky. 60
subcaviceps Dbrs. 60
subcoeruleum Steph. 10
subconiceps Dbrs. 60
subconicicolle Dbrs. 60
subcostatum Motsch. 60
subcrenulatum Dbrs. 60
subdentirostre Dbrs. 60
subelongatum Wgnr. 60
subfarinosum Dbrs. 60
subglabratum Wgnr. 60
subglabrum Dbrs. 60
subglobosum Gerst. 60
sublaevithorax Dbrs. 60
sublineatum Schky. 60
submetallicum Boh. 60
submetallicus Desbr. 5
subnitidum Wgnr. 60
subornatum Fall 60
subparallelum Dbrs. 60
subplumbeum Dbrs. 60
subpubescens Wnck. 60
subrectirostre Dbrs. 60
subrufum Sharp 60
subsquamiferum Dbrs. 23
subsquamosum Dbrs. 60
substriatum Schky. 49
subsulcatum Marsh. 10
subtinctum Fall 60
subtrapezicolle Dbrs. 60
subulatum Kb. 60
subulirostre Gylh. 61
suetum Fst. 61
sulcatipenne Hartm. 61
sulcifrons Hbst. 61
sulcifrons Kb. 51
sulcipenne Gylh. 61
sulcirostre Sharp 61
sulcithorax Dbrs. 65
sulphuripes Kirsch 61
Sundevalli Boh. 27
superbum Tourn. 61
superbus Hell. 4
superciliosum Gylh. 58
suspiciosum Beg.-Billc. 61
sustrictum Wgnr. 61
suturale Beg.-Billc. 61
symbolum Fst. 61
syriacum Dbrs. 61

tabogense Sharp 61
talpa Dbrs. 16
tamaricis Gylh. 61
tanganum Hartm. 61
tantillum Sharp 61
tarsale Schky. 44
tauricum Dbrs. 61
teapense Sharp 61
Tellinii Wgnr. 61
tenebricosum Gemm. 61
tenebricosum Fst. 42
tenebrosum Wgnr. 61
tenellum Sahlbg. 22
tenerum Kirsch 61
tenue Kb. 61
tenuicolle Wgnr. 62
tenuicorne Wgnr. 62
tenuiforme Fall 62
tenuirostre Dbrs. 62
tenuius Gylh. 57
tenuirostrum Smith 62
teres L. 9
tereticolle Dbrs. 62
teretirostre Lea 62
terminale Sharp 62
terrae-reginae Blackb. 62

tessellatum Beg.-Billc. 62
tetracanthus Boh. 3
tetrum Beg.-Billc. 62
texanum Smith 62
tibiale Dbrs. 24
tonsile Fst. 62
torquatum Wnck. 28
translatitium Gylh. 53
transsylvanicum Schky. 62
transvaalense Hartm. 62
trapezicolle Wgnr. 62
triangulicolle Motsch. 62
tricarinatum Waltl 25
trifolii Bach 9
trifolii Marsh. 54
triste Germ. 58
tristiculum Schky. 66
triviale Fåhr. 62
troglodytes Mannh. 62
tropicum Hartm. 55
Truquii Reiche 62
Tschoffeni Fst. 62
tuberculiferum Motsch. 62
tubicen Wnck. 12, 23
tubiferum Gylh. 62
tubulatum Fåhr. 62
tumefactum Beg.-Billc. 63
tumidicolle Bach 56
tumidum Gerst. 63
tunicense Dbrs. 63
turbulentum Smith 63
turcipennis Boh. 5
turcicum Dbrs. 64
turkestanicum Dbrs. 63
typicum Smith 65

Uhagonis Dbrs. 28
ulicicola Perr. 56
uliciperda Pand. 63
ulicis Forst. 63
ulicis Wnck. 63
umboniferum Fall 63
umbrinum Woll. 63
uncipes Wgnr. 63
unguiculare Schky. 63
unicolor Kb. 33
unicolor Roel. 19
unicolor Thoms. 49
unicum Beg.-Billc. 63
uniseriatum Fst. 63
urticarium Hbst. 63
usambarense Hartm. 64

validirostre Gylh. 49
validum Germ. 64
varicorne Smith 64
variegatum Wnck. 64
varipes Germ. 64
varium Wgnr. 64
vastum Schky. 64
velatum Gerst. 64
velox Kb. 42
ventricosum Lec. 65
venustulum Wnck. 65
venustum Hbst. 30
vernale Payk. 64
versutum Fst. 65
verulamense Wgnr. 65
vespertinum Casey 58
vestitum Philippi 65
vetulum Hartm. 65
vetustum Sharp 65
viciae Payk. 65
viciae Geer 21
vicinum Kb. 65
vicinum Hartm. 64
vicinum Smith 66
vile Gerst. 65
villosulum Marsh. 66
Vincenti Dbrs. 65
vinosum Sharp 65
violaceum Kb. 65
violaceum Gylh. 40
violatum Schky. 66
virens Hbst. 66
virescens Schky. 66
viridescens Marsh. 37
viridicoerulans Dbrs. 19
viridicoeruleum Ev. 66
viridimicans Dbrs. 29
viridipenne Wgnr. 12
virile Fall 66
vorax Hbst. 66

Wagneri Flach 66
Wahlbergi Schönh. 6
Walshi Smith 66
Waltoni Steph. 22
Waterhousi Boh. 43
Weisei Fst. 66
Wenckeri Bris. 66
Westwoodi Woll. 67
Woerzi Wgnr. 67
Wollastoni Chevr. 67

xanthopus Gylh. 67
xanthoxyli Fall 67

zizyphii Marshall 67
Zuberi Dbrs. 67